

The future moving in

Siemens is the great, innovative technology brand in the home appliances sector. The name stands for outstanding engineering achievements, characterised by creativity, perfection and precision. For more than 160 years now, these values have shaped the Siemens brand and provided the basis for a continuous flow of innovations, which have constantly improved people's lives.



Siemens is proudly the No.1 home appliance brand in Germany.

This is no accident. It is a testament to the ability of Siemens to evolve with customer needs and changing lifestyles, and to provide innovative and forward thinking appliances.

Source: Euromonitor International Limited; Major Domestic Appliances volume sales 2021



As a sign of the confidence we have in the quality, reliability and performance of our products, all Siemens kitchen appliances come with a 5 year warranty on parts and labour.





Contents

Siemens buying guide	04
Home Connect	06
Oven range summary	30
Companion appliance range summary	09
Oven and compact highlights	10
Induction cooktop range summary	14
Induction cooktop highlights	15
Gas cooktop range summary	18
Gas cooktop highlights	19
inductionAir flexInduction® cooktop	20
Rangehood range summary	22
Rangehood highlights	23
Dishwasher range summary	24
Dishwasher highlights	25
Refrigeration range summary	28
Refrigeration highlights	29

Siemens buying guide

Step 1

Ovens

Why Siemens?

- varioSpeed
- pulseSteam
- activeClean®
- coolStart



Step 2

Cooktops

Why Siemens?

Induction

- flexInduction®
- TFT-Touchdisplay
- Innovative inductionAir flexInduction®



Gas

- stepFlame®
- High powered wok burners
- Dishwasher proof pan supports



varioSpeed: 100% taste in up to 50% less time.

Siemens ovens with integrated microwave make time management truly flexible. By activating the microwave to complement selected heating programs, you can speed up the preparation of even the most sophisticated dishes by up to 50%, without losing any of the flavour or goodness.



activeClean® (pyrolytic cleaning).

Siemens activeClean® heats the oven interior to a very high temperature of approximately 480°C, turning all residue to ash through a process called 'pyrolytic', the contents are then easily wiped away. For even more convenience, selected Siemens ovens feature pyrolytic proof telescopic rails, eliminating the hassle of having to remove interior fittings and washing them by hand.



Full colour touch display controls.

The TFT-Touchdisplay allows you to operate the cooktop with ease, thanks to the bright colour display, touch navigation and intuitive menu structure. Meal setting recommendations leave more of the thinking to the cooktop, whilst a constant overview of the cooktop's status puts the user in full command.

0000



For crispy crusts and juicy roasts.

When food needs browning or crisping, the injection of steam alongside hotAir is the technique of choice for the most desirable results. With pulseSteam, you can prepare perfectly crispy and juicy dishes simply and efficiently, whilst the full-size cavity models provide even more freedom and flexibility.



Flexible cooking zones for creative cooking.

Siemens flexInduction® cooktops can behave as traditional induction cooktops with three or more separate zones. But choose to link the zones together to form one or more rectangular surfaces, and the real magic begins.



Precise flame control with 9 levels.

With the ground breaking technology of stepFlame®, the first time you find the ideal setting for your dish, is the last time you'll need to think about it. stepFlame® technology allows you to select from nine different flame levels to precisely adjust the flame height, giving you consistent and reliable results every time.

Find the perfect companion for your Siemens oven

Step 3

Rangehoods

Why Siemens?

- iQdrive
- climateControl Sensor
- Silent and powerful performance



Step 4

Dishwashers

Why Siemens?

- varioSpeed
- Extra Space 3rd Rack



Step 5

Refrigeration

Why Siemens?

- hyperFresh premium 0°C
- superCooling / superFreezing





Powerful, efficient and quiet: iQdrive brushless motor.

Driving our rangehoods is the iQdrive: a high-performance magnetic motor that is the most economical, durable and fastest ever built by Siemens. The brushless mechanism enables it to remain cool – eliminating energy loss and faults typically caused by frictional heat – and also makes it remarkably quiet.



Let the rangehood decide.

No need to adjust or regulate power levels. An intelligent sensor automatically adjusts the rangehood power level to the steam and odours, for more effective and efficient extraction.



Perfect results, 50% faster.

Ever needed your dishes cleaned quickly, forgotten to put the dishwasher on in the morning, or simply needed clean plates before your guests arrive? varioSpeed is the perfect time saver, giving you the flexibility to speed up your wash so you can spend time on more important things. Ideal when you need your cutlery and plates in a hurry, just press the varioSpeed button in conjunction with your desired program* to save up to 50% of wash time without any compromise on results.

*With the exception of Quick Wash 29min (45°C) and Quick Wash 60min (65°C) programs.



A third basket for more space.

The Extra Space 3rd Rack basket is an additional basket providing 25% more space, perfect for odd spaced items such as mixer attachments, cups and utensils.



Keeps it fresh up to three times longer.

Fresh ingredients are essential when cooking, this is why Siemens refrigerators offer the ideal conditions for keeping food fresh. Our innovative 0°C hyperFresh premium zone keeps items fresh up to three times as long. The various hyperFresh premium zones create the perfect climate – temperatures close to 0°C and the right humidity, dry for fish and meat or humid for fruits and vegetables. Your foods stay fresh and retain their vitamins and nutrients longer.



superCooling and superFreezing.

freezing status.

prevent increases in internal temperatures that can result from adding new contents to the fridge and freezer respectively. This ensures existing contents are uncompromised. Once an even temperature within the fridge or freezer is re-established, the device will automatically reset to normal cooling or

The superCooling and superFreezing functions




Say hello to the future

With the Home Connect App, you can control your Wi-Fi enabled Siemens home appliances via your smartphone. Integrate your appliances with one of the growing network of partner services that turn your house into a connected home, and let connectivity redefine the everyday.









Remote controlling and monitoring


Ever left the house only to go back to check that you've turned off the oven? With Wi-Fi enabled Siemens cooking appliances and the Home Connect App, you can monitor and control the status of your appliance directly from your phone.

recipeWorld

Cooking at a professional level has never been easier, with an extensive selection of recipes in your Home Connect App. Once you have picked your favourite one, you can transfer the ideal settings directly to your oven, and even remotely start the heating process. Time to enjoy convenient cooking and delicious meals.

coffeeWorld and coffeePlaylist

Control your coffee machine with any smart device. Try coffeeWorld, the tech that offers an additional variety of international coffee specialities on your machine. Or use coffeePlaylist to put multiple beverages into a list and prepare them one after another.



Oven range summary















HN978GQB1B	HS958GDD1S	HS958GCB1	HR976GMB1A	HM976GMB1B	HB976GMB1A	HB974G2B1A
iQ700 studioLine 60cm pyrolytic oven with pulseSteam and microwave	iQ700 studioLine 60cm ecoClean oven with fullSteam	iQ700 studioLine 60cm ecoClean oven with fullSteam	iQ700 studioLine 60cm pyrolytic oven with pulseSteam	iQ700 studioLine 60cm pyrolytic oven with microwave	iQ700 studioLine 60cm pyrolytic oven	iQ700 studioLine 60cm pyrolytic oven
DESIGN						
160x70mm full colour TFT-Touchdisplay Pro	160x70mm full colour TFT-Touchdisplay Pro	160x70mm full colour TFT-Touchdisplay Pro	96x42mm full colour TFT-Touchdisplay Plus	96x42mm full colour TFT-Touchdisplay Plus	96x42mm full colour TFT-Touchdisplay Plus	90x30mm full colour TFT-Touchdisplay
1 level telescopic rails (pyrolytic proof)	1 set level independent Clip-on-rails (full extension)	1 set level independent Clip-on-rails (full extension)	1 set level independent Clip-on-rails (pyrolytic proof, full extension)	1 level telescopic rails (pyrolytic proof)	1 set level independent Clip-on-rails (pyrolytic proof, full extension)	
Dual LED lighting	LED lighting	LED lighting	LED lighting	LED lighting	Halogen lighting	Halogen lighting
67 litres (net)	71 litres (net)	71 litres (net)	71 litres (net)	67 litres (net)	71 litres (net)	71 litres (net)
FEATURES						
27 functions	24 functions	23 functions	20 functions	19 functions	14 functions	14 functions
4D hotAir	4D hotAir	4D hotAir	4D hotAir	4D hotAir	4D hotAir	3D hotAir
coolStart	coolStart	coolStart	coolStart	coolStart	coolStart	coolStart
pulseSteam	fullSteam Plus 120°, pulseSteam	fullSteam Plus 120°, pulseSteam	pulseSteam			
varioSpeed, Inverter microwave 800W (5 Levels)				varioSpeed, Inverter microwave 800W (5 Levels)		
cookControl Pro	cookControl Pro	cookControl Pro	cookControl Pro	cookControl Pro	cookControl Pro	cookControl Pro
bakingSensor Plus	bakingSensor Plus					
roastingSensor Plus (3 point)	roastingSensor Plus (3 point)	roastingSensor Plus (3 point)	roastingSensor Plus (3 point)	roastingSensor Plus (3 point)	roastingSensor Plus (3 point)	roastingSensor (single p.)
Home Connect with integrated camera	Home Connect	Home Connect	Home Connect	Home Connect	Home Connect	Home Connect
CLEANING						
activeClean® pyrolytic cleaning	ecoClean Plus (rear, sides, ceiling)	ecoClean Plus (rear, sides, ceiling)	activeClean® pyrolytic cleaning	activeClean® pyrolytic cleaning	activeClean® pyrolytic cleaning	activeClean® pyrolytic cleaning
humidClean Plus program	humidClean Plus program	humidClean Plus program	humidClean Plus program	humidClean Plus program	humidClean Plus program	humidClean Plus program

Companion appliance range summary













CS958GCB1	CM976GMB1B	CM924G1B1B	CT918L1B0	BI910C1B1	BI710D1B1B	
iQ700 studioLine 45cm ecoClean compact oven with fullSteam	iQ700 studioLine 45cm pyrolytic compact oven with microwave	iQ700 studioLine 45cm compact oven with microwave	iQ700 studioLine built-in coffee machine	iQ700 studioLine 14cm multifunction warming drawer	iQ700 29cm multifunction warming drawer	
DESIGN						
160x70mm full colour TFT-Touchdisplay Pro	96x42mm full colour TFT-Touchdisplay Plus	90x30mm full colour TFT-Touchdisplay	160x70mm full colour TFT-Touchdisplay Pro	Intuitive, illuminated touch control	Intuitive, illuminated touch control	
1 set level independent Clip-on-rails (full extension)	1 level telescopic rails (pyrolytic proof)		2.4 litre water tank	Push/Pull telescopic drawer	Push/Pull telescopic drawer	
LED lighting	LED lighting	LED lighting	0.5 litre milk container	LED lighting	LED lighting	
47 litres (net)	45 litres (net)	45 litres (net)	500g bean container	20 litres / 25kg max weight	50 litres / 25kg max weight	
FEATURES						
23 functions	19 functions	15 functions		Temperature range: 30°C – 80°C	Temperature range: 30°C – 80°C	
4D hotAir	4D hotAir			Suitable for:	Suitable for: Warming: cups/plates/ Ovenware Slow cooking	
coolStart	coolStart		Favourites: save up to 29 personalised beverages	Warming: cups/plates Ovenware Slow cooking		
fullSteam Plus 120°, pulseSteam				Proving dough Defrosting Keeping warm food	Proving dough Defrosting Keeping warm food	
	varioSpeed, Inverter microwave 900W (5 Levels)	varioSpeed, Inverter microwave 900W (5 Levels)				
cookControl Pro	cookControl Pro	cookControl Pro	Prepare two cups simultaneously			
			Individual temperature & volume adjustment			
roastingSensor Plus (3 point)	roastingSensor Plus (3 point)		Adjustable grinding degree			
Home Connect	Home Connect	Home Connect	Home Connect	Home Connect	Home Connect	
CLEANING						
ecoClean Plus (rear, sides, ceiling)	activeClean® pyrolytic cleaning		Automatic steam cleaning	Easy Clean Surface	Easy Clean Surface	
humidClean Plus program	humidClean Plus program	humidClean Plus program	Combined cleaning & descaling program			

Oven and compact highlights

Feature		Description	Benefit	Models
varioSpeed	varioSpeed	varioSpeed combines microwave power of either 90,180 or 360W with a regular oven function to drastically reduce cooking time. The technology of microwave saves time during the cooking process while the addition of conventional heating functions retains the browning, crisping, baking or roasting effect you would expect – without compromising results. varioSpeed works with 4D hotAir, hot air grilling, top/bottom heating and grill.	 Combine traditional fan forced setting with microwave featuring quality results in up to 50% less time. For quick and easy meals in less time without sacrificing results. Two in one appliance to save you counter space (oven and microwave). Perfect for space saving and smaller kitchens. 	60cm Full Size Ovens HN978GQB1B HM976GMB1B 45cm Compact Ovens CM976GMB1B CM924G1B1B
coolStart	coolStart	coolStart condenses the cooking process into a single session by eliminating pre-heating, by taking the longest time and temperature on the product, making frozen food preparation faster than ever. Just place your frozen convenience food in the oven, and go.	No more pre-heating your oven.No need for thawing.	60cm Full Size Ovens All models 45cm Compact Ovens CS958GCB1 CM976GMB1B
pulseSteam	pulseSteam	The pulseSteam function adds a little bit of moisture from time to time while a heating/cooking function is being used. pulseSteam works with 4D hotAir, hot air grilling, top/bottom heating and keep warm. Steam is injected into the oven cavity near the fan in the rear wall to ensure even distribution. You can simply set the oven to automatically add steam, or you can add steam manually and regulate its intensity (Low - Med - High).	 Ideal for reheating, proving dough, baking or roasting – get crispy skins and tender meat. pulseSteam helps retain moisture and deliver professional results. 	60cm Full Size Ovens HN978GQB1B HS958GDD1S HS958GCB1 HR976GMB1A 45cm Compact Ovens CS958GCB1
fullSteam	fullSteam	Full featured 3 in 1 oven. 100% pure steam cooking, in increments of 1 degree. No cooking/heating function used during this process. Full-featured conventional oven. Plus all the extra features of pulseSteam. Steam is injected into the oven cavity near the fan in the rear wall to ensure even distribution.	 Healthier cooking by locking in food's nutrients, flavour and colour with pure steam cooking. Perfect for reheating and regenerating food. Convenient cleaning with ecoClean® function, plus drying function for residual moisture. 	60cm Full Size Oven HS958GDD1S HS958GCB1 45cm Compact Ovens CS958GCB1
fullSteam Plus	fullSteam Plus	The fullSteam Plus function gives you the ability to steam above temperatures of 100°C to a max of 120°C. This is achieved by introducing the use of the rear element during the cooking process.	 Can finish dishes up to 55% faster than the standard 100°C whilst also preserving your vegetables fresh colours and retaining beneficial vitamins. Less condensation inside the oven cavity makes for easier cleaning. 	60cm Full Size Ovens HS958GDD1S HS958GCB1 45cm Compact Oven CS958GCB1
Integrated Camera	Integrated camera	This integrated AI controlled camera is steam, pyrolytic and microwave proof. Located in the top left rear of the oven cavity. In conjunction with the Home Connect App you can view what is cooking in your oven.	 No need to stand in front of your oven to wait until it achieves its perfect browning level. Sit back and relax while getting updated photos of your food being cooked. Save photos and videos and share with friends and family. View your food inside the oven from anywhere via the Home Connect App. 	60cm Full Size Ovens HN978GQB1B

Feature		Description	Benefit	Models
Individual Browning	Individual Browning	Make sure your meals are perfectly browned. Individual Browning uses artificial intelligence in conjunction with an integrated camera to automatically produce the desired amount of browning from five different levels. While your food is baking, the integrated camera keeps checking on your chosen level When your dish is ready, the oven turns off automatically and sends you a notification that your preferred browning level is reached.	 Cook foods such as bread rolls, lasagna and pizza based upon your preference on a 5 level browning option. Achieve consistent cooking results based on your personal preference. 	60cm Full Size Ovens HN978GQB1B
Sous-vide	Sous-vide	The sous-vide heating function brings out the intense flavour of your best ingredients, simply vacuum-seal your meat, fish and vegetables in an airtight plastic bag and the program will take care of the rest.	 Keeps the steam at a constant low temperature for longer, maintaining the moisture and texture of your food without overcooking it. Achieve more intense flavour from your ingredients. Achieve a gourmet cooking result. 	60cm Full Size Oven HS958GDD1S HS958GCB1 45cm Compact Ovens CS958GCB1
4D hotAir	4D hotAir	Our iQdrive brushless motor is quiet and durable. It ensures the fan rotates clockwise and anti-clockwise, alternating every 3 minutes. This distributes heat from the rear wall heating element evenly around the cooking compartment.	 Remove the hesitation of which shelf level to use for the best cooking results. Simultaneous cooking on up to 4 levels. (For best results cooking on 4 levels use 4 wire racks) When cooking with one tray, you can place it anywhere in the oven and you will achieve same results on any level. 	60cm Full Size Ovens HB976GMB1A HM976GMB1B HR976GMB1A HS958GCB1 HS958GDD1S HN978GQB1B
cookControl Pro	Meals	All the hard work just got easier with cookControl Pro. Experience the thrill of having all dishes perfectly prepared with our pre-installed automatic baking and roasting programs. You will never have to worry about ruining dishes again. Simply choose your desired dish on the clear touch display and let your intelligent oven take care of the rest.	 Suggested settings for a wide variety of baking, roasting and grilling dishes while allowing you to manually adjust to your needs. Take the guess work out of which heating mode, temperature and cooking time is required to achieve the best results. Information is provided to offer guidance, for example on cookware, shelf position or the addition of liquid when cooking meat. 	60cm Full Size Ovens All models 45cm Compact Ovens All models
baking Sensor Plus	bakingSensor Plus	A patented technology, the baking sensor will select the optimal settings, consistently measuring the moisture level of your dish and automatically adjusting the entire baking process. An audible signal will sound and the appliance will switch off once the dish is cooked. You will never have to set the time, temperature or function again, baking sensor has it all under control.	 Fully automatic baking for a wide range of pastry, cakes, biscuits, breads etc. Use with recipes you have had for 20 years or new recipes you want to try. No more monitoring, skewer tests or guess work. 	60cm Full Size Ovens HN978GQB1B HS958GDD1S
AirFry	AirFry	The new AirFry feature uses fast air movement and heat from the grill to create meals that have a crispy exterior and soft interior, with hardly any oil. It's no secret that frying can be messy and a risk to your health. Experience a healthier and safer way of frying on a wide range of foods like crunchy french fries or crispy chicken wings.	 Cook up to 300°C. Healthier & crispier results without added oil. Quicker cook times while still achieving the same results. 	60cm Full Size Ovens HB974G2B1A HB976GMB1A HR976GMB1A

Oven and compact highlights

Feature		Description	Benefit	Models
roasting Sensor Plus	roastingSensor Plus	Through 3 highly sensitive measuring points, the roastingSensor Plus meat probe uses the lowest temperature reading to determine the core temperature of your roast to ensure perfect roasting results. Simply set the core temperature you based on the result you would like e.g. 62°C for medium rare beef.	 Get perfect results every time. Just like a professional chef, but with total ease. Use with red meat, poultry, fish and stuffed meats. 	60cm Full Size Ovens HB976GMB1A HM976GMB1B HR976GMB1A HS958GCB1 HS958GDD1S HN978GQB1B 45cm Compact Ovens CS958GCB1 CM976GMB1B
Pyrolytic Cleaning	activeClean®	activeClean® pyrolytic cleaning superheats the oven to approximately 480°C, which burns off any deposits from baking, roasting and grilling. 3 levels of pyrolytic cleaning Stage 1: 75 minutes* Stage 2: 1.25 hours* Stage 3: 2 hours*	 Self cleaning oven leaving only a residue of fine ash that's easily removed with a damp cloth, no chemicals required. Quadruple glazed door – four layers of glass keep outside door cooler to the touch making it safer for small children. Just set the program and you can walk away, the oven is locked during the cleaning process and will automatically switch off once cleaning is complete. For even more convenience, pyrolytic ovens feature pyrolysis proof rails, eliminating the hassle of having to remove interior fittings and washing them by hand. 	60cm Full Size Ovens HN978GQB1B HR976GMB1A HM976GMB1B HB976GMB1A HB974G2B1A 45cm Compact Ovens CM976GMB1B
ecoClean®	ecoClean®	A patented technology, the self-cleaning surfaces (back wall, ceiling and side walls – varies by model) are coated with a special porous, matt ceramic material. This coating absorbs and breaks down splashes from baking, roasting and grilling while the oven is in operation. All you need to do is wipe down the base of the oven and the inside of the glass door (prior to cleaning function). For added convenience, an hour counter for the cleaning function runs in the background. The trigger time is based on average usage values (including time and cooking method). The oven then indicates when cleaning is recommended.	 The unique ecoClean® surfaces absorb fat and grease residue keeping the ecoClean® surfaces inside of the oven clean. A recommendation on when to run the ecoClean® program. (You can also run the cleaning system at any time.) Last the lifetime of the appliance. 	60cm Full Size Ovens HS958GDD1S HS958GCB1 45cm Compact Ovens CS958GCB1
TFT-Touch-display Pro	TFT-Touchdisplay Pro TFT-Touchdisplay	With its user-friendly menu structure, smooth touch navigation and a large, high contrast colour display that is easy to read from any angle, the TFT-Touchdisplay, TFT-Touchdisplay Plus and TFT- Touchdisplay Pro allows you to operate your oven easily and comfortably. The intuitive guidance through the extensive menu helps you to get the most from your oven. Everything you like is just a swipe and touch away.	 Easy to operate with large touch screen. Intuitive navigation. Easy to read thanks to the large clear text and full colour display. Elegant food imagery and digital sound. 	TFT-Touchdisplay Pro: HS958GCB1 HS958GDD1S HN978GQB1B CS958GCB1 TFT-Touchdisplay Plus: HR976GMB1A HM976GMB1B HB976GMB1A CM976GMB1B TFT-Touchdisplay:
IFT-Touch-display Plus	Plus TFT-Touchdisplay			HB974G2B1A CM924G1B1B
TFT- Touchdisplay				

Notes	


Induction cooktop range summary













EZ877KZY1E	EX975LVC1E	EX875KYW1E	EX875LEC1E	EX675LYC1E	EH675LDC1E
iQ700 80cm freeInduction® Plus cooktop	iQ700 90cm flexInduction® cooktop	iQ700 80cm flexInduction® Plus cooktop	iQ700 80cm flexInduction® cooktop	iQ700 60cm flexInduction® Plus cooktop	iQ300 60cm induction cooktop
DESIGN					
6.2" TFT-Touchdisplay Plus	Dual lightSlider	5" TFT-Touchdisplay	dual lightSlider	dual lightSlider	dual lightSlider
FEATURES					
1 x freeInduction Plus zone Place up to 5 pieces of cookware	2 x flexZones 1 x triple circuit zone	2 x flexZones	1 x flexZones 1 x dual circuit zone	2 x flexZones	1 x triple circuit zone
		Extended flexZone		Extended flexZone	
powerMove Pro	powerMove Plus	powerMove Plus	powerMove Plus	powerMove Plus	
	frySensor Plus	frySensor Plus	frySensor Plus	frySensor Plus	frySensor Plus
		flexMotion		flexMotion	
cookingSensor Plus		cookingSensor Plus			
17 Power levels	17 Power levels	17 Power levels	17 Power levels	17 Power levels	17 Power levels
potBoost & panBoost	potBoost & panBoost	potBoost & panBoost	potBoost & panBoost	potBoost & panBoost	potBoost & panBoost
cookConnect		cookConnect			
Home Connect		Home Connect			
cookControl Pro		cookControl Pro			
CLEANING					
Easy clean ceramic glass	Easy clean ceramic glass	Easy clean ceramic glass	Easy clean ceramic glass	Easy clean ceramic glass	Easy clean ceramic glass

Induction cooktop highlights

Feature		Description	Benefit	Models	
flexinduction®	flexInduction®	The unique oval induction coil shape gives you the ultimate flexibility and even heating across the entire flexZone. Use as 2 separate zones or create 1 large flexible zone for multiple pots and pans or large roasters and griddles.	 Easy to use large zone with true flexibility and even heat distribution. Use multiple pots and pans OR large pans and dishes such as roasters, griddle plate, teppan yaki etc. Automatically detects shape and size of pans so it only heats up the area that is needed, without wasting energy on the full surface. 	EX975LVC1E EX875KYW EX875LX67E EX875LEC EX675LYC1E	
freeInduction Plus	freeInduction Plus	This is cooking with freedom, 48 interconnected inductors beneath the sleek glass surface providing one large full surface induction.	 Arrange up to 5 pieces of cookware anywhere you wish without the restriction of predefined cooking zone. Use any size pots or pans. Automatically detects shape and size of pans so it only heats up the area that is needed, without wasting energy on the full surface 	EZ877KZY1E	
flexInduction® Plus	flexInduction [®] Plus with extendable zone	Ideal for larger pots and pans, flexInduction® Plus allows cookware to be positioned horizontally, and achieve full surface contact. It also leaves more room for additional pots and pans towards the front of the cooktop. Extend your Flex induction zone from 24cm to 28cm on the EX675LYC1E, extend your Flex induction zone from 24cm to 32cm on the EX875KYW1E.	 Maximise more of the cooktop surface. Cook for larger gatherings without limitations, use your large pans and pots without hassle. 	EX875KYW1E EX675LYC	1E
flexMotion	flexMotion 'Power level transfer'	Any time you choose to re-arrange a piece of cookware, the induction surface detects this and reacts immediately. This means you can move your pots and pans around as often as you wish, without losing any of the settings you've associated with each pan. The power at the pot's previous location is automatically switched off. This is all done by simply pressing the flashing confirmation icon.	Move pots around the cooktop as needed without resetting power levels.	EX875KYW1E EX675LYC EX875LX67E	1E
1 5 9 powerMove Plus	powerMove Plus 'Move mode function'	Split your flex zone into 3 individual temperature zones, allowing three different cooking areas by simply moving your cookware (ie. front zone boil, middle zone simmer, back zone keep warm)	 Preset power levels (1.5, 5, 9) on the flexZone allows you to adjust the power by simply sliding the pot. Go from boiling to simmering by simply sliding your pot. Modify the preset power levels to suit your individual needs. 	EZ877KZY1E EX875LX6 EX975LVC1E EX875KYV EX875LEC1E EX675LYC EX875LX67E	W1E
cookControl	cookControl Pro	Find your desired dish from a wide-selection of pre-loaded options, and let your cooktop take over. The intelligent meals function will automatically apply the ideal mix of settings to deliver the best possible result.	 Suggested settings for a wide variety of foods and grilling dishes while allowing you to manually adjust to your needs. Take the guess work out of which heating mode and cooking time is required to achieve the best results. Information is provided to guide you through the entire setting process for the selected meal as well as instructions on how to prepare the meal. 	EZ877KZY1E EX875KYV	N1E

Induction cooktop highlights

Feature		Descriptions	Benefit	Models	
frySensor Plus	frySensor Plus	For a Controlled frying temperature choose from one of 5 cooking levels (ie: low, low-med, med, med-high, high) an audible and visual signal will let you know when the ideal frying temperature has been reached. Cooking can then commence.	 Avoid burning food while under-cooking the middle if temperature is too high. Perfect results when pan-frying every time. 	EH675LDC1E EX875LEC1E EX975LVC1E	EX675LYC1E EX875KYW1E EX875LX67E
panBoost	potBoost	potBoost heats your pot of water by applying up to 50% higher heat for 10 minutes and then automatically resetting the cooking zone to Level 9. Cooks Tips: Only one pot can be used for this function per flex zone.	 Reduce time for bringing water to the boil. Save time and get your dinner on the table quicker. No over-boiling. 	All models	
+ potBoost	panBoost	The new power level for quickly and safely heating pans. panBoost applies extremely high heat to your pan for 30 seconds and then automatically resets the cooking zone to Level 9.	 Reduce time for bringing pans to temperature. Save time and get your dinner on the table quicker. 	All models	
TFT- Touchdisplay	TFT-Touchdisplay	The TFT-Touchdisplay allows you to operate the cooktop with ease, thanks to the combination of the bright colour display, touch navigation and intuitive menu structure. Use the pre-programmed meals functions to apply the ideal settings based on the food you are cooking and let the cooktop do the thinking for you.	 Easy to operate with intuitive touch screen. Easy to read thanks to the large clear text and full colour display. Elegant food imagery and digital sound. 	EZ877KZY1E	EX875KYW1E
dual lightSlider	dual lightSlider	Simply Touch and/or Slide your finger across the red LED display to select your desired power level.	 Quick and easy operation of the cooktop. Directly select power level and settings required from the control panel. 	EX975LVC1E EX675LYC1E EX875LX67E	EX875LEC1E EH675LDC1E
cookConnect System	cookConnect system	The cookConnect system allows the cooktop and rangehood to communicate with one another and act as one unit. Various functions of your Siemens rangehood can be operated directly via the cooktop.* *cookConnect is compatible with the following rangehood: LC91BUV50B	Quick and easy operation of your rangehood via the cooktop.	EZ877KZY1E	EX875KYW1E
cookingSensor	cookingSensor Plus	The cooking sensor is guaranteed to make cooking simple and it promises outstanding cooking results. The wireless cooking sensor continuously measures the temperature of the cookware. This allows cooking to be precisely regulated and the temperature to be maintained at the required level at all times in order to prevent excessively vigorous boiling and to achieve perfect cooking results. Consult the appliance manual for the suggested cooking temperatures and dishes.	 The cooking zone only emits heat when this is necessary to maintain the temperature, saving energy when cooking. The temperature is continuously monitored. This means that the food will not spill over and you do not need to change the temperature level. The cooking sensor detects when the water or the oil has reached the optimum temperature for adding the food giving you consistent results. 	EZ877KZY1E	EX875KYW1E

Notes

Gas cooktop range summary









ER9A6SD70A	EC9A5SB90A	EC6A5IB90A	ER3A6AD70A
iQ700 90cm ceramic glass gas cooktop	iQ500 90cm stainless steel gas cooktop	iQ500 60cm stainless steel gas cooktop	iQ700 30cm ceramic glass gas cooktop
DESIGN			
Sword control knobs	Sword control knobs	Sword control knobs	Sword control knobs
Cast iron pan supports	Cast iron pan supports	Cast iron pan supports	Cast iron pan supports
			LED display
Residual heat indicator			Residual heat indicator
Flame failure	Flame failure	Flame failure	Flame failure
FEATURES			
stepFlame®	stepFlame®	stepFlame®	stepFlame [®]
Wok burner: 22 MJ/h	Wok burner: 19.5 MJ/h	Wok burner: 15 MJ/h	Wok burner: 22 MJ/h
CLEANING			
Easy clean ceramic glass	Easy clean ceramic glass	Easy clean ceramic glass	Easy clean ceramic glass
Dishwasher proof pan supports			Dishwasher proof pan supports

Gas cooktop highlights

Feature		Description	Benefit	Models
9 1 StepFlame® Technology	stepFlame [®]	9 levels of precisely controlled flame height, with each level increasing the flame height by small increments.	 Simply note which number you use and the resulting heat will be exactly the same every time. Take the guess work out of gas cooking. Adapt the flame to suit all your favourite dishes. The traditional cooking of gas with the control of induction cooking. 	All models
LED Display	LED display	The black glass models feature an LED display which clearly shows the selected flame level. Once switched off, the residual heat indicator is displayed.	 Keep your eyes on the food, not the flame. Easy to read settings for peace of mind. 	ER9A6SD70A ER3A6AD70A
H h h H 2-stage Residual heat indicator	Residual heat indicator	'Off' and 'cold' aren't the same thing. The residual heat indicator shows the 'H' when you definitely don't want to touch your cooktop, while the 'h' appears when the cooktop has nearly finished cooling down.	 Save those fingers from getting burnt. Know when its safe to clean your cooktop after cooking. 	ER9A6SD70A ER3A6AD70A
dishwasher proof pan supports	Dishwasher proof pan supports	A special enamelled coating on the pan supports allows them to be cleaned in the dishwasher instead of being cleaned by hand.	Save time and effort on cleaning.	ER9A6SD70A ER3A6AD70A
Wok burner	Dual flame wok burner	Siemens gas cooktops now feature wok burners delivering up to 22 MJ/h of power. With our stepFlame® technology, our dual flame wok burners will automatically control the inner and outer flames for the ideal heat based on the power level selected. When using power levels 1-3 only the inner burner is activated, then power levels 4-9 activate the outer burner as well.	Always find the right amount of flame to suit every dish and pot size.	ER9A6SD70A ER3A6AD70A EC9A55B90A* *19.5 MJ/h
Flame failure	Flame failure	Siemens gas cooktops are equipped with a flame failure safety device which cuts off the gas supply to an individual burner, should the flame be accidentally extinguished.	Provides peace of mind and a safe working space.	All models

inductionAir flexInduction® cooktop

A truly open plan kitchen.

The new Siemens inductionAir cooktop opens up a new world of possibilities when designing an open plan kitchen. The revolutionary downdraft ventilation is the perfect solution for a truly open plan kitchen with a working island bench. Having the steam being ventilated down through the cooktop eliminates the need for an overhead rangehood, leaving the view from the island bench unobstructed. This also means that the extraction is no longer happening at ear level, allowing conversations to continue while cooking.

Key benefits:

- Two in one unit (cooktop and rangehood).
- Perfect solution for working island benchtops.
- Style and design of kitchen does not need to be compromised anymore, keep the open plan view.
- Ventilation noise no longer at ear level, enjoy your time in the kitchen without frustrations of overhead rangehoods.
- Easy to clean: Liquid tray to capture spills protect the integrated ventilation while all parts are dishwasher proof for convenient cleaning.
- Multiple installation solutions.
- Space in cabinetry below cooktop don't lose precious space for large ventilation units.



EX875LX67E

iQ700 studioLine 80cm inductionAir flexInduction® cooktop

DESIGN

Black ceramic glass with faceted front

Stainless steel side profile

FEATURES

4 cooking zones convertible to 2 x flexZones

17 Power settings with powerBoost

LED display with dual lightSlider controls

Home Connect

Child lock

climateControl sensor

622m³/h* maximum extraction rate

17 power levels + 2 intensive settings with auto-reset

42 / 69dB (min / max)

IQdrive brushless motor

CLEANING

Easy clean ceramic glass

Installation kit for unducted recirculated extraction (HZ9VRUD0) included, additional installation options possible.

For more information please see inductionAir flexInduction® brochure.

^{*}Measured according to EN61591; suitable for ducted extraction or recirculation (accessory is respectively required).

Notes		

Rangehood range summary









LC91BUV50B	LB89586AU	LC91BUV50B	EX875LX67E
90cm wall mounted canopy rangehood	86cm integrated rangehood	90cm wall mounted canopy rangehood	iQ700 studioLine 80cm inductionAir flexInduction® cooktop
DESIGN			
iQDrive brushless motor	iQDrive brushless motor	Twin motor	iQDrive brushless motor
Extra Quiet 45dB / 73dB (min / max)	Extra Quiet 41dB / 71dB (min / max)	Extra Quiet 50dB / 70dB (min / max)	Extra Quiet 42dB / 69dB (min / max)
LED lights	LED lights	LED lights	
FEATURES			
Max extraction 964m ³ /h	Max extraction 800m³/h	Max extraction 610m³/h	Max extraction 622m³/h
3 Power levels + 2 intensive	3 Power levels + 1 intensive	3 Power levels + 1 intensive	3 Power levels + 2 intensive
Auto revert from intensive			
climateControl Sensor			climateControl Sensor
cookConnect	cookConnect		
potBoost & panBoost	potBoost & panBoost	potBoost & panBoost	potBoost & panBoost
	Home Connect		Home Connect
CLEANING			
Dishwasher safe filters	Dishwasher safe filters	Dishwasher safe filters	Dishwasher safe metal grease filters & extractor unit
Filter saturation indicator	Filter saturation indicator		Filter saturation indicator

Rangehood highlights

Feature		Description	Benefit	Models
cookConnect System	cookConnect System	The cookConnect System allows the cooktop and rangehood to communicate with one another and act as one unit. Various functions of your Siemens rangehood can be operated directly via the cooktop.* *cookConnect System is compatible with the following cooktop EX875KYW1E. cookConnect System is only compatible with the 90cm wall mounted canopy and TFT-Touchdisplay induction cooktops, not LED display models	Quick and easy operation of your rangehood via the cooktop.	LC91BUV50A
iQdrive	iQdrive	In contrast to conventional motors, the iQdrive works with a brushless motor eliminating mechanical stress, friction and wear.	Exceptionally quiet.Energy efficient.Powerful.Reduced friction and wear.	LC91BUV50A LB89586AU EX875LX67E
climate Control Sensor	climateControl Sensor	Sensor controlled system monitors steam and odours to adjust the ventilation power level automatically.	 Auto ventilation self adjusts to your cooking style and dish. Ventilation power setting can be overridden manually. 	LC91BUV50A EX875LX67E
∭M³/h Air extraction rate	Extraction rate	A rangehood extraction rate helps you determine how effective a rangehood is at removing smoke and cooking fumes. Traditionally it is perceived the higher the extraction rate, the more powerful the rangehood is. However , size of the kitchen and type of cooking will determine the best extraction rate required – optimal efficiency and noise level.	 Removal of steam, smoke, grease and odours. Optimal extraction and noise level. 	All models
1-2-3++	Intensive	The intensive setting gives an additional boost to the extraction level when required, for example, when stir frying. Because intensive power is only required for a short period of time the rangehood will automatically revert to the a lower setting after a few minutes.	 Additional burst of power for a stronger extraction rate when required, for example, when stir frying, rapid boiling or frying. Automatic revert to lower setting. 	All models
((つ))	dB(A) Decibel	Siemens rangehoods are highly efficient and exceptionally quiet. However, the noise you hear from a rangehood isn't just from the appliance itself – the length and type of ducting used, and the surrounding room size can also affect the noise level.	Quiet operation without interruptions to conversations, entertaining and watching TV.	LC91BUV50A (45min / 73max dB(A)) LB89586AU (41min / 70max dB(A)) LB57574AU (50min / 70max dB(A)) EX875LX67E (42min / 69max dB(A))
dishwasher proof	Dishwasher proof	For maximum extraction efficiency and convenience, all Siemens rangehood filters are dishwasher safe. For added convenience an illuminated light or symbol (depending on the model) indicates when the filter needs cleaning.	Keep filters operating at maximum efficiency with easy and convenient cleaning.	All models
Saturation indicator	Saturation indicator	For maximum extraction efficiency, the electronic saturation display shows when the filter needs cleaning. For hassle free cleaning the one-piece filter can be loaded into your Siemens dishwasher.	Rangehood always operates at high performance and alerts you when cleaning is required.	LC91BUV50A EX875LX67E LB89586AU

Dishwasher range summary











SX87HX01DA	SN65HX01CA	SX57HS01DA	SN55HS01CA	SN45HS01CA
iQ700 Fully integrated tallTub Dishwasher	iQ500 Fully integrated Dishwasher	iQ700 Semi-integrated tallTub Dishwasher	iQ500 Semi-integrated Dishwasher	iQ500 Built-under Dishwasher
DESIGN				
tallTub		tallTub		
14 Place Setting Capacity	15 Place Setting Capacity	14 Place Setting Capacity	15 Place Setting Capacity	15 Place Setting Capacity
iQdrive brushless motor	iQdrive brushless motor	iQdrive brushless motor	iQdrive brushless motor	iQdrive brushless motor
dosageAssist	dosage Assist	dosageAssist	dosageAssist	dosageAssist
Extra Space 3rd Rack	varioDrawer	Extra Space 3rd Rack	varioDrawer	varioDrawer
Additional cutlery basket supplied	Additional cutlery basket supplied	Additional cutlery basket supplied	Additional cutlery basket supplied	Additional cutlery basket supplied
rackMatic Plus	rackMatic Plus	rackMatic Plus	rackMatic Plus	rackMatic Plus
emotionLight		emotionLight		
timeLight	timeLight			
doorOpen Sensor				
Extra Quiet 42dB	Extra Quiet 44dB	Extra Quiet 42dB	Extra Quiet 44dB	Extra Quiet 44dB
Home Connect	Home Connect	Home Connect	Home Connect	Home Connect
CLEANING				
8 Wash Programs	8 Wash Programs	8 Wash Programs	8 Wash Programs	8 Wash Programs
6 Options	5 Options	6 Options	5 Options	5 Options
4 Star Energy Rating	4 Star Energy Rating	4 Star Energy Rating	4 Star Energy Rating	4 Star Energy Rating
5 Star Water Rating (WELS D02596)	5.5 Star Water Rating (WELS D02604)	5 Star Water Rating (WELS D02595)	5.5 Star Water Rating (WELS D02603)	5.5 Star Water Rating (WELS D02602)

Dishwasher highlights

Feature		Description	Benefit	Models
= CT varioSpeed	varioSpeed	An additional special option, use varioSpeed to obtain optimum cleaning and drying results with increased water and energy consumption and a reduced running time.	 varioSpeed can reduce the running time by up to 50% depending on the selected rinse program. With varioSpeed you can also decide to reduce the remaining wash time after the cycle has already started. 	All models
intensive Zone	intensiveZone	Additional wash special option with increased wash temperature and spray pressure in the lower basket for stubborn burn on stains. This option is perfect for a mixed load.	Wash your delicate glassware in the upper rack while tackling burnt pans in the lower rack.	SX57HS01DA SX87HX01DA
hygienePlus	hygienePlus	Additional wash special option that increases the final rinse temperature to reduce bacteria.	 Drying solution for stubborn plastics. Ideal solution for sterilising baby bottles and utensils. For baby bottles, traditional sanitation methods are still recommended to be used in conjunction with this option. 	All models
Machine Care	Machine Care	The Machine Care program keeps your Siemens dishwasher sparkling clean and in ideal operating condition. Recommended to be run monthly for optimal results. Can be used with a cleaning agent (such as descaler).	 Keeps your dishwasher as clean as your dishes. Maintains dishwasher performance. 	All models
extraDry	extraDry	Provides an even better drying result by extending the drying time.	Maximum drying results.	All models
easyStart	Home Connect (Remote Start & easyStart)	All of our dishwashers are now Wi-Fi enabled, so you can manage your appliance using the Home Connect app on your smart device. This allows remote control and monitoring. Our easyStart feature in the Home Connect App can send instructions straight to your dishwasher remotely, and will automatically determine the best combination of program to suit your washing requirements through asking a series of simple questions about your load.	 Forgot to turn on your dishwasher? Start the appliance via your Home Connect app. Not sure which program to use? Use in the easyStart feature in the Home Connect app to determine which program to use. 	All models
Quick Wash 29min (45°C)	Quick Wash 29min (45°C)	The ideal program when you have lightly soiled dishes, the Quick Wash 29min (45°C) program cleans a load in a dazzling 29 minutes.	Quick and convenient cleaning when you have lightly soiled dishes that require just a wash.	All models

Dishwasher highlights

Feature		Description	Benefit	Models
Quick Wash 60min (65°C)	Quick Wash 60min (65°C)	60 minute complete wash and dry cycle at 65°C, for dishes of variously soiled levels.	Fast dishwashing results for today's fast paced lifestyle.	All models
auto 35°-45° Automatic program	Auto 35-45°C	Automatically changes settings to ensure you get the best clean for your load. Auto 35-45°C – For a gentle wash. Auto 45-65°C – For a mixed load.	Take the worry out of selecting exactly the right program and let the machine do it for you.	All models
auto 45°-65° Automatic program	Auto 45-65°C	Auto 65-75°C − For pots and pans or baked on dishes.		
auto 65°-75° Automatic program	Auto 65-75℃			
₹	Eco 45°C	An economical program which uses less water and electricity. Ideal for cleaning mixed tableware and cutlery.	An economical program, perfect for when you are not in a hurry to clean your dishes.	All models
myFavourite	Favourite	You can save a combination of your favourite program and options to the button.	No need to remember your most used combination of program and additional function. Simply save it using the favourite button.	All models
50°C)	Night Program 50°C	The quiet program perfect for evenings, prolongs wash time and reduces noise levels. No signal tone upon completion of cycle.	Reduced noise levels operation of the dishwasher. Allowing you to have a peaceful sleep without interruptions.	All models
dosageAssist	dosageAssist	dosageAssist is a method of ensuring a perfect cleaning result. The dishwasher tablet is released into a tray at the front of the upper basket and a jet spray ensures the tablet is dissolved over a longer period of time throughout the wash. dosageAssist works just as effectively with powder.	Optimal distribution of dishwashing tablets or powder for maximum cleaning results.	All models

Feature		Description	Benefit	Models
iQdrive	iQdrive Brushless Motor	In contrast to conventional motors, the iQdrive works with a brushless motor eliminating mechanical stress, friction and wear.	Exceptionally quiet.Energy efficient.Powerful.Reduced friction and wear.	All models
emotionLight	emotionLight	emotionLight bathes your sparkling clean glassware in cool blue illumination when you open the door, and switches off when you close it.	 Extra visibility inside the dishwasher. The LED lights will last the lifetime of your dishwasher. 	SX57HS01DA SX87HX01DA
### Company of the Co	timeLight	timeLight discreetly illuminates the remaining time of the wash cycle onto the floor.	With our dishwashers being so quiet, it can be hard to tell if they are on or off. The innovative timeLight projects the wash status onto the floor so you'll only need a quick glance to know where the wash cycle is at.	SN65HX01CA SX87HX01DA
openAssist	doorOpen Sensor	A push to open door system, simply push the door panel to automatically open the dishwasher door.	Perfect for handle free kitchens.Seamless design	SX87HX01DA
↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	varioDrawer	varioDrawer drawer frees up space in the bottom basket to secure cutlery more effectively. Tines separate each item ensuring an optimum clean. This also prevents different metals from touching and causing rust spots. Cutlery can also dry easier, reducing the potential of water marks.	 varioDrawer. Great for larger pieces of cutlery, espresso cups or cooking and baking utensils. Extra Space 3rd Rack. Providing 25% more space, it provides flexibility for the tricky items you previously struggled to find a place for, such as mixer attachments. 	varioDrawer SN45HS01CA SN55HS01CA SN65HX01CA
3rd Rack	Extra Space 3rd Rack	The Extra Space 3rd Rack basket is an additional basket for extra space, perfect for odd spaced items such as mixer attachments, cups and utensils.		Extra space 3rd Rack SX57HS01DA SX87HX01DA
rackMatic Plus	rackMatic Plus	The height adjustable upper rackMatic Plus basket provides three different height options on each side for additional flexibility in the upper basket and lower basket.	 When you need more room above or below adjust the height and angle of the rackMatic upper basket. Gain up to an additional 5cm of space. 	All models
glassZone	glassZone	Six integrated nozzles ensure continuous but gentle water supply and thus enable thorough cleaning without damaging sensitive materials. In addition, integrated soft anti-slip elements give secure hold, protect against mechanical stress and prevent damages of glass rims.	Thanks to the new glassZone, you can now put even your most valuable glasses in the dishwasher with peace of mind.	All models

Refrigeration range summary







KI86NAD30A	KI81RAD30A	GI81NAC30A
Built-in fridge freezer	Built-in single door fridge	Built-in single door freezer
DESIGN		
273 litre gross volume 189 litre gross volume – fridge 84 litre gross volume – freezer	321 litre gross volume	235 litre gross volume
LED lighting	LED lighting	LED lighting
5 x shelves (3 safety glass) 2 x full extension storage trays Vegetable container with ribbed wavy bottom and humidity control 4 x door shelves, 1 x extra deepDairy compartment 3 x transparent freezer drawers, including 1 x big box	7 x safety glass shelves 4 x full extension storage trays 25 litre hyperFresh plus humidity container with automatic humidity control, wave bottom on fully extendable telescopic rails 4 x door shelves, 1 x extra deepDairy compartment	5 x transparent freezer drawers, including 1 x big box, 2 x compartments with glass shelves with transparent hinges
FEATURES		
superFreezing & superCooling	superCooling	superFreezing
hyperFresh premium	hyperFresh premium	
NoFrost		NoFrost

Refrigeration highlights

Feature		Description	Benefit	Models
superFreezing	superFreezing superCooling	The superCooling and superFreezing functions prevent increases in internal temperatures that can result from adding new contents to the fridge and freezer respectively. Once an even temperature within the fridge or freezer is re-established, the device will automatically reset to normal cooling or freezing status.	Ensure existing food and contents in the fridge and freezer are not compromised from temperature fluctuations.	superFreezing: KI86NAD30A GI81NAC30A superCooling: KI86NAD30A KI81RAD30A
superCooling	Juper cooling			
hyperFresh premium o°C	hyperFresh premium	The various hyperFresh premium zones create the perfect climate – temperatures close to 0°C and the right humidity, dry for fish and meat or humid for fruits and vegetables.	 Your foods stay fresh and retain their vitamins and nutrients longer. Keep items fresh up to three times as long. 	KI81RAD30A
noFrost	noFrost	The sensors in the Siemens noFrost refrigerators provide the necessary information to define the exact defrost cycles for the device.	The controlled defrost cycles prevent the formation of frost on the inside of your fridge-freezer and keep the energy consumption constantly low.	KI86NAD30A GI81NAC30A





Intelligent technology for a new way of living

BSH Home Appliances Pty Ltd

BSH Group is a Trademark Licensee of Siemens AG

1555 Centre Road Clayton VIC 3168

Phone: 03 8551 1100 Fax: 03 8551 1182

siemens-home.bsh-group.com.au

Printed in Australia
KRD 05/2023 – BH 5899 S

