

# Intelligent cooling from studioLine



with  
aCool

# Content

|                         |   |       |   |
|-------------------------|---|-------|---|
| <b>aCool studioLine</b> |   | 14–15 | aCool wine cabinets                       |
| 4–7                     | Introducing Siemens aCool refrigeration | 16–19 | aCool configuration examples              |
| 8–9                     | aCool fridges                           | 20–23 | aCool appliances technical specifications |
| 10–11                   | aCool freezers                          | 24–26 | aCool technical diagrams                  |
| 12–13                   | aCool Multi Door fridge freezers        |       |   |







# Refrigeration according to you

The studioLine aCool range offers the perfect level of personalisation with seamless design. Everything can be adjusted to meet your expectations.

Thanks to their modular concept, these cooling solutions offer endless possibilities to meet the highest demands. aCool can be combined without any restrictions, and as individually as you want them to be.

A 5 Year Warranty is available on studioLine appliances. See our warranty terms and conditions below for further information.

[www.siemens-home.bsh-group.com/ie/customer-service/warranty/five-year-warranty](http://www.siemens-home.bsh-group.com/ie/customer-service/warranty/five-year-warranty)





# Find your perfect cooling solution

Intelligently designed for your needs, the studioLine aCool range allows you to make a statement that lasts. Attention to detail and high-end quality is apparent in every feature of this range.

Choose between matching the door cabinetry to the rest of your kitchen furniture or make a statement with striking stainless-steel door panels to suit your home's aesthetic. Even customise your design down to the handles.





# Sophisticated design for all your cooling needs

With hyperFresh premium 0°C, noFrost, LED lighting, ecoMode and multiAirflow technology you will experience a truly fresh way of storing food. Allowing you an unprecedented amount of space and control.



iQ700 Fridge  
with fixed hinge  
212.5 x 60.3 cm  
CI24RP02



iQ700 Fridge  
with fixed hinge  
212.5 x 75.6 cm  
CI30RP02

|  |  |
|--|--|
| <b>hyperFresh Premium 0°C</b> <ul style="list-style-type: none"><li>1 large, fully extendable fresh cooling drawer adjustable between -1 to 3°C, which keeps meat and fish fresh for longer and offers more flexibility.</li></ul>           | <b>hyperFresh Premium 0°C</b> <ul style="list-style-type: none"><li>1 large, fully extendable fresh cooling drawer adjustable between -1 to 3°C, which keeps meat and fish fresh for longer and offers more flexibility.</li></ul>           |
| <b>superCooling</b> <ul style="list-style-type: none"><li>The superCooling button quickly and temporarily reduces the temperature of the fridge, to quickly cool down new fresh food items placed in the fridge.</li></ul>                   | <b>superCooling</b> <ul style="list-style-type: none"><li>The superCooling button quickly and temporarily reduces the temperature of the fridge, to quickly cool down new fresh food items placed in the fridge.</li></ul>                   |
| <b>Design LED columns</b> <ul style="list-style-type: none"><li>Ample, even lighting helps you check your fridge's content faster.</li></ul>   | <b>Design LED columns</b> <ul style="list-style-type: none"><li>Ample, even lighting helps you check your fridge's content faster.</li></ul>   |
| <b>Home Connect</b> <ul style="list-style-type: none"><li>Access and control your fridge via the Home Connect app, no matter where you are.</li></ul>  | <b>Home Connect</b> <ul style="list-style-type: none"><li>Access and control your fridge via the Home Connect app, no matter where you are.</li></ul>  |
| <b>Innovative rail system</b> <ul style="list-style-type: none"><li>Elegant design combined with easy handling and optimised space.</li></ul>  | <b>Innovative rail system</b> <ul style="list-style-type: none"><li>Elegant design combined with easy handling and optimised space.</li></ul>  |
| <b>storage available</b> <ul style="list-style-type: none"><li>4 shelves</li><li>3 drawers</li><li>4 fridge door shelves</li></ul>   | <b>storage available</b> <ul style="list-style-type: none"><li>4 shelves</li><li>3 drawers</li><li>4 fridge door shelves</li></ul>   |
| <b>Matching freezer</b> <ul style="list-style-type: none"><li>FI24NP33</li></ul>   | <b>Matching freezer</b> <ul style="list-style-type: none"><li>FI30NP33</li></ul>   |
| <b>Accessories</b> <ul style="list-style-type: none"><li>FI24Z090 Stainless steel door panel 600mm (24 inch) without handle</li><li>CI10ZH10 Stainless steel single handle</li><li>CI24Z010 Stainless steel ventilation grill 60cm</li></ul> | <b>Accessories</b> <ul style="list-style-type: none"><li>FI30Z090 Stainless steel door panel 750mm (30 inch) without handle</li><li>CI10ZH10 Stainless steel single handle</li><li>CI30Z010 Stainless steel ventilation grill 76cm</li></ul> |

## Fridges



# Flexible freezer space to suit your needs

Make space for even more with studioLine aCool freezers. Complete with noFrost, superFreezing and an internal ice maker.



iQ700 Freezer  
with fixed hinge  
212.5 x 60.3 cm  
FI24NP33

|  |  |
|--|--|
| <b>Internal ice maker</b> <ul style="list-style-type: none"><li>The efficient 4.5 litre water tank makes cubes of ice and stores them ready for whenever you want them with an ice bucket that holds 2.5kg.</li></ul>  | <b>Internal ice maker</b> <ul style="list-style-type: none"><li>The efficient 4.5 litre water tank makes cubes of ice and stores them ready for whenever you want them with an ice bucket that holds 2.5kg.</li></ul>  |
| <b>superFreezing</b> <ul style="list-style-type: none"><li>The superFreezing button quickly and temporarily reduces the temperature of the freezer, to prevent new food items placed in the freezer to warm up the freezer temperature.</li></ul>                                      | <b>superFreezing</b> <ul style="list-style-type: none"><li>The superFreezing button quickly and temporarily reduces the temperature of the freezer, to prevent new food items placed in the freezer to warm up the freezer temperature.</li></ul>  |
| <b>Fixed hinge</b> <ul style="list-style-type: none"><li>Allowing you to control which side you want to have the door open.</li></ul>  | <b>Fixed hinge</b> <ul style="list-style-type: none"><li>Allowing you to control which side you want to have the door open.</li></ul>  |
| <b>noFrost</b> <ul style="list-style-type: none"><li>Prevents icing and frosting so you never have to defrost again.</li></ul>   | <b>noFrost</b> <ul style="list-style-type: none"><li>Prevents icing and frosting so you never have to defrost again.</li></ul>   |
| <b>LED lights</b> <ul style="list-style-type: none"><li>Even lighting throughout the inside of your freezer to keep everything in view.</li></ul>  | <b>LED lights</b> <ul style="list-style-type: none"><li>Even lighting throughout the inside of your freezer to keep everything in view.</li></ul>  |
| <b>Home Connect Access</b> <ul style="list-style-type: none"><li>Control your freezer via the Home Connect app, no matter where you are.</li></ul>   | <b>Home Connect Access</b> <ul style="list-style-type: none"><li>Control your freezer via the Home Connect app, no matter where you are.</li></ul>   |
| <b>Innovative rail system</b> <ul style="list-style-type: none"><li>Elegant design combined with easy handling and optimised space.</li></ul>  | <b>Innovative rail system</b> <ul style="list-style-type: none"><li>Elegant design combined with easy handling and optimised space.</li></ul>  |
| <b>storage available</b> <ul style="list-style-type: none"><li>4 shelves</li><li>2 drawers</li></ul>   | <b>storage available</b> <ul style="list-style-type: none"><li>4 shelves</li><li>2 drawers</li></ul>   |
| <b>Matching fridge</b> <ul style="list-style-type: none"><li>CI24RP02</li></ul>  | <b>Matching fridge</b> <ul style="list-style-type: none"><li>CI30RP02</li></ul>  |
| <b>Accessories</b> <ul style="list-style-type: none"><li>FI24Z090 Stainless steel door panel 600mm (24 inch) without handle</li><li>CI10ZH10 Stainless steel single handle</li><li>FI24Z011 Stainless steel ventilation grill</li><li>CI60ZBL1 optional large 4kg ice bucket</li></ul> | <b>Accessories</b> <ul style="list-style-type: none"><li>FI30Z090 Stainless steel door panel 750mm (30 inch) without handle</li><li>CI10ZH10 Stainless steel single handle</li><li>FI30Z001 Stainless steel ventilation grill for FI30NP32</li><li>CI60ZBL1 optional large 4 kg ice bucket</li></ul> |



iQ700 Freezer  
with fixed hinge  
212.5 x 75.6 cm  
FI30NP33

## Freezers





# Beautifully designed. Tailored for you

The XXL Multi Door fridge freezers have a lot in store. The storage layout in both 2- and 3-door versions of this model provides clear-cut food separation, exact humidity levels and a more stable temperature management for prolonged food freshness.



iQ700 Multi Door  
fridge freezer  
212.5 x 75.6 cm  
CI30BP02

- |  |   |
|--|---|
| <b>Internal ice maker</b> <ul style="list-style-type: none"><li>• Ability to make fresh ice whenever you want with an ice bucket that holds 2 kg of ice.</li></ul>   | <b>Internal ice maker</b> <ul style="list-style-type: none"><li>• Ability to make fresh ice whenever you want with an ice bucket that holds 2 kg of ice.</li></ul>  |
| <b>The hyperFresh plus Box</b> <ul style="list-style-type: none"><li>• Adjustable humidity keeps fruit and vegetables fresh for longer.</li></ul>  | <b>The hyperFresh plus Box</b> <ul style="list-style-type: none"><li>• Adjustable humidity keeps fruit and vegetables fresh for longer.</li></ul>   |
| <b>noFrost</b> <ul style="list-style-type: none"><li>• Prevents icing and frosting so you never have to defrost again.</li></ul>   | <b>noFrost</b> <ul style="list-style-type: none"><li>• Prevents icing and frosting so you never have to defrost again.</li></ul>  |
| <b>Design LED columns</b> <ul style="list-style-type: none"><li>• Lights up the interior brightly and evenly, without dazzling.</li></ul>  | <b>Design LED columns</b> <ul style="list-style-type: none"><li>• Lights up the interior brightly and evenly, without dazzling.</li></ul>   |
| <b>Home Connect</b> <ul style="list-style-type: none"><li>• Access and control your fridge via the Home Connect app, no matter where you are.</li></ul>  | <b>Home Connect</b> <ul style="list-style-type: none"><li>• Access and control your fridge via the Home Connect app, no matter where you are.</li></ul>   |
| <b>Innovative rail system</b> <ul style="list-style-type: none"><li>• Elegant design combined with easy handling and optimised space.</li></ul>  | <b>Innovative rail system</b> <ul style="list-style-type: none"><li>• Elegant design combined with easy handling and optimised space.</li></ul>   |
| <b>storage available</b> <ul style="list-style-type: none"><li>• 2 refrigeration boxes</li><li>• 2 refrigeration shelves</li></ul>   | <b>storage available</b> <ul style="list-style-type: none"><li>• 2 refrigeration boxes</li><li>• 2 refrigeration shelves</li></ul>  |
| <b>Accessories</b> <ul style="list-style-type: none"><li>• CI36Z490 Door panel set, consisting of 3 stainless steel doors without handles</li><li>• CI10Z491 Stainless steel handle set x 3 short handles</li><li>• CI10ZH10 Stainless steel single handle</li><li>• CI30Z201 Stainless steel ventilation grill</li><li>• FI50Z000 Activated charcoal water filter</li></ul> | <b>Accessories</b> <ul style="list-style-type: none"><li>• CI30ZSETB2 Door panel set, consisting of 2 stainless steel doors without handles</li><li>• CI10Z491 Stainless steel handle set x 3 short handles</li><li>• CI10ZH10 Stainless steel single handle</li><li>• FI50Z000 Activated charcoal water filter</li></ul> |



iQ700 Multi Door  
fridge freezer  
212.5 x 90.8 cm  
CI36TP02



Multi-Door  
fridge  
freezers



# Experience wine at its best

The studioLine aCool wine cabinets are designed to provide ample room for your wines and optimal storage conditions to help maintain their quality. From the adjustable humidity feature, which ensures the right level of humidity to prevent cork brittleness or the growth of mould, to the independently adjustable temperature zones, allowing you to store red and white wines at their ideal temperature.

The cabinet door is equipped with UV-protection glass to prevent damage from sunlight while the oak shelves not only display wine bottles in an attractive way but also protect them and their labels from scratches. The low vibration technology makes storage safer and particularly quiet. With premium LED lighting, you can display your wines in the best light without affecting the temperature in the cabinet.



iQ700 Wine cabinet with glass door  
212.5 x 45.1 cm  
CI18WP03

|  |   |
|--|---|
| <b>Adjustable temperature and humidity</b> <ul style="list-style-type: none"><li>Independently controlled conditions from 5°C to 20°C for different wines in a single cabinet.</li><li>Up to 3 climate zones with individual storage conditions with separate air moisture regulation.</li></ul>   | <b>Adjustable temperature and humidity</b> <ul style="list-style-type: none"><li>Independently controlled conditions from 5°C to 20°C for different wines in a single cabinet.</li><li>Up to 3 climate zones with individual storage conditions with separate air moisture regulation.</li></ul>  |
| <b>Oak extendable presenter shelves</b> <ul style="list-style-type: none"><li>Unique and premium presentation of your wines.</li></ul>   | <b>Oak extendable presenter shelves</b> <ul style="list-style-type: none"><li>Unique and premium presentation of your wines .</li></ul>   |
| <b>LED light and tempered glass door</b> <ul style="list-style-type: none"><li>Protects from UV light to prevent spoiling.</li></ul>   | <b>LED light and tempered glass door</b> <ul style="list-style-type: none"><li>Protects from UV light to prevent spoiling.</li></ul>  |
| <b>airFreshFilter</b> <ul style="list-style-type: none"><li>Actively combat odours inside the appliance.</li></ul>   | <b>airFreshFilter</b> <ul style="list-style-type: none"><li>Actively combat odours inside the appliance.</li></ul>  |
| <b>Home Connect</b> <ul style="list-style-type: none"><li>Control your appliance via the Home Connect app, no matter where you are.</li></ul>  | <b>Home Connect</b> <ul style="list-style-type: none"><li>Control your appliance via the Home Connect app, no matter where you are.</li></ul>   |
| <b>Accessories</b> <ul style="list-style-type: none"><li>CI60Z300 door lock for wine cabinet (mechanical)</li><li>CI18Z590 Door frame for wine cabinet, right hinge, 450mm (18 inch) without handle</li><li>CI18Z690 Door frame for wine cabinet, left hinge, 45cm (18 inch) without handle</li><li>CI10ZH10 Single handle</li><li>CI18Z000 Ventilation grill 45cm (18 inch) width</li></ul> | <b>Accessories</b> <ul style="list-style-type: none"><li>CI60Z300 door lock for wine cabinet (mechanical)</li><li>CI24Z590 Door frame for wine cabinet, right hinge, 600mm (24 inch) without handle</li><li>CI24Z690 Door frame for wine cabinet, left hinge, 600mm (24 inch) without handle</li><li>CI10ZH10 Single handle</li><li>CI24Z010 Ventilation grill 60cm</li></ul> |



iQ700 Wine cabinet with glass door  
212.5 x 60.3 cm  
CI24WP03

Wine cabinets





# Your exceptional solution awaits...

These appliances can easily become a part of your very own American style side-by-side arrangement. Delivering big when it comes to creating the cooling space you desire. With appliances usually coming in two different sizes, allowing you more possibilities.

Position the appliances to suit your needs. Whichever way you need it, however you want it.





# A modular system providing endless possibilities



Build your individual cooling zone with studioLine aCool cooling appliances and experience space, sophisticated design and performance wrapped up in one.



## Freezer and fridge

Experience the traditional American style combination with a difference with an aCool freezer and a fridge. Whether it is the smaller or larger width appliance you can choose the best option for you.



## Wine cabinet and multi-door fridge with bottom freezer drawer

Choose the ideal combination for your needs. Like a Siemens wine cabinet and a fridge right next to each other.



## Wine cabinet, fridge and freezer

Combine all your needs in one place to make an outstanding visual and practical statement. Mix and match wine cabinet, fridge and freezer by placing them side by side and create a tailored set that meets your expectations.



## Wine cabinet and fridge with bottom freezer drawer

In combination with a studioLine wine cabinet, the fridge with bottom freezer could be the right solution for you, allowing you to create your individual cooling solution. A 'grand opening' to enjoy every day.



# Fridges



| APPLIANCE TYPE  | aCool Fridge           | aCool Fridge           |
|---|------------------------|------------------------|
| Design family   | iQ700                  | iQ700                  |
| Model number  | CI24RP02               | CI30RP02               |
| PERFORMANCE AND CONSUMPTION                                   |                        |                        |
| Energy efficiency class                                       | E                      | E                      |
| Average annual energy consumption per year <sup>1</sup> (kWh) | 150                    | 166                    |
| Unit net capacity (litres)                                    | 356                    | 463                    |
| Noise level (dB)  | 40                     | 40                     |
| DESIGN FEATURES   |                        |                        |
| Type of hinge   | Fixed                  | Fixed                  |
| Reversible door   | Right reversible       | Right reversible       |
| KEY FEATURES  |                        |                        |
| noFrost   | n                      | n                      |
| Home Connect  | n                      | n                      |
| 0 degree temperature controlled drawer                        | n                      | n                      |
| Number of shelves   | 4                      | 4                      |
| Number of adjustable shelves                                  | 3                      | 3                      |
| freshness system  | hyperFresh Premium 0°C | hyperFresh Premium 0°C |
| Number of door shelves  | 4                      | 4                      |
| Material of the shelves                                       | Glass                  | Glass                  |
| Digital temperature display                                   | n                      | n                      |
| superCooling function   | n                      | n                      |
| Functions   |                        |                        |
| Temperature display – fridge                                  | LED display            | LED display            |
| Warning signal door open/ malfunction                         | n                      | n                      |
| Temperature adjustable  | n                      | n                      |
| ACCESSORIES   |                        |                        |
| Included accessories  | –                      | 1 x egg tray           |
| DIMENSIONS AND INSTALLATION                                   |                        |                        |
| Height of the product (mm)                                    | 2125                   | 2125                   |
| Width of the product (mm)                                     | 603                    | 756                    |
| Depth of the product (mm)                                     | 608                    | 608                    |
| Depth with open door 90° (mm)                                 | 1287                   | 1440                   |
| Adjustable feet   | n                      | n                      |
| Maximum adjustability feet (mm)                               | 79                     | 79                     |
| Required niche size for installation: HxWxD (mm)              | 2134 x 610 x 610       | 2134 x 762 x 610       |

n Yes, model has this feature.  
– Feature not available for this model.

<sup>1</sup> Actual energy consumption will depend on how the appliance is used and where it is located.

<sup>2</sup> Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C.  
Climate zone N = designed to operate in ambient temperature of +16°C to 32°C.  
Climate zone ST = designed to operate in ambient temperature of +18°C to 38°C.  
Climate zone T = designed to operate in ambient temperature of +18°C to 43°C.

# Freezers



| APPLIANCE TYPE  | aCool Freezer  | aCool Freezer  |
|---|--|--|
| Design family   | iQ700  | iQ700  |
| Model number  | FI24NP33   | FI30NP33   |
| PERFORMANCE AND CONSUMPTION                                   |  |  |
| Energy efficiency class                                       | E  | E  |
| Average annual energy consumption per year <sup>1</sup> (kWh) | 284  | 321  |
| Unit net capacity (litres)                                    | 328  | 429  |
| Noise level (dB)  | 42   | 42   |
| DESIGN FEATURES   |  |  |
| Type of hinge   | Fixed  | Fixed  |
| Reversible door   | Left reversible  | Left reversible  |
| KEY FEATURES  |  |  |
| noFrost   | n  | n  |
| Home Connect  | n  | n  |
| Number of freezer drawers                                     | 2  | 2  |
| Number of freezer shelves                                     | 4  | 4  |
| Number of door shelves  | 4  | 4  |
| Shelf adjustability   | n  | n  |
| superFreeze function  | n  | n  |
| Digital temperature display                                   | n  | n  |
| FUNCTIONS   |  |  |
| Warning signal door open/ malfunction                         | n  | n  |
| Temperature adjustable  | n  | n  |
| ACCESSORIES   |  |  |
| Included accessories  | 1 x connection hose<br>1 x ice cube scoop<br>1 x small ice storage container | 1 x connection hose<br>1 x ice cube scoop<br>1 x small ice storage container |
| DIMENSIONS AND INSTALLATION                                   |  |  |
| Height of the product (mm)                                    | 2125   | 2125   |
| Width of the product (mm)                                     | 603  | 756  |
| Depth of the product (mm)                                     | 608  | 608  |
| Depth with open door 90° (mm)                                 | 1287   | 1440   |
| Adjustable feet   | n  | n  |
| Maximum adjustability feet (mm)                               | 79   | 79   |
| Required niche size for installation: HxWxD (mm)              | 2134 x 610 x 610   | 2134 x 762 x 610   |

n Yes, model has this feature.  
– Feature not available for this model.

<sup>1</sup> Actual energy consumption will depend on how the appliance is used and where it is located.

<sup>2</sup> Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C.  
Climate zone N = designed to operate in ambient temperature of +16°C to 32°C.  
Climate zone ST = designed to operate in ambient temperature of +18°C to 38°C.  
Climate zone T = designed to operate in ambient temperature of +18°C to 43°C.

# Multi-door fridge freezers



| APPLIANCE TYPE  | Multi-door fridge-freezer  | Multi-door fridge-freezer  |
|---|--|--|
| Design family   | iQ700  | iQ700  |
| Model number  | CI30BP02   | CI36TP02   |
| PERFORMANCE AND CONSUMPTION                                   |  |  |
| Energy efficiency class                                       | E  | F  |
| Average annual energy consumption per year <sup>1</sup> (kWh) | 295  | 415  |
| Noise level (dB)  | 42   | 42   |
| PERFORMANCE AND CONSUMPTION                                   |  |  |
| Type of hinge   | Flat   | Flat   |
| Reversible door   | n  | Left and right   |
| KEY FEATURES  |  |  |
| noFrost   | n  | n  |
| Home Connect  | n  | n  |
| ecoMode   | n  | n  |
| Freshness system  | hyperFresh Plus  | hyperFresh Plus  |
| Number of fridge shelves                                      | 3  | 3  |
| Number of adjustable shelves                                  | 2  | 2  |
| Number of fridge door shelves                                 | 3  | 6  |
| Material of the shelves                                       | Glass  | Glass  |
| Number of fridge drawers                                      | 2  | 2  |
| Number of freezer compartment                                 | 2  | 2  |
| Fridge net capacity (litres)                                  | 308  | 378  |
| Freezer net capacity (litres)                                 | 110  | 140  |
| superFreeze function  | n  | n  |
| superCooling function   | n  | n  |
| Digital temperature display                                   | n  | n  |
| FUNCTIONS   |  |  |
| Warning signal door open/ malfunction                         | n  | n  |
| Temperature adjustable  | n  | n  |
| ACCESSORIES   |  |  |
| Included accessories  | 1 x connection hose<br>1 x ice cube scoop<br>1 x large ice storage container | 1 x connection hose<br>1 x ice cube scoop<br>1 x large ice storage container |
| DIMENSIONS AND INSTALLATION                                   |  |  |
| Height of the product (mm)                                    | 2125   | 2125   |
| Width of the product (mm)                                     | 756  | 908  |
| Depth of the product (mm)                                     | 608  | 608  |
| Depth with open door 90° (mm)                                 | 1440   | 1135   |
| Adjustable feet   | n  | n  |
| Maximum adjustability feet (mm)                               | 79   | 79   |
| Required niche size for installation: HxWxD (mm)              | 2134 x 762 x 610   | 2134 x 914 x 610   |

n Yes, model has this feature.  
– Feature not available for this model.

1 Actual energy consumption will depend on how the appliance is used and where it is located.

2 Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C.  
Climate zone N = designed to operate in ambient temperature of +16°C to 32°C.  
Climate zone ST = designed to operate in ambient temperature of +18°C to 38°C.  
Climate zone T = designed to operate in ambient temperature of +18°C to 43°C.

# Wine cabinets



| APPLIANCE TYPE  | Wine cabinet     | Wine cabinet     |
|---|------------------|------------------|
| Design family   | iQ700            | iQ700            |
| Model number  | CI18WP03         | CI24WP03         |
| PERFORMANCE AND CONSUMPTION                                   |                  |                  |
| Energy efficiency class                                       | A                | A                |
| Average annual energy consumption per year <sup>1</sup> (kWh) | 145              | 155              |
| Unit net capacity (litres)                                    | 263              | 361              |
| Capacity of 0.75l (Bordeaux bottles)                          | 58               | 92               |
| Noise level (dB)  | 42               | 42               |
| DESIGN FEATURES   |                  |                  |
| Type of glass door  | 2 glass panels   | 2 glass panels   |
| Type of hinge   | –                | –                |
| Reversible door   | Right reversible | Right reversible |
| LED Lighting  | n                | n                |
| Number of compressors   | 1                | 1                |
| Number of cooling circuits                                    | 1                | 1                |
| KEY FEATURES  |                  |                  |
| Home Connect  | n                | n                |
| temperature zone  | 2                | 3                |
| temperature range   | 5-20°C           | 5-20°C           |
| number of shelves   | 10               | 8                |
| Digital temperature display                                   | n                | n                |
| FUNCTIONS   |                  |                  |
| Warning signal door open/ malfunction                         | n                | n                |
| Temperature adjustable  | n                | n                |
| ACCESSORIES   |                  |                  |
| Included accessories  | –                | –                |
| DIMENSIONS AND INSTALLATION                                   |                  |                  |
| Climate class <sup>2</sup>                                    | SN-T             | SN-T             |
| Height of the product (mm)                                    | 2125             | 2125             |
| Width of the product (mm)                                     | 451              | 603              |
| Depth of the product (mm)                                     | 608              | 608              |
| Depth with open door 90° (mm)                                 | 1135             | 1287             |
| Adjustable feet   | n                | n                |
| Maximum adjustability feet (mm)                               | 79               | 79               |
| Required niche size for installation: HxWxD (mm)              | 2134 x 457 x 610 | 2134 x 610 x 610 |

n Yes, model has this feature.  
– Feature not available for this model.


1 Actual energy consumption will depend on how the appliance is used and where it is located.

2 Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C.  
Climate zone N = designed to operate in ambient temperature of +16°C to 32°C.  
Climate zone ST = designed to operate in ambient temperature of +18°C to 38°C.  
Climate zone T = designed to operate in ambient temperature of +18°C to 43°C.




aCool technical diagrams


iQ700 Fridge with fixed hinge 60.3 cm CI24RP02




iQ700 Fridge with fixed hinge 75.6 cm CI30RP02




iQ700 Freezer with fixed hinge 60.3 cm FI24NP33




iQ700 Freezer with fixed hinge 75.6 cm FI30NP33



iQ700 Fridge with bottom freezer 75.6 cm CI30BP02




iQ700 Fridge with bottom freezer 90.8 cm CI36TP02




# aCool technical diagrams

iQ700 Wine cabinet with glass door 45.1 cm CI18WP03



iQ700 Wine cabinet with glass door 60.3 cm CI24WP03



Watch the aCool installation videos online here:



SCAN ME



Siemens, a division of BSH Home Appliances Ltd,  
Grand Union House,  
Old Wolverton Road, Wolverton,  
Milton Keynes, MK12 5PT  
Tel: 0344 892 9040  
[siemens-home.bsh-group.com/uk](http://siemens-home.bsh-group.com/uk)

Showroom  
Siemens London,  
Home of studioLine,  
14 Wigmore Street,  
London, W1U 2RE  
Tel: 0330 134 3100  
Email: [SiemensLondon@Siemens-Home.BSH-Group.com](mailto:SiemensLondon@Siemens-Home.BSH-Group.com)

BSH Home Appliances Ltd,  
M50 Business Park,  
Ballymount,  
Dublin 12  
Tel: 1890 626041  
[siemens-home.bsh-group.com/ie](http://siemens-home.bsh-group.com/ie)

#### Disclaimer

This brochure is current as from the publication date and supersedes all previous brochures for these products. Whilst BSH Home Appliances Ltd believes that all information contained within this brochure is correct at the time of going to print, no representation or warranty, express or implied, is or will be made and no responsibility or liability is or will be accepted by BSH Home Appliances Ltd in relation to the accuracy or completeness of this information and any liability is expressly disclaimed. To the extent permitted by law, BSH Home Appliances Ltd expressly excludes: i) all conditions, warranties and other terms which might otherwise be implied by statute, common law or the law of equity and ii) any liability for any direct, indirect or consequential loss or damage (including, without limitation, damages for loss of business or loss of profits) arising in contract, tort or otherwise from the use of or reliance on any information contained within this brochure or from any action or decision taken as a result of such use or reliance. BSH Home Appliances Ltd reserves the right to modify technical data and all other information contained within this brochure without notice. All rights reserved. No part of this publication may be reproduced in any form or without the prior written permission of BSH Home Appliances Ltd.

This brochure should not be regarded as an infallible guide nor as an offer of sale for a particular product.

Due to variables in the reproduction process, colours of actual products may vary slightly from those depicted. We recommend a visit to a Siemens dealer to confirm that specifications and colours are to your satisfaction.

Valid from September 23

Scan here for the Siemens Virtual Brochure.

