


Professional Ranges



60-Inch, Dual-Fuel Convection & Steam Oven and Warming Drawer

60-Inch, Dual-Fuel Convection Oven

Key Features		Pro Grand®	
Model	PRD606WESG	PRD606WEG	
Width	60-Inch		
Depth	27-Inch Commercial-Depth		
Fuel Type / Energy Source	Dual-Fuel		
Cooktop Configuration	6 Burners + Double Griddle		
★ Patented Pedestal Star® Burners	6 (4 with ExtraLow®)		
Fast Boil Burner	22,000 BTU		
Oven Capacity (Large / Small)	5.7 / 1.6 cu. ft.	5.7 / 4.9 cu. ft.	
Oven Configuration	★ True Convection Oven (Lg.), Steam and True Convection Oven (Sm.) and Warming Drawer	True Convection Oven (Lg.), True Convection Oven (Sm.)	
Cooking Modes – Large Cavity	Bake, Convection Bake, True Convection, Convection Roast, Roast, Convection Broil, Broil		
Cooking Modes – Small Cavity	Proof, Keep Warm, Steam Programs, True Convection, Slow Cook, Defrost, Reheat, Steam Convection, Steam	Bake, Convection Bake, Proof, Keep Warm, Convection Roast, Roast, Convection Broil, Broil	
★ Super Fast 2-Hour Self Clean	Large Oven Only	●	
Color TFT Touch Screen Interface	●	●	
Oven Racks	3 Telescopic, 1 Small Standard	3 Telescopic, 3 Small Telescopic	
Meat Probe	★ Multi-Point		
SoftClose® Hinges	●	●	
Star-K Certified	●	●	
Home Connect® (Wi-Fi enabled)	Large Oven Only		
Zero Clearance to Wall Install	●	●	
Customize with Optional Accessories (see pages ### for details)	Wok Ring, Chopping Block, Griddle Cover, Over-Burner Griddle, Blue Knob Kit		
 ★ Blue Knob Kit	PARKB60SGY	PARKB60CGY	

★ Thermador® Exclusive

Visit Thermador.com for complete specifications or text a Thermador model number to 21432 to have specs sent to your phone



48-Inch, Dual-Fuel Convection & Steam Oven and Warming Drawer

48-Inch, Dual-Fuel Convection & Steam Oven and Warming Drawer

Key Features		Pro Grand®	
Model	PRD48WDSGU	PRD48WISGU	
Width	48-Inch		
Depth	27-Inch Commercial-Depth		
Fuel Type / Energy Source	Dual-Fuel	Dual-Fuel with Induction	
Cooktop Configuration	6 Burners + Griddle	6 Burners + Liberty® Induction Module	
★ Patented Pedestal Star® Burners	6 (4 with ExtraLow®)		
Fast Boil Burner	22,000 BTU		
Oven Capacity (Large / Small)	4.9 / 1.6 cu. ft.		
Oven Configuration	★ True Convection Oven (Lg.), Steam and True Convection Oven (Sm.) and Warming Drawer		
Cooking Modes – Large Cavity	Bake, Convection Bake, True Convection, Convection Roast, Roast, Convection Broil, Broil		
Cooking Modes – Small Cavity	Proof, Keep Warm, Steam Programs, True Convection, Slow Cook, Defrost, Reheat, Steam Convection, Steam		
★ Super Fast 2-Hour Self Clean	Large Oven Only	Large Oven Only	
Color TFT Touch Screen Interface	●	●	
Oven Racks	3 Telescopic, 1 Small Standard		
Meat Probe	★ Multi-Point		
SoftClose® Hinges	●	●	
Star-K Certified	●	●	
Home Connect® (Wi-Fi enabled)	Large Oven Only		
Zero Clearance to Wall Install	—	—	
Customize with Optional Accessories (see pages ### for details)	Wok Ring, Chopping Block, Griddle Cover, Pro Grill Plate, Over-Burner Griddle, Blue Knob Kit	Teppanyaki Plate, Wok Ring, Chopping Block, Griddle Cover, Over-Burner Griddle, Blue Knob Kit	
	PARKB48SGY	PARKB48CGY	

Visit Thermador.com for complete specifications or text a Thermador model number to 21432 to have specs sent to your phone


Professional Ranges



48-Inch, Dual-Fuel Convection Oven



48-Inch, Gas Convection Oven

Key Features		Pro Harmony®	
Model	PRD486WDHU	PRG486WDH	
Width	48-Inch		
Depth	24-Inch Standard-Depth		
Fuel Type / Energy Source	Dual-Fuel	Gas	
Cooktop Configuration	6 Burners + Griddle		
★ Patented Pedestal Star® Burners	6 (2 with ExtraLow®)		
Fast Boil Burner	18,000 BTU		
Oven Capacity (Large / Small)	4.4 / 2.4 cu. ft.	4.6 / 2.5 cu. ft.	
Oven Configuration	True Convection Oven (Lg.), Standard Oven (Sm.)	Convection Oven (Lg.), Standard Oven (Sm.)	
Cooking Modes – Large Cavity	Bake, Convection Bake, True Convection, Convection Roast, Roast, Convection Broil, Broil	Bake, Convection Bake, Roast, Broil	
Cooking Modes – Small Cavity	Bake, Keep Warm, Broil, Proof	Bake, Keep Warm, Roast, Broil, Proof	
★ Super Fast 2-Hour Self Clean	●	—	
Color TFT Touch Screen Interface	●	●	
Oven Racks	3 Telescopic, 1 Small Telescopic		
Meat Probe	●	●	
SoftClose® Hinges	—	—	
Star-K Certified	●	●	
Home Connect® (Wi-Fi enabled)	Large Oven Only		
Zero Clearance to Wall Install	—	—	
Customize with Optional Accessories (see pages ### for details)	Wok Ring, Chopping Block, Griddle Cover, Pro Grill Plate, Over-Burner Griddle, Blue Knob Kit		
 ★ Blue Knob Kit	PARKB48CHY	PARKB48DHY	




48-Inch, Dual-Fuel Convection Oven



48-Inch, Dual-Fuel Convection Oven



48-Inch, Gas Convection Oven

Key Features			Pro Grand®		
Model	PRD486WDGU	PRD486WIGU	PRG486WDG		
Width	48-Inch				
Depth	27-Inch Commercial-Depth				
Fuel Type / Energy Source	Dual-Fuel	Dual-Fuel with Induction	Gas		
Cooktop Configuration	6 Burners + Griddle	6 Burners + Liberty® Induction Module	6 Burners + Griddle		
★ Patented Pedestal Star® Burners	6 (4 with ExtraLow®)				
Fast Boil Burner	22,000 BTU				
Oven Capacity (Large / Small)	5.7 / 2.5 cu. ft.				
Oven Configuration	True Convection Oven (Lg.), Convection Oven (Sm.)		Convection Oven (Lg.), Convection Oven (Sm.)		
Cooking Modes – Large Cavity	Bake, Convection Bake, True Convection, Convection Roast, Roast, Convection Broil, Broil		Bake, Convection Bake, Roast, Broil		
Cooking Modes – Small Cavity	Bake, Convection Bake, Proof, Keep Warm, Convection Roast, Roast, Convection Broil, Broil		Bake, Convection Bake, Proof, Roast, Broil, Keep Warm		
★ Super Fast 2-Hour Self Clean	●	●	●		
Color TFT Touch Screen Interface	●	●	●		
Oven Racks	3 Telescopic, 2 Small Telescopic				
Meat Probe	★ Multi-Point				
SoftClose® Hinges	●	●	●		
Star-K Certified	●	●	●		
Home Connect® (Wi-Fi enabled)	Large Oven Only				
Zero Clearance to Wall Install	—	—	—		
Customize with Optional Accessories (see pages ### for details)	Wok Ring, Chopping Block, Griddle Cover, Pro Grill Plate, Over-Burner Griddle, Blue Knob Kit	Teppanyaki, Wok Ring, Chopping Block, Griddle Cover, Over-Burner Griddle, Blue Knob Kit	Wok Ring, Chopping Block, Griddle Cover, Pro Grill Plate, Over-Burner Griddle, Blue Knob Kit		
 ★ Blue Knob Kit	PARKB48CGY	PARKB48CGY	PARKB48SGY		

★ Thermador® Exclusive

Visit Thermador.com for complete specifications or text a Thermador model number to 21432 to have specs sent to your phone

Visit Thermador.com for complete specifications or text a Thermador model number to 21432 to have specs sent to your phone


Professional Ranges



36-Inch, Gas Convection Oven



36-Inch, Gas Convection Oven

Key Features	Pro Grand®	
Model	PRG364WDG	PRG366WG
Width	36-Inch	
Depth	27-Inch Commercial-Depth	
Fuel Type / Energy Source	Gas	
Cooktop Configuration	4 Burners + Griddle	6 Burners
★ Patented Pedestal Star® Burners	4 (All with ExtraLow®)	
Fast Boil Burner	22,000 BTU	
Oven Capacity (Large / Small)	5.7 cu. ft.	
Oven Configuration	Convection Oven	
Cooking Modes – Large Cavity	Bake, Convection Bake, Roast, Broil, Keep Warm	
Cooking Modes – Small Cavity	—	—
★ Super Fast 2-Hour Self Clean	●	●
Color TFT Touch Screen Interface	●	●
Oven Racks	3 Telescopic	
Meat Probe	★ Multi-Point	
SoftClose® Hinges	●	●
Star-K Certified	●	●
Home Connect® (Wi-Fi enabled)	Oven	
Zero Clearance to Wall Install	—	—
Customize with Optional Accessories (see pages ### for details)	Wok Ring, Chopping Block, Griddle Cover, Pro Grill Plate, Over-Burner Griddle, Blue Knob Kit	Wok Ring, Chopping Block, Over-Burner Griddle, Blue Knob Kit
 ★ Blue Knob Kit	PARKB36CGY	PARKB36GY



36-Inch, Dual-Fuel Convection Oven



36-Inch, Dual-Fuel Convection Oven



36-Inch, Dual-Fuel Convection Oven

Key Features	Pro Grand®		
Model	PRD364WDGU	PRD366WGU	PRD364WIGU
Width	36-Inch		
Depth	27-Inch Commercial-Depth		
Fuel Type / Energy Source	Dual-Fuel		Dual-Fuel with Induction
Cooktop Configuration	4 Burners + Griddle	6 Burners	★ 4 Burners + Liberty® Induction Module
★ Patented Pedestal Star® Burners	4 (All with ExtraLow®)		
Fast Boil Burner	22,000 BTU		
Oven Capacity (Large / Small)	5.7 cu. ft.		
Oven Configuration	True Convection Oven		
Cooking Modes – Large Cavity	Bake, Convection Bake, True Convection, Convection Roast, Roast, Convection Broil, Broil		
Cooking Modes – Small Cavity	—	—	—
★ Super Fast 2-Hour Self Clean	●	●	●
Color TFT Touch Screen Interface	●	●	●
Oven Racks	3 Telescopic		
Meat Probe	★ Multi-Point		
SoftClose® Hinges	●	●	●
Star-K Certified	●	●	●
Home Connect® (Wi-Fi enabled)	Oven		
Zero Clearance to Wall Install	—	—	—
Customize with Optional Accessories (see pages ### for details)	Wok Ring, Chopping Block, Griddle Cover, Pro Grill Plate, Over-Burner Griddle, Blue Knob Kit	Wok Ring, Chopping Block, Over-Burner Griddle, Blue Knob Kit	Teppanyaki, Wok Ring, Chopping Block, Griddle Cover, Over-Burner Griddle, Blue Knob Kit
 ★ Blue Knob Kit	PARKB36CGY	PARKB36CGY	PARKB36IGY

★ Thermador® Exclusive

Visit Thermador.com for complete specifications or text a Thermador model number to 21432 to have specs sent to your phone

Visit Thermador.com for complete specifications or text a Thermador model number to 21432 to have specs sent to your phone

Professional Ranges



36-Inch, Dual-Fuel Convection Oven



36-Inch, Dual-Fuel Convection Oven




36-Inch, Gas Convection Oven



36-Inch, Gas Convection Oven



36-Inch, Induction Convection Oven

Key Features	Pro Harmony®	
Model	PRD364WDHU	PRD366WHU
Width	36-Inch	
Depth	24-Inch Standard-Depth	
Fuel Type / Energy Source	Dual-Fuel	
Cooktop Configuration	4 Burners + Griddle	6 Burners
★ Patented Pedestal Star® Burners	4 (2 with ExtraLow®)	6 (2 with ExtraLow®)
Fast Boil Burner	18,000 BTU	
Oven Capacity (Large / Small)	4.9 cu. ft.	
Oven Configuration	True Convection Oven	
Cooking Modes – Large Cavity	Bake, Convection Bake, True Convection, Convection Roast, Roast, Convection Broil, Broil	
Cooking Modes – Small Cavity	—	—
★ Super Fast 2-Hour Self Clean	●	●
Color TFT Touch Screen Interface	●	●
Oven Racks	3 Telescopic	
Meat Probe	●	●
SoftClose® Hinges	—	—
Star-K Certified	●	●
Home Connect® (Wi-Fi enabled)	Oven	
Zero Clearance to Wall Install	—	—
Customize with Optional Accessories (see pages ### for details)	Wok Ring, Chopping Block, Griddle Cover, Pro Grill Plate, Over-Burner Griddle, Blue Knob Kit	Wok Ring, Chopping Block, Over-Burner Griddle, Blue Knob Kit
 ★ Blue Knob Kit	PARKB36DHY	PARKB36HY

Key Features	Pro Harmony®	
Model	PRG364WDH	PRG366WH
Width	36-Inch	
Depth	24-Inch Standard-Depth	
Fuel Type / Energy Source	Gas	
Cooktop Configuration	4 Burners + Griddle	6 Burners
★ Patented Pedestal Star® Burners	6 (2 with ExtraLow®)	6 (2 with ExtraLow®)
Fast Boil Burner	18,000 BTU	
Oven Capacity (Large / Small)	5.1 cu. ft.	
Oven Configuration	Convection Oven	
Cooking Modes – Large Cavity	Bake, Convection Bake, Roast, Broil	
Cooking Modes – Small Cavity	—	—
★ Super Fast 2-Hour Self Clean	—	—
Color TFT Touch Screen Interface	●	●
Oven Racks	3 Telescopic	
Meat Probe	●	●
SoftClose® Hinges	—	—
Star-K Certified	●	●
Home Connect® (Wi-Fi enabled)	Oven	
Zero Clearance to Wall Install	—	—
Customize with Optional Accessories (see pages ### for details)	Wok Ring, Chopping Block, Griddle Cover, Pro Grill Plate, Over-Burner Griddle, Blue Knob Kit	Wok Ring, Chopping Block, Over-Burner Griddle, Blue Knob Kit
	PARKB36DHY	PARKB3XHY

Key Features	Pro Harmony®
Model	PRI36LBHU
Width	36-Inch
Depth	24-Inch Standard-Depth
Fuel Type / Energy Source	Electric with Induction
Cooktop Configuration	★ 3 Extra-Large Liberty® Induction Flexible Cooking Zones
★ Patented Pedestal Star® Burners	—
Fast Boil Burner	—
Oven Capacity (Large / Small)	4.9 cu. ft.
Oven Configuration	True Convection Oven
Cooking Modes – Large Cavity	Bake, Convection Bake, True Convection, Convection Roast, Roast, Convection Broil, Broil
Cooking Modes – Small Cavity	—
★ Super Fast 2-Hour Self Clean	●
Color TFT Touch Screen Interface	●
Oven Racks	3 Telescopic
Meat Probe	●
SoftClose® Hinges	—
Star-K Certified	—
Home Connect® (Wi-Fi enabled)	Oven and Cooktop
Zero Clearance to Wall Install	●
Customize with Optional Accessories (see pages ### for details)	T Teppanyaki, Grill, Blue Knob Kit
	PARKB3XIHB

★ Thermador® Exclusive

Visit Thermador.com for complete specifications or text a Thermador model number to 21432 to have specs sent to your phone

Visit Thermador.com for complete specifications or text a Thermador model number to 21432 to have specs sent to your phone

Professional Ranges



30-Inch, Dual-Fuel Convection Oven



30-Inch, Dual-Fuel Convection Oven




30-Inch, Gas Convection Oven



30-Inch, Gas Convection Oven



30-Inch, Induction Convection Oven

Key Features	Pro Harmony®	
Model	PRD304WHU	PRD305WHU
Width	30-Inch	
Depth	24-Inch Standard-Depth	
Fuel Type / Energy Source	Dual-Fuel	
Cooktop Configuration	4 Burners	★ 5 Burners
★ Patented Pedestal Star® Burners	4 (2 with ExtraLow®)	5 (2 with ExtraLow®)
Fast Boil Burner	18,000 BTU	
Oven Capacity (Large / Small)	4.4 cu. ft.	
Oven Configuration	True Convection Oven	
Cooking Modes – Large Cavity	Bake, Convection Bake, Extended Bake, True Convection, Convection Roast, Roast, Convection Broil, Broil	
Cooking Modes – Small Cavity	—	—
★ Super Fast 2-Hour Self Clean	●	●
Color TFT Touch Screen Interface	—	—
Oven Racks	1 Telescopic, 2 Standard	
Meat Probe	—	—
SoftClose® Hinges	—	—
Star-K Certified	●	●
Home Connect® (Wi-Fi enabled)	—	—
Zero Clearance to Wall Install	●	●
Customize with Optional Accessories (see pages ### for details)	Wok Ring, Chopping Block, Over-Burner Griddle, Blue Knob Kit	
 ★ Blue Knob Kit	PARKB30HY	PARKB30HY

Key Features	Pro Harmony®	
Model	PRG304WH	PRG305WH
Width	30-Inch	
Depth	24-Inch Standard-Depth	
Fuel Type / Energy Source	Gas	
Cooktop Configuration	4 Burners	★ 5 Burners
★ Patented Pedestal Star® Burners	4 (2 with ExtraLow®)	5 (2 with ExtraLow®)
Fast Boil Burner	18,000 BTU	
Oven Capacity (Large / Small)	4.6 cu. ft.	
Oven Configuration	Convection Oven	
Cooking Modes – Large Cavity	Bake, Convection Bake, Roast, Broil, Extended Bake	
Cooking Modes – Small Cavity	—	—
★ Super Fast 2-Hour Self Clean	—	—
Color TFT Touch Screen Interface	—	—
Oven Racks	1 Telescopic, 2 Standard	
Meat Probe	—	—
SoftClose® Hinges	—	—
Star-K Certified	●	●
Home Connect® (Wi-Fi enabled)	—	—
Zero Clearance to Wall Install	●	●
Customize with Optional Accessories (see pages ### for details)	Wok Ring, Chopping Block, Over-Burner Griddle, Blue Knob Kit	
	PARKB3XHY	PARKB3XHY

Key Features	Pro Harmony®
Model	PRI30LBHU
Width	30-Inch
Depth	24-Inch Standard-Depth
Fuel Type / Energy Source	Electric with Induction
Cooktop Configuration	★ 2 Extra-Large Liberty® Induction Flexible Cooking Zones with FlexPlus
★ Patented Pedestal Star® Burners	—
Fast Boil Burner	—
Oven Capacity (Large / Small)	4.4 cu. ft.
Oven Configuration	True Convection Oven
Cooking Modes – Large Cavity	Bake, Convection Bake, True Convection, Convection Roast, Roast, Convection Broil, Broil
Cooking Modes – Small Cavity	—
★ Super Fast 2-Hour Self Clean	●
Color TFT Touch Screen Interface	●
Oven Racks	1 Telescopic, 2 Standard
Meat Probe	●
SoftClose® Hinges	—
Star-K Certified	—
Home Connect® (Wi-Fi enabled)	Oven and Cooktop
Zero Clearance to Wall Install	●
Customize with Optional Accessories (see pages ### for details)	Teppanyaki, Grill, Blue Knob Kit
	PARKB3XIHB

★ Thermador® Exclusive