





B30BB130SS Stainless Steel

Also available in: Custom Panel B30IB100SP

The Benchmark 30" stainless steel built-in refrigerator, redesigned with premium metal interior, keeps food fresh longer and has efficient and precise cooling and humidity control.

Features & Benefits

VitaFresh® technology keeps food fresh up to 3x longer* with precise humidity and temperature control, on a full color UI.

Stainless steel backwall and bright LEDs keep the spotlight on your food.

Metal door bins, split shelves and three-tier freezer drawers to help you organize the way you want.

Full width deli drawer can accommodate large charcuterie or veggie platters for when you're ready to serve.

Internal water dispenser with UltraClarityPro[®] filter removes over 99.9% of impurities.

| Dimensions and Weight | | | | |
|---|--|--|--|--|
| Overall width (inches) | 29 3/4" | | | |
| Overall height (inches) | 83 9/16" Min 85 1/2" Max. | | | |
| Overall depth with doors and handles (inches) | 26 7/8" | | | |
| Overall depth without doors and handles (inches) | 24" | | | |
| Required cutout size (HxWxD) (inches) | 84" x 30" x 24" | | | |
| Net /gross weight (approx.) (lbs.) | 470 / 502 | | | |
| Style | | | | |
| Door panel style | Stainless Steel | | | |
| Handle style | Bar Handle | | | |
| Interior finish | SS Backwall | | | |
| Reversible door | Yes | | | |
| Number of doors | 2 | | | |
| Innovation | | | | |
| Wi-Fi-enabled for control with Home Connect [®] app | Yes | | | |
| Remote monitoring and control | Yes | | | |
| | Yes | | | |
| Remote system upgrade | | | | |
| Remote system upgrade Performance | | | | |
| | Yes | | | |
| Performance | Yes 2 / 2 | | | |
| Performance VitaFresh® Evaporators / | | | | |
| PerformanceVitaFresh®Evaporators / Compressors | 2/2 | | | |
| Performance VitaFresh® Evaporators / Compressors Quick Ice | 2 / 2 Yes Yes Eco, Sabbath, | | | |
| Performance VitaFresh® Evaporators / Compressors Quick Ice Automatic defrosting Modes: Normal, Vacation, | 2 / 2 Yes Yes Eco, Sabbath, | | | |
| Performance VitaFresh® Evaporators / Compressors Quick Ice Automatic defrosting Modes: Normal, Vacation, Shopping, Demo, SuperC | 2 / 2 Yes Yes Eco, Sabbath, ool, SuperFreeze® | | | |
| PerformanceVitaFresh®Evaporators / CompressorsQuick IceAutomatic defrostingModes: Normal, Vacation, Shopping, Demo, SuperCInternal water dispenser | 2 / 2 Yes Yes Eco, Sabbath, ool, SuperFreeze® Yes | | | |
| Performance VitaFresh® Evaporators / Compressors Quick Ice Automatic defrosting Modes: Normal, Vacation, Shopping, Demo, SuperC Internal water dispenser One Touch BottleFill | 2 / 2 Yes Yes Eco, Sabbath, ool, SuperFreeze® Yes Yes | | | |
| Performance VitaFresh® Evaporators / Compressors Quick Ice Automatic defrosting Modes: Normal, Vacation, Shopping, Demo, SuperC Internal water dispenser One Touch BottleFill Water filter (6 months) | 2 / 2 Yes Yes Eco, Sabbath, ool, SuperFreeze* Yes Yes Yes | | | |

| Capacity and Storage | | | | | |
|---------------------------------------|--------|--|--|--|--|
| Total capacity (cu. ft.) | 16.5 | | | | |
| Refrigerator capacity (cu. ft.) | 10.9 | | | | |
| Freezer capacity (cu. ft.) | 5.6 | | | | |
| Full-extension freezer storage drawer | Yes | | | | |
| Tiered freezer drawer | 3-Tier | | | | |
| Full extension deli drawer | 1 | | | | |
| Full extension VitaFresh® drawer | 1 | | | | |

VitaFresh[®] drawer modes (°F/humidity): Vegetables (32°F/high), Fruit (32°F/low) Meat (30°F/low), Fish (30°F/low), Deli (34°F/ low), Cheese (35°F/low), Beverages (34°F/ low), Mixed (32°F/low), Charcuterie (35°F/ low)

| Door bins | 2 Adjustable, 1 Fixed | |
|---|--------------------------|--|
| General Features | | |
| Color touchscreen control panel | Yes | |
| Water filter replacement indicator | Yes | |
| Ice maker | Yes | |
| Ice On / Off | Yes | |
| Ice production (24 hrs.), ice cubes (Ibs.) | 5.5 | |
| Ice storage capacity (Ibs.) | 6.6 | |
| LED interior and drawer lighting | Yes | |
| Independent cooling systems | 2 | |
| Door alarm | Yes | |
| Childproof lock | Yes | |
| Cooling system | MultiAirFlow™ | |
| Maximum sound level | 39 dBA | |
| Star-K certified Sabbath mode | TBD | |

*As compared to a Bosch refrigerator without VitaFresh®. Results may vary among different foods.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

Home Connect

Benchmark® Series - Stainless Steel B30BB130SS



| Energy Efficiency | | Optional Acce | ssories | | | |
|--|--|---|---|---|---|--|
| ENERGY STAR® Certified | Yes | ê | 3 | | | |
| Energy consumption (kWh / yr) | 560 | | | | Fresh Potet [*] | |
| Operating Temperature | | | | | | |
| Refrigerator: 33°F (1°C) te | o 43°F (6°C) | | 44007077 | | | |
| Freezer Drawer: -11°F (-24 to 6°F (-14°C) | 4°C) to -6°F (-21°C) | BORPLFTR55 Replacement UltraClarityPro® water filter | 11037377 Water filter bypass (part no.) | 17006999 Replacement ethylene starter kit (part no.) | 17007000 Replacement ethylene filter packets (part no. | |
| /itaFresh® Drawer: 10 pre | set modes | water inter | | | | |
| SuperCool: 34°F (1°C) for | r approx. 8 hours | | | | | |
| SuperFreeze®: -15°F (-26° | C) for approx. 8 hrs. | Installation | Details | | | |
| Installation Features | | | | | | |
| Four point front adjustable with 4 wheels | Yes | Product Dime | nsions | | | |
| ttachment method to abinetry | 4 fixation brackets, Fixed at 4 corners of appliance, no visible screws | Measurements | in inches (mm) 29 ³ / ₄ (756) | | | |
| ront serviceable | Yes | | 29 ³ / ₄ 24 ³ / ₄ (627) | when installing tv | | |
| nti-tip bracket included | Yes | 83 ⁹ / ₁₆ -85 ¹ / ₂ | | refrigerators side connection kit: B | -by-side. Side-by-side OSCOMBI10 | |
| rame kit included | Yes | (2123– 2171) | | | | |
| Technical Specs | | | 13/16 | | | |
| Required power supply | 110-120 V, 60 Hz, 10 Amp Min. | | (30) | 1/4 | | |
| Plug type | 120V-3 Prong | 4 | | 85) | | |
| Power cord length (in.) | 118" | (102) | | | | |
| Warranty | | | | | | |
| imited warranty, non- lectronic parts (parts only, no labor) | 2 Years | | | Base Detail Dimensio Measurements in inches | | |
| Electronic parts (parts only, no labor) | 5 Years | | | | | |
| Lifetime Limited: Stainless steel door f rust-through occurs (parts only, no labor) | Lifetime | | | | ≤ ³ / ₄ = (≤ 19) | |

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


4 (102) ¥

> 27/8-315/16 (73 - 100)

Benchmark® Series – Stainless Steel B30BB130SS







Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

Benchmark® Series – Stainless Steel B30BB130SS



Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.