




Artful minimalism in kitchen elegance

In architecture, lines are the blueprint for structure, guiding how buildings take shape, while symmetry is the secret sauce that interior designers use for a balanced look. Our minimalist design not only enhances your kitchen's aesthetics but also simplifies your experience, ensuring both elegance and efficiency. Even in the smallest details, like our glass door handles only in our new studioLine oven, we prioritize seamless design, aiming to elevate every aspect of your kitchen.

Fusion of elegance and innovation in your kitchen

Siemens Home Appliances provides the studioLine series for individuals who aspire to elevate their kitchen experience to unprecedented levels of sophistication and excellence. studioLine embodies the pursuit of remarkable design, integrating the latest innovations, and ensuring the ultimate kitchen experience.







Design elegance

Siemens Home Appliances' studioLine series is a testament to exquisite design, crafted for individuals aspiring to elevate their kitchen experience. This line embodies a pursuit of remarkable aesthetics, ensuring that each appliance harmonizes seamlessly with a modern lifestyle. Meticulous attention to detail and sophisticated design principles define studioLine, catering not just to functionality but also to the visual appeal that integrates effortlessly into contemporary kitchens.

Technological mastery

Beyond its captivating design, studioLine by Siemens champions the forefront of innovation and technology in kitchen appliances. Each product within this series integrates cutting-edge technological advancements, promising an unparalleled culinary experience. From state-of-the-art functionalities to precision engineering, studioLine appliances are meticulously crafted to deliver superior performance, transforming ordinary kitchen tasks into seamless, efficient processes that align with the demands of modern living.

Built-in oven with steam function


Step into the future of cooking with the award-winning iQ700 built-in oven. This oven isn't just any oven. It's like having a chef in your kitchen thanks to its powerful steam feature and cool built-in camera. That means delicious, tasty meals and keeping an eye on your food while it cooks. Plus, it's designed to make your kitchen look super sleek and works like a dream.













Individual Browning

Achieves the excellent level of brownness through the camera and AI. The built-in camera continuously captures images, allowing AI to perform background comparisons, ensuring flawless and precise results every time.



Camera

Experience convenience with the builtin oven camera. Monitor your food from anywhere, courtesy of this innovative feature.



TFT-Touchdisplay Pro

Use your oven easily and comfortably with its huge screen and user-friendly menu, soft touch navigation and high-contrast color screen.



fullSteam Plus

Easily create nutritious steam-cooked meals with fullSteam Plus. Connect to tap water for a continuous fresh supply. Try vacuum-sealed sous-vide bags for enhanced flavors.



cookControl Pro

Concerned about overcooking your meals? Our oven's preset programs and sensors handle it. Pick your dish, It suggests automatic settings based on the selected dish and cooking type, offering suggested configurations that can be easily used or adjusted as needed.

Built-in oven

Experience culinary excellence with the award-winning iQ700 built-in oven. A fusion of style and functionality, this oven redefines modern cooking. Alongside its standout features such as automatic cooking, seamless connectivity, and advanced baking and cooking sensors, this appliance boasts effortless cleanability.









cookControl Pro

Concerned about overcooking your meals? Our oven's preset programs and sensors handle it. Pick your dish, It suggests automatic settings based on the selected dish and cooking type, offering suggested configurations that can be easily used or adjusted as needed.



bakingSensor Plus

No more worries about excellent baking! The bakingSensor Plus measures the moisture level in the oven during the fully automatic baking process, guaranteeing excellent results.



humidClean Plus

Ready to fast cleaning of your oven? Remove the dirt easily by vaporizing soapy water with humidClean Plus.




roastingSensor Plus

Worried about burning your meat? Measure your meat temperature for highest accuracy with roastingSensor Plus.



Home Connect

Control remotely as you wish and access next level connectivity. Manage cooking programs, settings, and get updates on your oven's status from anywhere.




Combi-steam oven

Elevate kitchen with the award-winning combi-steam oven, honored with the iF 2023 and German Design 2023 awards. Redefining culinary innovation, this oven seamlessly merges style with functionality. With its intuitive controls and versatile steam-convection cooking, it's more than an appliance; it's a symbol of sophistication and precision in modern cooking. Experience excellence in every dish with the combi-steam Oven.











cookControl Pro

Concerned about overcooking your meals? Our oven's preset programs and sensors handle it. Pick your dish, It suggests automatic settings based on the selected dish and cooking type, offering suggested configurations that can be easily used or adjusted as needed.



fullSteam Plus

Easily create nutritious steam-cooked meals with fullSteam Plus. Connect to tap water for a continuous fresh supply. Try vacuum-sealed sous-vide bags for enhanced flavors.



Home Connect

Control remotely as you wish and access next level connectivity. Manage cooking programs, settings, and get updates on your oven's status from anywhere.





bakingSensor Plus & roastingSensor Plus

With the innovative bakingSensor and roastingSensor, achieving instead of excellence.

Ceiling cooker hood

The iQ700 ceiling cooker hood harmonizes cutting-edge design with unparalleled performance. Its distinctive design ensures ergonomic use, featuring adjustable settings for personalized functionality. Seamlessly integrating modern convenience, this hood is equipped with voice control, standing ready to assist in your kitchen tasks.







iQdrive Motor

Experience top-notch performance with our silent and efficient motor, effectively eliminating steam and odors to elevate your cooking experience to its fullest delight.



climateControl system with cookConnect

climateControl seamlessly detects and delivers optimal performance. With cookConnect, the system effortlessly links with your stove, enabling the hood to autonomously adjust according to the stove's settings and operation, ensuring an ideal environment.



varioLift

The VarioLift design hoods offer effortless usability, allowing for easy attachment and removal whenever necessary. This exceptional feature grants remarkable flexibility without any compromise on performance.




Home Connect

Control remotely as you wish and access next level connectivity. Effortlessly oversee cooking programs, adjust settings, and receive real-time updates on your oven's status from any location.

Wall-mounted cooker hood

The iQ700 wall-mounted cooker hood redefines kitchen sophistication and performance. With its sleek design and powerful functionalities, it effortlessly elevates your cooking experience. The adjustable features ensure personalized usage, while its contemporary look seamlessly integrates into your kitchen's aesthetic. Voice control adds an extra layer of convenience, making it an indispensable tool for culinary enthusiasts seeking both style and efficiency in their cooking space.







iQdrive Motor

Experience top-notch performance with our silent and efficient motor, effectively eliminating steam and odors to elevate your cooking experience to its fullest delight



emotionLight Pro

Your hood effortlessly mirrors your mood each day. With the Home Connect App, make your kitchen match fit into your day, allowing you to pick the excellent one that resonates with your current feelings.



climateControl system with cookConnect

climateControl seamlessly detects and delivers optimal performance. With cookConnect, the system effortlessly links with your stove, enabling the hood to autonomously adjust according to the stove's settings and operation, ensuring an ideal environment.



Home Connect

Control remotely as you wish and access next level connectivity. Effortlessly oversee cooking programs, adjust settings, and receive real-time updates on your oven's status from any location.



Wall-mounted cooker hood

The iQ700 wall-mounted cooker hood represents a pinnacle of both style and functionality in your kitchen. Its elegant design merges seamlessly with top-notch performance, promising an elevated cooking atmosphere. Tailor your experience with its adjustable features, ensuring optimal use for your culinary needs. Even when not in action, its modern aesthetic becomes an eye-catching addition to your kitchen space. And with voice control, it stands ready to assist, making cooking a more efficient and enjoyable affair.



iQdrive Motor

Experience top-notch performance with our silent and efficient motor, effectively eliminating steam and odors to elevate your cooking experience to its fullest delight



climateControl system with cookConnect

climateControl seamlessly detects and delivers optimal performance. With cookConnect, the system effortlessly links with your stove, enabling the hood to autonomously adjust according to the stove's settings and operation, ensuring an ideal environment.




emotionLight Pro

Your hood effortlessly mirrors your mood each day. With the Home Connect App, you're spoiled for choice with a myriad of colors, allowing you to pick the excellent one that resonates with your current feelings.



Home Connect

Control remotely as you wish and access next level connectivity. Effortlessly oversee cooking programs, adjust settings, and receive real-time updates on your oven's status from any location.



Induction hob

Siemens' iQ700 Induction Hob received the 2023 Red Dot and 2023 iF awards for its exceptional design and innovative features. With a sleek appearance that complements modern kitchens, this hob boasts intuitive controls, precise temperature settings, and energy efficiency. Its recognition by both the Red Dot and iF awards highlight its excellence in both design and functionality.















flexInduction Plus

A hob that adapts to your lifetsyle. Adjust cooking zones according to your cookware with up to 30cm expansion in diameter.



Blue dual lightSlider

Allows you to select cooking zones on both sides of your hob. Just touch and swipe to control your hob.



Home Connect

Home Connect, seamlessly integrates intelligent software and a user-friendly app, they lighten your workload and open up new possibilities for unprecedented comfort and convenience.



Seamless adaptation

to your lifestyle

fryingSensor Plus

Excellent frying results, over and over again. Alerts you when the pan reaches the correct temperature and maintains the same heat level as you cook.



powerMove Plus


For the perfect versatility in cooking, powerMove Plus divides your cooktop into three distinct heating zones. Whether you're roasting at high temperatures in the rear or keeping dishes warm at the front, each zone activates when cookware is placed upon it.



Technical Details of studioLine Products

HS958GDD1







other Air exchange


| Short Description | 60 cm Oven with Steam |
|------------------------------|--|
| Key Highlights | Oven capacity: 71 Litres 160x70mm TFT-Touchdisplay Pro-color and graphics display with direct touch function 4D Hot Air Full Steam functions roastingSensor Plus bakingSensor Plus |
| Design & Innovation features | Combi-steam oven with 15: heating methods: 4D hot air, hot air eco, hot air grilling, conventional heat, conventional heat ECO, full width grill, half width grill, pizza setting, coolStart, bottom heat, intensive heat, slow cooking, drying, keep warm setting, plate warming Additional heating methods with steam: Steamplus, reheating, proving, defrosting, sous-vide Full Glass Inner door Integrated glass sturdy handle Integral cooling fan Water inlet system: Fixed connection varioClip rails Plus, full extension, with Stop function softMove door Shelf levels Automatic rapid heat function Sabbath function Oven assistant with voice control, supports Alexa, Fitbit, Google assist mini, IFTTT |
| Cleaning Features | Drying function ecoClean Plus function for back, ceiling & side liners descaling programme |
| Safety & Quality features | Residual heat indicator Childproof lock function Automatic safety switch off |
| Dimensions | Appliance dimensions (HxWxD): 59.5cm x 59.4cm x 54.8cm Cutout dimensions (HxWxD): 58.5cm - 59.5cm x 56cm - 56.8cm x 55cm |
| Technical Information | Connecting cable: 120cm Total connected load: 3.45 kW Heating temperature: 30°C - 250°C |

HB978GNB1B











| Short Description | 60 cm Oven |
|------------------------------|---|
| Key Highlights | Oven capacity: 71 Litres 160x70mm -TFT-color and graphics display with direct touch function 4D Hot Air display with direct touch function coolStart function Oven LED Interior Light Telescopic rails |
| Design & Innovation features | Type of oven / heating system: • Oven with 13 heating methods: 4D hotair, Hotair eco, conventional heat, conventional heat ECO, hotAir grilling, full width grill, half width grill, pizza setting, coolStart, bottom heat, slow cooking, plate warming setting, keep warm setting, plate warming • Full Glass Inner door • Integral cooling fan • softMove door • Automatic rapid heat function • Sabbath function • cookControl Plus |
| Cleaning Features | Automatic System for Effortless Cleaning- activeClean humidClean Plus |
| Safety & Quality features | Residual heat indicator Childproof lock function Automatic safety switch off |
| Dimensions | Appliance dimensions (HxWxD): 59.5cm x 59.4cm x 54.8cm Cutout dimensions (HxWxD): 58.5cm - 59.5cm x 56cm - 56.8cm x 55cm |
| Technical Information | Connecting cable: 120cm Total connected load: 3.6 kW Heating temperature: 30°C - 300°C |

HS958GED1B








| Short Description | 60 cm Oven with camera |
|------------------------------|--|
| Key Highlights | Oven capacity: 71 Litres Individual Browning with camera 160x70mm TFT-Touchdisplay Pro-color and graphics display with direct touch function 4D Hot Air Full Steam Functions roastingSensor Plus bakingSensor Plus cookControl Pro |
| Design & Innovation features | Combi-steam oven with 15: Heating methods: 4D hot air, hot air eco, hot air grilling, conventional heat, conventional heat ECO, full width grill, half width grill, pizza setting, coolStart, bottom heat, intensive heat, slow cooking, drying, keep warm setting, plate warming Additional heating methods with steam: Steamplus, Reheating, Proving, Defrosting, Sous-vide Full Glass Inner door Integrated glass sturdy handle Integral cooling fan Water inlet system: Fixed connection varioClip rails Plus, full extension, with Stop function softMove door 5 shelf levels Automatic rapid heat function Sabbath function Oven assistant with voice control, supports Alexa, Fitbit, Google assist mini, IFTTT |
| Cleaning Features | Drying function ecoClean Plus function for back, ceiling & side liners descaling programme |
| Safety & Quality features | Residual heat indicator Childproof lock function Automatic safety switch off |
| Dimensions | Appliance dimensions (HxWxD): 59.5cm x 59.4cm x 54.8cm Cutout dimensions (HxWxD): 58.5cm - 59.5cm x 56cm - 56.8cm x 55cm |
| Technical Information | Connecting cable: 120cm Total connected load: 3.45 kW Heating temperature: 30°C - 250°C |

LR18HLT65




measurements in mm Ceiling storage recess



moscuromonte in mo

≤ 1230




A: Optimum performance 700-1500 B: From upper edge of pan support

A: Concrete celling
 B: ≥ 25 mm all around
 C: Depending on the cooking method, residual moisture may escape from the appliance even after use.
 We therefore recommend treating the celling storage recess with a paint that prevents mould formation.


| Short Description | 105 cm Island Hood | |
|------------------------------|---|--|
| Key Highlights | • Efficient BLDC Motor Technology: iQdrive •Fan speed: 3 Stage + 2 Intensive • LED softLight with dimmer function • Maximum extraction power: 729 m³/h | |
| Design & Innovation features | Island hood Electronic control via Remote with display 6 x LED lights Automatic Fan run - on Function: duration 10 mins Automatic Reset Facility from Intensive to Normal Setting Metal grease filter, dishwasher safe Air quality sensor Noise level: 62 dB Suitable for re-circulated Operation | |
| Dimensions | Re-circulating dimensions (HxWxD): 25.3 cm x 105 cm x 60 cm | |
| Technical Information | Connecting cable: 120 cm Total connected load: 250 W | |

LC97FVW69I









asurements in mm

min. 70(1) 255 470
min. 130(2) 255 min. 130(1)
min. 129(2) 450 150
max. 1239(1) 460 150
max. 1239(2) 430
min. 1029(2) 430
min. 1029(2) 500
max. 1239(3) 450 150
max. 1239(3) 450




measurements in mm


measurements in mm


| Short Description | 90 cm Wall Mounted Hood | |
|------------------------------|---|--|
| Key Highlights | Efficient BLDC Motor Technology: iQdrive Fan speed: 3 Stage + 2 Intensive LED softLight with dimmer function Maximum extraction power: 717 m³/h | |
| Design & Innovation features | Inclined Hood Touch control with LED Display x LED lights Automatic Fan run - on Function: Duration 10 mins Automatic Intensive revert function: Duration 6mins. Metal grease filter, dishwasher safe Air quality sensor Noise level: 57 dB Suitable for ducted or re-circulated operations | |
| Dimensions | Exhaust dimensions (HxWxD): 96.9cm - 123.9cm x 89cm x 26.3 cm Re-circulating dimensions (HxWxD): 102.9cm - 129.9cm x 89cm x 26.3 cm | |
| Technical Information | Connecting cable: 130 cm Total connected load: 150 W | |


LC91KWW61I















| Short Description | 90 cm Wall Mounted Hood | |
|------------------------------|---|--|
| Key Highlights | Efficient BLDC Motor Technology: iQdrive Fan speed: 3 Stage + 2 Intensive LED softLight with dimmer function Maximum extraction power: 788 m³/h | |
| Design & Innovation features | Inclined Hood Touch control with LED Display 2 x LED lights Automatic Fan run - on Function: Duration 10 mins Automatic Intensive revert function: Duration 6mins. Metal grease filter, dishwasher safe Air quality sensor Noise level: 56 dB Suitable for ducted or re-circulated operations | |
| Dimensions | Exhaust dimensions (HxWxD): 93-120cm x 89cm x 49.9 cm Re-circulating dimensions (HxWxD): 99 - 126 cm x 89cm x 49.9cm | |
| Technical Information | Connecting cable: 130 cm Total connected load: 270 W | |

EX677NYV6E






Measurements in mm



51 (B) ≥ 16 (C) (E) The worktop into which the hob is installed must withstand loads of approx. 60 kg; suitable substructures must be used if required. ≥ 40 (A)

A: Minimum distance from the hob cut-out to the wail.
 B: Recessed depth
 C: The clearance between the surface of the worktop and the top of the front of the oven must be 30 mm. See space requirements for the oven.

D E F 585-600 50 ≥ 35 > 600 ≥ 50 ≥ 50



| | Measur | ement in mr |
|--|--------|----------------|
| | | |

| Short Description | 60 cm flexInduction Hob |
|------------------------------|--|
| Key Highlights | flexInduction Plus • 2 Flex zone • Dual blue lightSlider touch control • Switch off timer for every cooking zone • reStart Function • quickStart Function • Keep warm function for all cooking zones • Home Connect • Energy consumption display Quickness: • PowerBoost function for all zones • panBoost |
| Design & Innovation features | 17 power levels Black ceramic cover for covering while not being used Count up timer FryingSensor Plus: Maintains the desired pan temperature automatically after heating up to avoid scorching. powerMove Plus: Adjust heat levels in three steps just by moving the cookware |
| Safety & Quality features | Digital - Two step residual heat indicator Automatic pan recognition sensor powerManagement function Automatic safety switch off Childproof lock function Wipe protection function Quick Stop |
| Dimensions | Appliance dimensions (HxWxD): 5.1cm x 60.2cm x 52cm Cut out dimensions (HxWxD): 5.1cm x 56cm x 49-50cm |
| Technical Information | Connection cable: 110 cm Connected load: 7.4 KW |

Welcome to your Siemens kitchen.

Discover the new possibilities of the progressive Siemens technology.

