



THERMADOR VENTILATION Quick-Start Guide

Ventilation Controls

- The **FILTER** button will light up when it is time to clean the grease filter and trays, after about 40 hours of use. For in-depth cleaning instructions, read the **Cleaning Your Grease Filter** section below.
 - After cleaning, press and hold the **FILTER** button for 3 seconds to reset the tracker.
 - If you frequently use a grill, wok, or cook high-grease foods, you may need to clean the filter more often.
 - **To reduce the risk of a grease fire, clean ventilating fans frequently. Grease should not be allowed to accumulate on fan or filter.**
 - Never use the hood without the grease filter.
- Pressing **DELAY** immediately turns your ventilation on and runs the blower at full speed for 10 minutes.
 - Ventilation already on? Pressing **DELAY** won't raise the speed of your blower, but it will automatically shut off in 10 minutes.
 - Need to end sooner? Press **0** on your display to turn your blower off early.
- Selecting **AUTO** mode allows the blower to turn on and off automatically when heat is detected.
- If the hood detects excessive heat, the **AUTO** button will blink 3 times and the fan will increase in speed. **The fan cannot be lowered until the hood has cooled down.**

Ventilation Tips and Tricks

- Turn the blower on 5 minutes prior to cooking to remove heat, smoke, grease, and cooking odors more quickly and efficiently.
- Prevent drafts when possible. These may reduce the effectiveness of your hood.
- For best results, use a rear burner when producing high amounts of smoke or steam, like when browning or pan frying meat.

Cleaning Your Grease Filter

- Your grease filter is dishwasher safe, though slight discoloration may occur. This will not affect the effectiveness of your filter.
 - Loosely place the filters on the top rack of your dishwasher and run a normal wash cycle with detergent.
 - **Avoid washing extremely dirty grease filters with other dishes.**
- Want to wash by hand? Soak the filter in hot water and gentle soap. Then rinse well and shake to dry.
 - Use a gentle brush for tough grease. If necessary, a degreaser may be used.
- Check out these **How-To Videos** or [refer to your Owner Manual](#) for in-depth instructions on removing and cleaning your specific grease filter:
 - [Mesh Grease Filters Video](#)
 - [Baffle Grease Filters Video](#)
 - [Downdraft Grease Filters Video](#)
- **Always wait until your ventilation has cooled to remove grease filters.**
- **Grease filters should be completely dry before replacing in your hood.**

Cleaning and Care

- For general care, wipe the inside and outside of your hood with warm, soapy water and a soft cloth. Do NOT use abrasive cleaners or sponges.
 - Looking for visual instructions? [Watch our Cleaning Your Ventilation Video here.](#)
- Wipe controls with a lightly damp, soapy sponge. Rinse and dry thoroughly with a soft cloth.
- To clean stainless steel, wipe down using a soft cloth and mild, soapy water and wipe dry. **Always wipe in the direction of the grain.**
- After washing your stainless steel, use the **Thermador Stainless Steel Conditioner** for extra shine.
 - Apply with a soft cloth in the direction of the grain, then wipe away any excess.
 - It is not necessary to condition black, smudge-proof or easy-clean steel after cleaning, rather wash these types of steel with mild, soapy water and a soft cloth.
 - **DO NOT** use conditioner on non-steel surfaces, logos, control markings, and appliance interiors.
 - **Thermador Stainless Steel Conditioner (Spray Bottle # 00576697, Wipes # 17002200)** sold separately. [Visit the Thermador Accessories Store here to purchase.](#)
- [Check out our Cleaning Stainless Steel Video here](#) to learn more about cleaning and conditioning your stainless steel.

Wi-Fi Enabled with Home Connect®

- **Select models only.**
- Pair your ventilation with the **Home Connect®** app on your phone or tablet for simple control and monitoring of settings—like filter status—from anywhere.
- Download the **Home Connect®** app from the [Apple App Store](#) or [Google Play](#). The app will guide you through the registration process for your appliance.



Owner Support

Click on the icons below to access. For additional assistance, [view our Owner Support Resources here](#) or contact Thermador Customer Support at **1-800-735-4328**.



Owner Manuals



How-To Videos



FAQs & Cleaning Tips