T24IW102SP
24-INCH BUILT-IN WINE PRESERVATION COLUMN WITH STORAGE
FREEDOM® COLLECTION, PANEL-READY

Thermador ★

*Preliminary Renderings, Not Final

 Home Connect

FEATURES & BENEFITS

- **Tailored Lighting Experience** – Stunning full side wall LED lighting lets you personalize zones to spotlight center bottles, dim surroundings, or create a full-glow display visible through the glass door.
- **Elegant Interior Aesthetics** – Premium black stainless steel interior, SoftClose® racks, and diamond acacia wood dowels, delivering both refined aesthetics, stability, and superior wine preservation.
- **Three Independent Temperature Zones** – Control up to three temperatures with 7 expertly crafted presets for optimal preservation of whites, reds, desserts, sparkling, or rosé, customizing each zone for your collection.
- **Full-Color Touchscreen Display** – Effortlessly control temperature, humidity, lighting, & settings on a durable glass LCD touchscreen, ensuring easy access for your convenience.
- **110 Bottle Capacity** – Holds up to 110 bottles in this three zone unit so you can store your entire collection.*

INNOVATION

Vintner's Table Pull Out Tray	Can be purchased as accessory
Wi-Fi-Enabled for control with Home Connect® App	Yes
Personalized Zone Sidewall Lighting	Yes
Premium Stainless Steel Interior	Yes
3 Temperature Control Zone	Yes
Temperature Controlled Wine Presets	Yes

PERFORMANCE

UV-Resistant Tempered Glass Door	Yes
Dedicated Evaporator & Compressor System	Yes
Special Modes	Sabbath, Demo
Presentation Light Modes	Presets, Manual, Ambient
Diamond Dowels	Yes
Premium Wood Bottle Presenter	Can be purchased as accessory
Dedicated Glass Storage	Can be purchased as accessory
Air Fresh Filter	Can be purchased as accessory

CAPACITY AND STORAGE

Bottle Capacity (750ml)	80
Bottle Capacity (750ml) with Additional Shelf (Sold Separately)	110
Number of Slide-out Shelves	8 (shelves can be added for maximum capacity)
Shelf Material	Acacia Wood

GENERAL FEATURES

Color Touch Screen Control Panel	Yes
LED Interior Lighting	Yes
Independent Cooling Systems	3
Open Door Assist	Yes
Door Alarm	Yes
Childproof Lock	Yes
Cooling System	Free Flow® Cold Air System
Maximum Sound Level	39 dBA
SoftClose® Door	Yes
SoftClose® Racks	Yes
Star-K Certified Sabbath Mode	TBD
ENERGY STAR® Certified	TBD
Annual Energy Consumption	TBD kWh / yr**

OPERATING TEMPERATURE

Wine: 41°F to 68°F (5°C to 20°C)

7 Preset Wine Modes (°F)

Manual (41° F – 68° F), Storage (53° F), Red (54° F – 68° F), White (43° F – 61° F), Rose (46° F – 64° F), Sparkling (41° F – 54° F), Dessert (41° F – 57° F)

INSTALLATION FEATURES

Four Point Front Adjustable with 4 Wheels	Yes
Attachment Method to Cabinetry	
4 Fixation Brackets, Fixed at 4 Corners of Appliance, No Visible Screws	
Front Serviceable	Yes
Anti-tip Bracket Included	Yes
Side Trim Kit Included	Yes

*with additional rack

T24IW102SP
24-INCH BUILT-IN WINE PRESERVATION COLUMN WITH STORAGE
FREEDOM® COLLECTION, PANEL-READY

Thermador★

INSTALLATION FEATURES CONTINUED	
Door Reversible	Yes
TECHNICAL SPECS	
Required Power Supply	110-120 V, 60 Hz, Min.10 Amp
Plug Type	3-Prong
Power Cord Length (Inches)	118"
DIMENSIONS AND WEIGHT	
Appliance Dimensions (HxWxD) (inches)	83 9/16" Min. – 85 1/2" Max. x 23 3/4" x 24"
Required Cutout Size (HxWxD) (Inches)	84" x 24" x 25"
Net Weight (Approx.) (lbs.)	TBD lbs.
Gross Weight (Approx.) (lbs.)	TBD lbs.

**Estimated annual energy consumption. Exact usage may vary.

| WARRANTY	
Limited Warranty, Parts & Labor	2 Years
Limited Warranty, Sealed System and Compressor, Parts & Labor	6 Years
Limited Warranty, Sealed System and Compressor, Parts Only	12 Years
SUPPLEMENTAL MATERIAL	
CAD File	TBD
Installation Manual	TBD
Use & Care Guide	TBD
Warranty	TBD
Energy Guide	TBD
Home Connect® Quick Start Guide	TBD

ACCESSORIES (OPTIONAL)

COMING SOON

T24IW102SP
24-INCH BUILT-IN WINE PRESERVATION COLUMN WITH STORAGE
FREEDOM® COLLECTION, PANEL-READY

Thermador ★

PRODUCT & CUTOUT DIMENSIONS

A: Electrical hook-up

The maximum door panel dimensions are based on a clearance of 1/8"
(3 mm)
The height of the toe kick can be reduced to 2" (50 mm)

Measurements in inches (mm)

TOP VIEW CLEARANCES

Niche width

A		B		C1		C2-Masterpiece	C2-Professional
18	(457)	20¹¹/₁₆	(525)	9¹/₄	(235)	TBD	
24	(610)	26⁵/₈	(677)	11³/₄	(299)		

The drawing is based on a door panel thickness of ³/₄" (19 mm)
as well as the *handle height (options below):
   Thermador Masterpiece handle of 2¹/₄" (56 mm)
   Thermador Professional handle of 2⁵/₈" (67 mm)

Measurements in inches (mm)

PANEL DIMENSIONS

Niche width 24" (610 mm)

3¹/₈ (79)   3¹/₈ (79)
6¹/₄ (158)
A
79⁷/₈ (2029)
9⁹/₁₆ (243)
23³/₄ (603)

The door panel thickness is ³/₄" (19 mm)
The maximum door panel dimensions are based on a clearance of ¹/₈"
(3 mm), based on a single niche
A: The width of the lateral frame parts can be between 2¹⁵/₁₆" (74 mm) and
   3¹/₄" (82 mm)

Measurements in inches (mm)

PANEL DIMENSIONS WITH HANDLE

Niche width 24" (610 mm)

2³/₁₆ (55)   3¹/₈ (79)   3¹/₈ (79)
6¹/₄ (158)
21¹³/₁₆ (554)
A
79⁷/₈ (2029)
21¹³/₁₆ (554)
9⁹/₁₆ (243)
23³/₄ (603)

3¹/₈ (79)   3¹/₈ (79)   2³/₁₆ (55)
6¹/₄ (158)
21¹³/₁₆ (554)
A
79⁷/₈ (2029)
21¹³/₁₆ (554)
9⁹/₁₆ (243)
23³/₄ (603)

The door panel thickness is ³/₄" (19 mm)
The maximum door panel dimensions are based on a clearance of ¹/₈"
(3 mm), based on a single niche
A: The width of the lateral frame parts can be between 2¹⁵/₁₆" (74 mm) and
   3¹/₄" (82 mm)

Measurements in inches (mm)

PRELIMINARY