

Fridge-freezer

KU..L..

en User manual



Register your product on My Siemens and discover exclusive services and offers. siemens-home.bsh-group.com/welcome

The future moving in.

Siemens Home Appliances

Table of contents

en

Safety General information Intended use Restriction on user group Safe transport Safe installation Safe use Damaged appliance	4 4 4 5 6 8
Preventing material damage	9
Environmental protection and saving energy Disposing of packaging Saving energy	9
Installation and connection	
Scope of delivery Criteria for the installation loca- tion	0 0 0
Familiarising yourself with	_
your appliance1Appliance1Control panel1	2
Features1Shelf1Pull-out container1	3
Fruit and vegetable container with cover	4
Basic operation1Switching on the appliance1Operating tips1Switching off the appliance1Setting the temperature1	4 5 5

Additional functions Super freezing	
Refrigerator compartment Tips for storing food in the refri-	15
gerator compartment Chill zones in the refrigerator	16
compartment	
Freezer compartment	16
Freezer compartment door Freezing capacity	16
Tips for storing food in the	17
freezer compartment Tips for freezing fresh food	
Shelf life of frozen food at -18 °C	17
Defrosting methods for frozen food	17
Defrosting	18
Defrosting in the refrigerator compartment	
Defrosting in the freezer com- partment	
Cleaning and servicing	18
Preparing the appliance for	
cleaning	
Cleaning the appliance Cleaning the condensation	19
channel and drainage hole	19
Cleaning the ventilation grille Removing the fittings	20
Troubleshooting Malfunctions	22 22
Power failure	
Storage and disposal	24
Taking the appliance out of op- eration	J ∕I
Disposing of old appliance	

Customer Service	25
Product number (E-Nr.) and pro- duction number (FD)	
	-

Technical data 25

A Safety

Observe the following safety instructions.

General information

- Read this instruction manual carefully.
- Keep the instruction manual and the product information safe for future reference or for the next owner.
- Do not connect the appliance if it has been damaged in transit.

Intended use

Only use this appliance:

- for chilling and freezing food and for making ice cubes.
- In private households and in enclosed spaces in a domestic environment.
- Up to an altitude of max. 2000 m above sea level.

Restriction on user group

This appliance may be used by children aged 8 or over and by people who have reduced physical, sensory or mental abilities or inadequate experience and/or knowledge, provided that they are supervised or have been instructed on how to use the appliance safely and have understood the resulting dangers.

Children must not play with the appliance.

Cleaning and user maintenance must not be performed by children unless they are being supervised.

Children above the age of three years old and younger than eight years old may load and unload the the fridge-freezer.

Safe transport

▲ WARNING – Risk of injury!

The high weight of the appliance may result in injury when lifted.

► Do not lift the appliance on your own.

Safe installation

▲ WARNING – Risk of electric shock!

- Improper installation is dangerous.
 - Connect and operate the appliance only in accordance with the specifications on the rating plate.
 - Connect the appliance to a power supply with alternating current only via a properly installed socket with earthing.
 - The protective conductor system of the domestic electrical installation must be properly installed.
 - Never equip the appliance with an external switching device, e.g. a timer or remote control.
 - When the appliance is installed, the mains plug of the power cord must be freely accessible. If free access is not possible, an all-pole isolating switch must be installed in the permanent electrical installation according to the installation regulations.
 - When installing the appliance, check that the power cable is not trapped or damaged.
- If the insulation of the power cord is damaged, this is dangerous.
 - Never let the power cord come into contact with heat sources.

▲ WARNING – Risk of explosion!

If the appliance's ventilation openings are sealed, a leak in the refrigeration circuit may result in a flammable mixture of gas and air.

Keep ventilation openings, in the appliance enclosure or in the built-in structure, clear of obstruction.

▲ WARNING – Risk of fire!

- It is dangerous to use an extended power cord and non-approved adapters.
 - ► Do not use extension cables or multiple socket strips.
 - ► If the power cord is too short, contact Customer Service.
 - Only use adapters approved by the manufacturer.

- Portable multiple socket strips or portable power supply units may overheat and cause a fire.
 - Do not place portable multiple socket strips or power supply units on the back of the appliance.

Safe use

▲ WARNING – Risk of electric shock!

An ingress of moisture can cause an electric shock.

- ► Only use the appliance in enclosed spaces.
- ► Never expose the appliance to intense heat or humidity.
- Do not use steam- or high-pressure cleaners to clean the appliance.

▲ WARNING – Risk of suffocation!

- Children may put packaging material over their heads or wrap themselves up in it and suffocate.
 - ► Keep packaging material away from children.
 - ► Do not let children play with packaging material.
- Children may breathe in or swallow small parts, causing them to suffocate.
 - ► Keep small parts away from children.
 - ► Do not let children play with small parts.

▲ WARNING – Risk of explosion!

- Mechanical devices or other devices may damage the refrigeration circuit; flammable refrigerant may escape and explode.
 - To accelerate the defrosting process, do not use any other mechanical devices or devices other than those recommended by the manufacturer.
- Products which contain flammable propellants and explosive substances may explode, e.g. spray cans.
 - Do not store products which contain flammable propellants (e.g. spray cans) or explosive substances in the appliance.

▲ WARNING – Risk of fire!

- Electrical devices within the appliance may cause a fire, e.g. heaters or electric ice makers.
 - ► Do not operate electrical devices within the appliance.
- The vapours from flammable liquids may catch fire (explosion).
 - Store high-percentage alcohol tightly closed and standing up.

▲ WARNING – Risk of injury!

- Containers that contain carbonated drinks may burst.
 - Do not store containers that contain carbonated drinks in the freezer compartment.
- Injury to the eyes caused by escaping flammable refrigerant and hazardous gases.
 - Do not damage the tubes of the refrigerant circuit or the insulation.

▲ WARNING – Risk of cold burns!

Contact with frozen food and cold surfaces may cause burns by refrigeration.

- Never put frozen food straight from the freezer compartment into your mouth.
- Avoid prolonged contact of the skin with frozen food, ice and surfaces in the freezer compartment.

▲ CAUTION – Risk of harm to health!

- To prevent food from being contaminated, you must observe the following instructions.
 - If the door is open for an extended period of time, this may lead to a considerable temperature increase in the compartments of the appliance.
 - Regularly clean the surfaces that may come into contact with food and accessible drain systems.
 - Store raw meat and fish in suitable containers in the refrigerator so that they do not touch or drip on other food.

- If the fridge/freezer is empty for an extended period of time, switch off the appliance, defrost it, clean it and leave the door open to prevent the formation of mould.
- Metal or metal-style parts in the appliance may contain aluminium. If acidic food comes into contact with aluminium in the appliance, aluminium foil ions may pass into the food.
 Do not consume soiled food.

Damaged appliance

▲ WARNING – Risk of electric shock!

- If the appliance or the power cord is damaged, this is dangerous.
 - ► Never operate a damaged appliance.
 - ▶ "Call customer services." → Page 25
- Incorrect repairs are dangerous.
 - Repairs to the appliance should only be carried out by trained specialist staff.
 - ► Only use genuine spare parts when repairing the appliance.
 - If the power cord of this appliance is damaged, it must be replaced by the manufacturer, the manufacturer's Customer Service or a similarly qualified person in order to prevent any risk.

▲ WARNING – Risk of fire!



If the tubes are damaged, flammable refrigerant and harmful gases may escape and ignite.

- Keep naked flames and ignition sources away from the appliance.
- Ventilate the room.
- ▶ "Switch off the appliance." → Page 15
- Unplug the appliance from the mains or switch off the circuit breaker in the fuse box.
- ► "Call after-sales service." → Page 25

Preventing material damage

ATTENTION!

- Using the base, runners or appliance doors as a seat surface or climbing surface may damage the appliance.
 - Do not stand or support yourself on the base, runners or doors.
- Contamination with oil or fat may cause plastic parts and door seals to become porous.
 - Keep plastic parts and door seals free of oil and grease.
- Metal or metal-style parts in the appliance may contain aluminium. Aluminium reacts when it comes into contact with acidic foods.
 - Do not store unpackaged food in the appliance.

Environmental protection and saving energy

Disposing of packaging

The packaging materials are environmentally compatible and can be recycled.

 Sort the individual components by type and dispose of them separately.

Saving energy

If you follow these instructions, your appliance will use less power.

Selecting the installation location

• Keep the appliance out of direct sunlight.

- Install the appliance as far away as possible from heating elements, cookers and other heat sources:
 - Maintain a 30 mm clearance to electric or gas cookers.
 - Maintain a 300 mm clearance to oil or solid-fuel cookers.
- Never cover or block the exterior ventilation grilles.

Saving energy during use

Note: The arrangement of the fittings does not affect the energy consumption of the appliance.

- Open the appliance only briefly.
- Never cover or block the interior ventilation openings or the exterior ventilation grilles.
- Transport purchased food in a cool bag and place in the appliance quickly.
- Allow warm food and drinks to cool down before storing them.
- Thaw frozen food in the refrigerator compartment to utilise the low temperature of the food.
- Always leave some space between the food and to the back panel.
- Pack the food airtight.
- Defrost the freezer compartment regularly.
- Open the freezer compartment door only briefly and then close it properly.

Installation and connection

Scope of delivery

After unpacking all parts, check for any transport damage and for completeness of delivery.

If you have any complaints, contact your dealer or our "after-sales service" \rightarrow Page 25.

The delivery consists of the following:

- Built-under appliance
- Equipment and accessories¹
- Installation instructions
- User manual
- Customer service directory
- Warranty enclosure²
- Energy label
- Information on energy consumption and noises

Criteria for the installation location

WARNING Risk of explosion!

If the appliance is in a space that is too small, a leak in the refrigeration circuit may result in a flammable mixture of gas and air.

Only install the appliance in a space with a volume of at least 1 m³ per 8 g refrigerant. The volume of refrigerant is indicated on the rating plate. → "Appliance", Fig. 1/5, Page 13

The weight of the appliance ex works may be up to 35 kg depending on the model.

The subfloor must be sufficiently stable to bear the weight of the appliance.

Permitted room temperature

The permitted room temperature depends on the appliance's climate class.

The climate class can be found on the rating plate. \rightarrow "Appliance", Fig.

1 / 5, Page 13

Climate class	Permitted room temperat-	
	ure	

SN	10 °C to 32 °C
Ν	16 °C to 32 °C
ST	16 °C to 38 °C
Т	16 °C to 43 °C

The appliance is fully functional within the permitted room temperature. If an appliance with climate class SN is operated at colder room temperatures, the appliance will not be damaged up to a room temperature of 5 °C.

Built-under

Attachment under certain worktops, e.g. stone, glass or stainless steel, is frequently not possible. You can order accessories from customer service for installation on the side walls. → "Customer Service", Page 25

Installing the appliance

 Install the appliance in accordance with the enclosed installation instructions.

Preparing the appliance for the first time

- 1. Remove the informative material.
- 2. Remove the protective foil and transit bolts, e.g. remove the adhesive strips and carton.
- "Clean the appliance for the first time." → Page 19

¹ Depending on the appliance specifications

² Not in all countries

Connecting the appliance to the electricity supply

 Insert the mains plug of the appliance's power cable in a socket nearby.


The connection data of the appliance can be found on the rating plate. \rightarrow "Appliance", Fig. **1**/**5**, Page 13

- 2. Check the mains plug is inserted properly.
- The appliance is now ready for use.

Familiarising yourself with your appliance

Appliance

You can find an overview of the parts of your appliance here.



1	
Α	"Freezer compartment" \rightarrow Page 16
В	"Refrigerator compartment" → <i>Page 15</i>
1	"Light switch" \rightarrow Page 22

2	"Control panel" \rightarrow Page 13
3	Main switch
4	"Pull-out container" \rightarrow Page 14

5	"Rating plate" \rightarrow Page 25
6	Fruit and vegetable container
7	"Exterior ventilation grille" → <i>Page 20</i>


Control panel

8

"Door storage compartment for large bottles" \rightarrow Page 14

Note: Deviations between your appliance and the diagrams may differ with regard to their features and size.

You can use the control panel to configure all functions of your appliance and to obtain information about the operating status.



1	The main switch turns the appliance on or off.

- 2 switches Super freezing on or off.
- 3 Displays the set temperature for the refrigerator compartment in °C.
- 4 sets the temperature of the refrigerator compartment.

Features

The features of your appliance depend on the model.

Shelf

To vary the shelf as required, you can remove the shelf.

→ "Removing the shelf", Page 20 Re-position the stoppers on both sides and re-insert the shelf.

Pull-out container

Store animal-based food in the pullout container. "You can take out the pull-out container for loading and unloading." \rightarrow Page 20

Fruit and vegetable container with cover

Store fresh fruit and vegetables in the fruit and vegetable container.

"Remove the fruit and vegetable container loading and unloading."

→ Page 21

Condensation may form in the fruit and vegetable container depending on the food and quantity stored. Remove the condensation with a dry cloth.

To ensure that the quality and aroma are retained, store fruit and vegetables that are sensitive to cold outside of the appliance at temperatures of approx. 8 °C to 12 °C, e.g. pineapple, bananas, citrus fruits, cucumbers, courgettes, peppers, tomatoes and potatoes.

Door rack

To adjust the door racks as required, you can remove the door rack and re-insert elsewhere.

→ "Removing door rack", Page 20

Accessories

Use original accessories. These have been made especially for your appliance.


The accessories for your appliance depend on the model.

Egg tray

Store eggs safely on the egg tray.

Bottle holder

The bottle holder prevents bottles from falling over when the appliance door is opened and closed.



Ice cube tray

Use the ice cube tray to make ice cubes.

Making ice cubes

1. Fill the ice cube tray with water up to ³/₄ and place in the freezer compartment.

If the ice cube tray is stuck to the freezer compartment, loosen it with a blunt implement only (e.g. spoon handle).

2. To loosen the ice cubes, twist the ice cube tray slightly or hold it briefly under flowing water.

Basic operation

Switching on the appliance

- Switch on the appliance at the main switch. → "Appliance", Fig.
 , Page 12
- The appliance begins to cool.
- The temperature display flashes until the appliance has reached the set temperature.

 "Set the required temperature." → Page 15

Operating tips

- Once you have switched on the appliance, the set temperature is only reached after several hours. Do not put any food in the appliance until the temperature has been reached.
- When you close the door, a vacuum may be created. The door is then difficult to open again. Wait a moment until the vacuum is offset.

Switching off the appliance

Switch off the appliance at the main switch. → "Appliance", Fig.
 1/3, Page 12

Setting the temperature

Setting the refrigerator compartment temperature

 Press repeatedly until the temperature display shows the required temperature.

The recommended temperature in the refrigerator compartment is $4 \degree C$. \rightarrow ""OK" sticker", Page 16

Setting the freezer compartment temperature

In order to set the freezer compartment temperature, "change the refrigerator compartment temperature" → Page 15.

The refrigerator compartment temperature influences freezer compartment temperature. Refrigerator compartment temperatures that are set to warm generate warmer freezer compartment temperatures.

Additional functions

Super freezing

With Super freezing, the freezer compartment cools as cold as possible. Switch on Super freezing four to six hours before placing food weighing 2 kg or more into the freezer compartment.

In order to utilise the freezer capacity, use Super freezing.

→ "Prerequisites for freezing capacity", Page 17

Note: When Super freezing is switched on, increased noise may occur.

Switching on Super freezing

- Press .
- ✓ lights up.

Note: After approx. 48 hours, the appliance switches to normal operation.

Switching off Super freezing

Press .

Refrigerator compartment

You can keep meat, sausage, fish, dairy products, eggs, prepared meals and pastries in the refrigerator compartment.

The temperature can be set from 2 °C to 8 °C.

The refrigerator compartment can also be used to store highly perishable foods in the short to medium term. The lower the selected temperature, the longer the food remains fresh.

Tips for storing food in the refrigerator compartment

- Only store food when fresh and undamaged.
- Observe the best-before date or use-by date specified by the manufacturer.
- Store food well wrapped or covered.
- Allow hot food and drinks to cool down first before placing in the appliance.

Chill zones in the refrigerator compartment

The air circulation in the refrigerator compartment creates different chill zones.

Coldest zone

The coldest zone is in the pull-out container.

Tip: Store highly perishable food such as fish, sausages and meat in the coldest zone.

Warmest zone

The warmest zone is at the very top of the door.

Tip: Store food that does not spoil easily in the warmest zone, e.g. hard cheese and butter. Cheese can then continue to release its aroma and the butter will still be easy to spread.

"OK" sticker

The "OK" sticker lets you check whether the refrigerator compartment reaches the safe temperature ranges of +4 $^{\circ}$ C or colder recommended for food.

The "OK" sticker is not included with all models.

If the sticker does not indicate "OK", gradually reduce the temperature. → "Setting the refrigerator compartment temperature", Page 15 Once the appliance is switched on, it may take up to 12 hours until the set temperature is reached.



Correct setting

Freezer compartment

You can store frozen food, freeze food and make ice cubes in the freezer compartment.

The temperature in the freezer compartment depends on the temperature in the refrigerator compartment. Long-term storage of food should be at -18 °C or lower.

The freezer compartment can be used to store perishable food longterm. The low temperatures slow down or stop the spoilage.

Freezer compartment door

To ensure that the frozen food that is stored does not thaw and the freezer compartment is not covered in too much ice, always close the freezer compartment door.

Note: When you close the freezer compartment door, you can hear it engaging.

Freezing capacity

The freezing capacity indicates the quantity of food that can be frozen right through to the centre within a specific period of time. Information on freezing capacity can be found on the rating plate. \rightarrow "Appliance", Fig. **1**/**5**, Page 13

Prerequisites for freezing capacity

- When placing fresh food in the appliance, switch on Super freezing.
 → "Switching on Super freezing", Page 15
- 2. Place the food as close as possible to the back wall of the freezer compartment. This is where the food freezes most quickly.

Tips for storing food in the freezer compartment

- Spread out the food over a wide area in the freezer compartment.
- Do not bring food which is to be frozen into contact with frozen food.

Tips for freezing fresh food

- Freeze fresh and undamaged food only.
- Freeze food in portions.
- Cooked food is more suitable than food that can be eaten raw.
- Vegetables: Wash, chop up and blanch before freezing.
- Fruit: Wash, pit and perhaps peel, possibly add sugar or ascorbic acid solution.
- Food that is suitable for freezing includes baked items, fish and seafood, meat, game, poultry, eggs without shells, cheese, butter and quark, ready meals and leftovers.
- Food that is unsuitable for freezing includes lettuce, radishes, eggs in shells, grapes, raw apples and pears, yoghurt, sour cream, crème fraîche and mayonnaise.

Packing frozen food

If you select suitable packaging material and the correct type of packaging, you can determine the product quality and prevent freezer burn.

- **1.** Place the food in the packaging.
- 2. Squeeze out the air.
- Pack food airtight to prevent it from losing flavour and drying out.
- 4. Label the packaging with the contents and the date of freezing.

Shelf life of frozen food at -18 °C

Food	Storage time
Fish, sausages, prepared meals and baked goods	up to 6 months
Poultry, meat	up to 8 months
Vegetables, fruit	up to 12 months

Defrosting methods for frozen food

CAUTION Risk of harm to health!

During the thawing process, bacteria may multiply and spoil the frozen food.

- Do not refreeze food after it has been defrosted or started to defrost.
- ► Refreeze food only after cooking.
- These items should no longer be stored for the maximum storage period.
- Defrost animal-based food, such as fish, meat, cheese, quark, in the refrigerator compartment.
- Defrost bread at room temperature.
- Prepare food for immediate consumption in the microwave, in the oven or on the hob.

Defrosting

Defrosting in the refrigerator compartment

When the appliance is operating, condensation droplets or frost form on the rear panel of the refrigerator compartment due to functional reasons. The back panel in the refrigerator compartment defrosts automatically.

Condensation runs through the condensation channel into the drainage hole to the evaporation pan and does not have to be wiped away.

To ensure that the condensation can drain and odours do not form, observe the following information: \rightarrow "Cleaning the condensation channel and drainage hole", Page 19.

Defrosting in the freezer compartment

The freezer compartment does not defrost automatically. A layer of hoarfrost in the freezer compartment impairs refrigeration of the frozen food and increases power consumption.

Defrosting the freezer compartment

Regularly defrost the freezer compartment.

 Switch on Super freezing approx. four hours before defrosting.
 → "Switching on Super freezing", Page 15

This means that the food reaches very low temperatures and it can be stored for longer at room temperature.

- 2 Remove the frozen food and temporarily place it in a cool location. Wrap the frozen food with ice packs, if available, in coverings or newspaper.
- **3.** "Switch off the appliance." \rightarrow Page 15
- **4.** Disconnect the appliance from the power supply.

Unplug the appliance from the mains or switch off the circuit breaker in the fuse box.

- To accelerate the defrosting process, place a pan of hot water on a trivet in the freezer compartment.
- 6. Wipe up the condensation water with a soft cloth or sponge.
- 7. Rub the freezer compartment dry with a soft, dry cloth.
- **8.** Electrically connect the appliance.
- 9. "Switch on the appliance."
 → Page 14
- 10. "Put the frozen food in the appliance." → Page 17

Cleaning and servicing

To keep your appliance working efficiently for a long time, it is important to clean and maintain it carefully. Customer Service must clean inaccessible points. Cleaning by customer service can give rise to costs.

Preparing the appliance for cleaning

- **1.** "Switch off the appliance." \rightarrow Page 15
- 2. Disconnect the appliance from the power supply.

Unplug the appliance from the mains or switch off the circuit breaker in the fuse box.

3. Take out all of the food and store it in a cool place.

Place ice packs (if available) onto the food.

- **4.** If there is a layer of hoarfrost, allow this to defrost.
- "Remove all fittings from the appliance." → Page 20

Cleaning the appliance

WARNING Risk of electric shock!

- An ingress of moisture can cause an electric shock.
 - Do not use steam- or high-pressure cleaners to clean the appliance.
- Liquid in the lighting or in the controls can be dangerous.
 - The rinsing water must not drip into the lighting or controls.

ATTENTION!


- Unsuitable cleaning products may damage the surfaces of the appliance.
 - Do not use hard scouring pads or cleaning sponges.
 - Do not use harsh or abrasive detergents.
 - Do not use cleaning products with a high alcohol content.
- If liquid gets into the drainage hole, the evaporation pan may overflow.
 - ► The rinsing water must not get into the drainage hole.
- If you clean fittings and accessories in the dishwasher, this may cause them to become deformed or discolour.
 - Never clean fittings and accessory in the dishwasher.
- "Prepare the appliance for cleaning." → Page 18

- 2 Clean the appliance, the fittings and the door seals with a dish cloth, lukewarm water and a little pH-neutral washing-up liquid.
- **3.** Dry thoroughly with a soft, dry cloth.
- 4. Insert the fittings.
- 5. Electrically connect the appliance.
- 6. "Switch on the appliance."
 → Page 14
- 7. Putting the food into the appliance.

Cleaning the condensation channel and drainage hole


Regularly clean the condensation channel and drainage hole to ensure that the condensation can drain.

- "Remove the pull-out container." → Page 20
- 2. Carefully clean the condensation channel and the drainage hole, e.g. using a moistened cotton bud.



Cleaning the ventilation grille

- **1.** Remove the exterior ventilation grille for cleaning.
 - To do this, depress the clips in the ventilation openings and simultaneously remove the exterior ventilation grille forwards.




- 2. Clean the exterior ventilation grille with lukewarm soapy water and a dish cloth.
- **3.** Let the exterior ventilation grille dry completely and insert it.

Removing the fittings

If you want to clean the fittings thoroughly, remove these from your appliance.


Removing the shelf

 Lift the shelf, pull it forwards and swivel it out to the side ① and remove the plugs ②.




Removing door rack

► Lift the door rack and remove it.




Removing pull-out containers

 Lift the pull-out container and remove it.



Remove the fruit and vegetable container with the lid

 Fold up the lid of the fruit and vegetable container ① and remove the fruit and vegetable container with lid towards the front ②.



Troubleshooting

You can rectify minor faults on your appliance yourself. Read the troubleshooting information before contacting after-sales service. This will avoid unnecessary costs.

Risk of electric shock!

Incorrect repairs are dangerous.

- Repairs to the appliance should only be carried out by trained specialist staff.
- ► Only use genuine spare parts when repairing the appliance.
- If the power cord of this appliance is damaged, it must be replaced by the manufacturer, the manufacturer's Customer Service or a similarly qualified person in order to prevent any risk.

Malfunctions

Fault	Cause	Troubleshooting
The LED lighting does not work.	The illuminant is defective.	1. "Switch off the appliance." \rightarrow Page 15
		2 Disconnect the appliance from the mains.
		Unplug the appliance from the mains or switch off the circuit breaker in the fuse box.
		3. Remove the illuminant cover to the left.
		4. Replace the illuminant.
		Replacement illuminant: 220–240 V AC, E14 bulb holder, see the de- fective illuminant's wattage.
	The light switch is jammed.	 Check whether the light switch can be moved.

Fault	Cause	Troubleshooting
The LED lighting does not work.		
The temperature differs greatly from the setting.	Different causes are pos- sible.	 "Switch off the appliance." → Page 15 "Switch the appliance back on after five minutes." → Page 14 If the temperature is too warm, check the temperature again after a couple of hours. If the temperature is too cold, check the temperature again on the following day.
The base of the refrigerator compartment is wet.	The condensation channel or drainage hole are blocked.	 "Clean the condensation channel and the drainage hole." → Page 19
The appliance hums, bubbles, buzzes, gargles or clicks.	Not a fault. A motor is run- ning, e.g. refrigerating unit, fan. Refrigerant flows through the pipes. The mo- tor, switches or solenoid valves are switching on or off.	No action required.
The appliance makes noises.	Fittings wobble or stick.	 Check the removable fittings and, if required, replace these.
	Bottles or containers are touching.	 Move the bottles or containers away from each other.
	Super freezing is switched on.	No action required.

Power failure

During a power failure, the temperature in the appliance rises; this reduces the storage time and the quality of the frozen food.

Notes

- Open the appliance as little as possible during a power failure and do not place any other food in the appliance.
- Check the quality of the food immediately after a power failure.
 - Dispose of any frozen food that has defrosted and is hotter than 5 °C.
 - Cook or fry slightly thawed frozen food, and then either consume it or freeze it again.

Storage and disposal

You can find out here how to prepare your appliance for storage. You will also find out how to dispose of old appliances.

Taking the appliance out of operation

- **1.** "Switch off the appliance." \rightarrow Page 15
- 2. Disconnect the appliance from the power supply.

Unplug the appliance from the mains or switch off the circuit breaker in the fuse box.

- 3. Remove all of the food.
- **4.** "Defrost the appliance." \rightarrow Page 18
- **5.** "Clean the appliance." \rightarrow Page 19
- 6. To guarantee the ventilation inside the appliance, leave the appliance open.

Disposing of old appliance

Valuable raw materials can be reused by recycling.

MARNING Risk of harm to health!

Children can lock themselves in the appliance, thereby putting their lives at risk.

- Leave shelves and containers inside the appliance to prevent children from climbing in.
- Keep children away from the redundant appliance.

MARNING Risk of fire!

If the tubes are damaged, flammable refrigerant and harmful gases may escape and ignite.

- Do not damage the tubes of the refrigerant circuit or the insulation.
- Dispose of the appliance in an environmentally friendly manner.
 Information about current disposal methods are available from your specialist dealer or local authority.



This appliance is labelled in accordance with European Directive 2012/19/EU concerning used electrical and electronic appliances (waste electrical and electronic equipment - WEEE). The guideline determines the framework for the return and recycling of used appliances as applicable throughout the EU.

Customer Service

If you have any queries, are unable to rectify faults on the appliance yourself or if your appliance needs to be repaired, contact Customer Service. Function-relevant genuine spare parts according to the corresponding Ecodesign Order can be obtained from Customer Service for a period of at least 10 years from the date on which your appliance was placed on the market within the European Economic Area.

Note: Under the terms of the manufacturer's warranty applicable to the location, the use of Customer Service is free of charge. The minimum duration of the warranty (manufacturer's warranty for private consumers) in the European Economic Area is 2 years according to the terms of warranty applicable to the location. The terms of warranty do not affect other rights or claims held by yourself under local legislation.

Detailed information on the warranty period and terms of warranty in your country is available from our aftersales service, your retailer or on our website.

If you contact Customer Service, you will require the product number (E-Nr.) and the production number (FD) of your appliance.

The contact details for Customer Service can be found in the enclosed Customer Service directory or on our website.

Product number (E-Nr.) and production number (FD)

You can find the product number (E-Nr.) and the production number (FD) on the appliance's rating plate. \rightarrow "Appliance", Fig. **1**/**5**, Page 13 Make a note of your appliance's details and the Customer Service telephone number to find them again quickly.

Technical data

Refrigerant, cubic capacity and further technical specifications can be found on the rating plate.

→ "Appliance", Fig. 1/5, Page 13 More information about your model can be found online at https://energylabel.bsh-group.com¹. This web address is linked to the official EU EPREL product database. At the time of printing its web address had not yet been published. Please then follow the instructions on searching for models. The model identifier is made up of the characters before the slash in the product number (E-Nr.) on the rating plate. Alternatively you can also find the model identifier in the first line of the EU energy label.

¹ Only applies to countries in the European Economic Area

BSH Hausgeräte GmbH Carl-Wery-Straße 34 81739 München GERMANY www.siemens-home.bsh-group.com

Valid within Great Britain: Imported to Great Britain by BSH Home Appliances Ltd. Grand Union House Old Wolverton Road Wolverton, Milton Keynes MK12 5PT United Kingdom

Manufactured by BSH Hausgeräte GmbH under the trademark licence of Siemens AG

