MED301JS 30-INCH SINGLE BUILT-IN OVEN

MASTERPIECE® SERIES





FEATURES & BENEFITS

- ★ SoftClose® door ensures ultra smooth closing of the oven
- 🖈 Fastest preheat in the luxury segment
- 🖈 Superfast 2-hour self clean mode-fastest on the market
 - 2 Full Access® telescopic racks
 - No preheat Speed Convection mode

ACCESSORIES (OPTIONAL)



TLSCPRCK30 30-Inch Oven Telescopic Rack

GENERAL PROPERTIES

Modes

(18) Bake, Roast, True Convection, Convection Bake, Convection Roast, No Preheat Speed Convection, Warm, EasyCook®, Broil, Convection Broil, Pizza, Proof, Dehydrate, Cook Control™ Cook Control™ Probe, Self Clean, Sabbath, Favorites, Fast Preheat

•	
Cleaning Type	Self Clean
Telescopic Rack(s)	2
Illumination Type	Halogen with SoftLight Function
Interior Lights	3

OVEN PERFORMANCE		
Bake Element Wattages	2,000 W	
Broil Element Wattages	3,600 W	
Convection Flement Wattages	2.000 W	

_	
TECHNICAL DETAILS	
Watts (W)	7,300 W
Circuit Breaker (A)	30 A
Volts (V)	240 / 208 V
Frequency (Hz)	60 Hz
Plug Type	Fixed Connection, No Plug
Conduit	66" Flexible 4-Wire
Energy Source	Electric

Energy Source	Electric
DIMENSIONS & WEIGHT	
Overall Appliance Dimensions (HxWxD) (in)	29 ¹ / ₁₆ " × 29 ³ / ₄ " × 23 ⁷ / ₈ "
Required Cutout Size (HxWxD) (in)	28 1/4 " x 28 1/2 " x 24"
Oven Cavity Size (cu. ft.)	4.7 cu. ft.
Overall Oven Interior Dimensions (HxWxD) (in)	17 7 /8" x 25" x 17 7 /8"
Usable Oven Interior Dimensions (HxWxD) (in)	12 3/4 × 22 3/4 " × 17 1/4 "
Net Weight (lbs)	166 lbs

ACCESSORIES (INCLUDED)


2 Telescopic and 1 Standard Oven Rack, Temperature Probe, Broiler Pan

WARRANTY	
Limited Warranty Parts and Labor	2 Year

Page 1 of 3 10 / 17




30-INCH SINGLE OVEN—WALL-MOUNTED



Page 2 of 3 10 / 17




30-INCH SINGLE OVEN—UNDER-COUNTER



30-INCH SINGLE OVEN OVER WARMING DRAWER

details, refer to your Use & Care manual, or ask your dealer.

 $28^{1/2}$



These warranties give you specific legal rights and you may have other rights that vary from state to state. Full warranty and limited warranty from date of installation. For complete warranty

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.

 $1\,800\,735\,4328 \mid USA\,THERMADOR.COM\mid CANADA\,THERMADOR.CA\mid @2017\,BSH\,HOME\,APPLIANCES\,CORPORATION.\,ALL\,RIGHTS\,RESERVED.$

Page 3 of 3

or next to the drawer within the reach of the power cord.