

Product information sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2014

Supplier's name or trade mark ^(a) ^(b) :	Siemens				
Supplier's address ^(a) ^(b) :	BSH Hausgeräte GmbH, Carl-Wery-Str. 34, 81739 Munich, Germany				
Model identifier ^(a) :	WN34A1U8GB				
General product parameters:					
Parameter	Value		Parameter	Value	
Rated capacity (kg)	Rated capacity ^(e)	5.0	Dimensions in cm ^(a) ^(b)	Height	85
	Rated washing capacity ^(d)	8.0		Width	60
				Depth	59
Energy Efficiency Index	EEIW ^(d)	69	Energy efficiency class	EEIW ^(d)	C ^(c)
	EEIWD ^(e)	79		EEIWD ^(e)	E ^(c)
Washing efficiency index	IW ^(d)	1.04 0	Rinsing effectiveness (g/kg dry textile)	IR ^(d)	5.0
	JW ^(e)	1.04 0		JR ^(e)	5.0
Energy consumption in kWh per cycle, for the washing cycle of the household washer-dryer, using the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used	0.626		Energy consumption in kWh per cycle, for the wash and dry cycle of the household washer-dryer at a combination of full and half loads. Actual energy consumption will depend on how the appliance is used	3.126	
Water consumption in litre per cycle, for the eco 40-60 programme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water	41		Water consumption in litre per cycle, for the wash and dry cycle of the household washer-dryer at a combination of full and half loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water	70	

Maximum temperature inside the treated textile (°C) for the washing cycle of the household washer-dryer, using the eco 40-60 programme	Rated capacity	46	Maximum temperature inside the treated textile (°C) for the washing cycle of the household washer-dryer, using the wash and dry cycle	Rated capacity ^(e)	39
	Half	36		Half	35
	Quarter	23			
Spin speed ^(d) (rpm)	Rated capacity	1400	Remaining moisture content ^(d) (%)	53.0	
	Half	1400			
	Quarter	1400			
Eco 40-60 programme duration (h:min)	Rated capacity	3:32	Spin-drying efficiency class ^(d)	B ^(c)	
	Half	2:48			
	Quarter	2:10			
Airborne acoustical noise emissions during the spinning phase for the eco 40-60 washing cycle at rated washing capacity (dB(A) re 1 pW)	70		wash and dry cycle duration (h:min)	Rated capacity	7:30
				Half	5:05
Type	Freestanding		Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity	A ^(c)	
Off-mode (W) (if applicable)	0.50		Standby mode (W) (if applicable)	0.50	
Delay start (W) (if applicable)	4.00		Networked standby (W) (if applicable)	0.00	
Minimum duration of the guarantee offered by the supplier ^{(a) (b)} :				24 months	
This product has been designed to release silver ions during the washing cycle				No	
Additional information ^{(a) (b)} :					
Weblink to the supplier's website, where the information in point 9 of Annex II to Regulation (EU) 2019/2023 is found ^{(c) (e)} : www.siemens-home.bsh-group.com/energylabel					

^(a) this item shall not be considered relevant for the purposes of Article 2(6) of Regulation (EU) 2017/1369.

^(b) changes to these items shall not be considered relevant for the purposes of paragraph 4 of Article 4 of Regulation (EU) 2017/1369.

^(c) if the product database automatically generates the definitive content of this cell the supplier shall not enter these data.

^(d) for the eco 40-60 programme.

^(e) for the wash and dry cycle.