## Product information sheet

## COMMISSION DELEGATED REGULATION (EU) 2019/2014

Supplier's name or trade mark (a) (b) :	Bosch
Supplier's address <sup>(a) (b)</sup> :	BSH Hausgeräte GmbH, Carl-Wery-Str. 34, 81739 Munich, Germany
Model identifier (a) :	WNA144V9GB

## General product parameters:

Parameter	Value		Parameter	Value	
Rated capacity (kg)	Rated capa- city <sup>(e)</sup>	5.0	Dimensions in cm (a) (b)	Height	85
	Rated washing capacity <sup>(d)</sup>	9.0		Width	60
				Depth	59
Energy Efficiency Index	EEIW (d)	59.6	- Energy efficiency class	EEIW (d)	B <sup>(c)</sup>
	EEIWD (e)	81.1		EEIWD (e)	E (c)
Washing efficiency index	IW <sup>(d)</sup>	1.04 0	Rinsing effectiveness (g/kg dry textile)	IR <sup>(d)</sup>	5.0
	JW (e)	1.04 0		JR <sup>(e)</sup>	5.0
Energy consumption in kWh per cycle, for the washing cycle of the household wash- er-dryer, using the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used	0.567		Energy consumption in kWh per cycle, for the wash and dry cycle of the household wash- er-dryer at a combination of full and half loads. Actual energy consumption will depend on how the appliance is used	3.220	
Water consumption in litre per cycle, for the eco 40-60 pro- gramme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water	46		Water consumption in litre per cycle, for the wash and dry cycle of the household wash- er-dryer at a combination of full and half loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water	74	

Maximum temperature inside the treated textile (°C) for the washing cycle of the house- hold washer-dryer, using the eco 40-60 programme	Rated capa- city	43	Maximum temperature inside the treated textile (°C) for the washing cycle of the house- hold washer-dryer, using the	Rated capa- city <sup>(e)</sup>	37	
	Half	31		Half	34	
	Quarter	23	wash and dry cycle	naii	54	
	Rated capa- city	1400				
	Half	1400	Remaining moisture content <sup>(d)</sup> (%)	53.0		
	Quarter	1400				
Eco 40-60 programme dura- tion (h:min)	Rated capa- city	3:44		B <sup>(c)</sup>		
	Half	2:49	Spin-drying efficiency class <sup>(d)</sup>			
	Quarter	2:34				
Airborne acoustical noise emissions during the spinning phase for the eco 40-60 wash-	70		wash and dry cycle duration (h:min)	Rated capa- city	7:30	
ing cycle at rated washing capacity (dB(A) re 1 pW)			(1.11111)	Half	5:10	
Туре	Free-standing		Airborne acoustical noise emission class for the spinning phase for the eco 40-60 pro- gramme at rated washing capacity	A (c)		
Off-mode (W) (if applicable)	0.50		Standby mode (W) (if applic- able)	0.50		
Delay start (W) (if applicable)	4.00		Networked standby (W) (if applicable)	0.00		
Minimum duration of the guarantee offered by the supplier <sup>(a) (b)</sup> :					24 months	
This product has been designed to release silver ions during the washing cycle					No	
Additional information (a) (b) :						
Mahlink to the europlice's websit	a whore the im	formati	on in point 0 of Appay II to Domit	tion (ELL) 2040	Vanar	

Weblink to the supplier's website, where the information in point 9 of Annex II to Regulation (EU) 2019/2023 is found <sup>(c) (e)</sup>: www.bosch-home.com/energylabel

<sup>(a)</sup> this item shall not be considered relevant for the purposes of Article 2(6) of Regulation (EU) 2017/1369.

<sup>(b)</sup> changes to these items shall not be considered relevant for the purposes of paragraph 4 of Article 4 of Regulation (EU) 2017/1369.

<sup>(c)</sup> if the product database automatically generates the definitive content of this cell the supplier shall not enter these data.

<sup>(d)</sup> for the eco 40-60 programme.

<sup>(e)</sup> for the wash and dry cycle.