

N 90, KOMPAKTBACKOFEN MIT MIKROWELLE, 60 X 45 CM, FLEX DESIGN C29MS31Y0



Zubehör

1 x Kombirost, 1 x Universalpfanne

Sonderzubehör

Z1650BE0 2 Universalpfannen, schmales Format, Z1655CA0 Air Fry & Grillblech, Z1913X0 Backstein, Z9045AY0 FlexDesign A.Grey 45 Compact/MW 45, Z9045BY0 FlexDesign B.Bronze 45 Compact/MW 45, Z9045DY0 FlexDesign D.Black 45 Compact/MW 45, Z9045MY0 FlexDesign M.Silver 45 Compact/MW 45, Z9060AY0 (SC) FlexDesign A.Grey 60 Oven 60, Z9060BY0 (SC) FlexDesign B.Bronze 60 Oven 60, Z9098AY0 SC FlexDesign A.Grey 98 60 + MW 38, Z9098BY0 SC FlexDesign B.Bronze 98 60 + MW 38, Z9060DY0 (SC) FlexDesign D.Black 60 Oven 60, Z9060MY0 (SC) FlexDesign M.Silver 60 Oven 60, Z9075AY0 SC FlexDesign A.Grey 75 WD 14 + 60, Z9075BY0 SC FlexDesign B.Bronze 75 WD 14 + 60, Z9075DY0 SC FlexDesign D.Black 75 WD 14 + 60, Z9075MY0 SC FlexDesign M.Silver 75 WD 14 + 60, Z9098DY0 SC FlexDesign D.Black 98 60 + MW 38, Z9098MY0 SC FlexDesign M.Silver 98 60 + MW 38, Z9105AY0 SC FlexDesign A.Grey 105 60 + 45, Z9105BY0 SC FlexDesign B.Bronze 105 60 + 45, Z9105DY0 SC FlexDesign D.Black 105 60 + 45, Z9105MY0 SC FlexDesign M.Silver 105 60 + 45, Z912AAY0 SC FlexDesign A.Grey 120 WD14+60+45, Z912ABY0 SC FlexDesign B.Bronze 120 WD14+60+45, Z912ADY0 SC FlexDesign D.Black 120 WD14+60+45, Z912AMY0 SC FlexDesign M.Silver 120 WD14+60+45, Z912BAY0 SC FlexDesign A.Grey 120 60+60, Z912BBY0 SC FlexDesign B.Bronze 120 60+60, Z912BDY0 SC FlexDesign D.Black 120 60+60, Z912BMY0 SC FlexDesign M.Silver 120 60+60, Z990AAY0 SC FlexDesign A.Grey 90 WD 29 + 60, Z990ABY0 SC FlexDesign B.Bronze 90 WD 29 + 60, Z990ADY0 SC FlexDesign D.Black 90 WD 29 + 60, Z990AMY0 SC FlexDesign M.Silver 90 WD 29 + 60, Z990BAY0 SC FlexDesign A.Grey 90 45 + 45, Z990BBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990BDY0 SC FlexDesign D.Black 90 45 + 45, Z990BMY0 SC FlexDesign M.Silver 90 45 + 45, Z990CAY0 SC FlexDesign A.Grey 90 45 + 45, Z990CBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990CDY0 SC FlexDesign D.Black 90 45 + 45, Z990CMY0 SC FlexDesign M.Silver 90 45 + 45, Z990DAY0 SC FlexDesign A.Grey 90 45 + 45, Z990DBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990DDY0 SC FlexDesign D.Black 90 45 + 45, Z990DMY0 SC FlexDesign M.Silver 90 45 + 45, Z990EAY0 SC FlexDesign A.Grey 90 45 + 45, Z990EBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990EDY0 SC FlexDesign D.Black 90 45 + 45, Z990EMY0 SC FlexDesign M.Silver 90 45 + 45, Z990FAY0 SC FlexDesign A.Grey 90 45 + 45, Z990FBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990FDY0 SC FlexDesign D.Black 90 45 + 45, Z990FMY0 SC FlexDesign M.Silver 90 45 + 45, Z990GAY0 SC FlexDesign A.Grey 90 45 + 45, Z990GBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990GDY0 SC FlexDesign D.Black 90 45 + 45, Z990GMY0 SC FlexDesign M.Silver 90 45 + 45, Z990HAY0 SC FlexDesign A.Grey 90 45 + 45, Z990HBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990HDY0 SC FlexDesign D.Black 90 45 + 45, Z990HMY0 SC FlexDesign M.Silver 90 45 + 45, Z990IAY0 SC FlexDesign A.Grey 90 45 + 45, Z990IBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990IDY0 SC FlexDesign D.Black 90 45 + 45, Z990IMY0 SC FlexDesign M.Silver 90 45 + 45, Z990JAY0 SC FlexDesign A.Grey 90 45 + 45, Z990JBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990JDY0 SC FlexDesign D.Black 90 45 + 45, Z990JMY0 SC FlexDesign M.Silver 90 45 + 45, Z990KAY0 SC FlexDesign A.Grey 90 45 + 45, Z990KBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990KDY0 SC FlexDesign D.Black 90 45 + 45, Z990KMY0 SC FlexDesign M.Silver 90 45 + 45, Z990LAY0 SC FlexDesign A.Grey 90 45 + 45, Z990LBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990LDY0 SC FlexDesign D.Black 90 45 + 45, Z990LMY0 SC FlexDesign M.Silver 90 45 + 45, Z990MAY0 SC FlexDesign A.Grey 90 45 + 45, Z990MBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990MDY0 SC FlexDesign D.Black 90 45 + 45, Z990MMY0 SC FlexDesign M.Silver 90 45 + 45, Z990NAY0 SC FlexDesign A.Grey 90 45 + 45, Z990NBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990NDY0 SC FlexDesign D.Black 90 45 + 45, Z990NMY0 SC FlexDesign M.Silver 90 45 + 45, Z990OAY0 SC FlexDesign A.Grey 90 45 + 45, Z990OBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990ODY0 SC FlexDesign D.Black 90 45 + 45, Z990OMY0 SC FlexDesign M.Silver 90 45 + 45, Z990PAY0 SC FlexDesign A.Grey 90 45 + 45, Z990PBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990PDY0 SC FlexDesign D.Black 90 45 + 45, Z990PMY0 SC FlexDesign M.Silver 90 45 + 45, Z990QAY0 SC FlexDesign A.Grey 90 45 + 45, Z990QBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990QDY0 SC FlexDesign D.Black 90 45 + 45, Z990QMY0 SC FlexDesign M.Silver 90 45 + 45, Z990RAY0 SC FlexDesign A.Grey 90 45 + 45, Z990RBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990RDY0 SC FlexDesign D.Black 90 45 + 45, Z990RMY0 SC FlexDesign M.Silver 90 45 + 45, Z990SAY0 SC FlexDesign A.Grey 90 45 + 45, Z990SBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990SDY0 SC FlexDesign D.Black 90 45 + 45, Z990SMY0 SC FlexDesign M.Silver 90 45 + 45, Z990TAY0 SC FlexDesign A.Grey 90 45 + 45, Z990TBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990TDY0 SC FlexDesign D.Black 90 45 + 45, Z990TMY0 SC FlexDesign M.Silver 90 45 + 45, Z990UAY0 SC FlexDesign A.Grey 90 45 + 45, Z990UBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990UDY0 SC FlexDesign D.Black 90 45 + 45, Z990UMY0 SC FlexDesign M.Silver 90 45 + 45, Z990VAY0 SC FlexDesign A.Grey 90 45 + 45, Z990VBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990VDY0 SC FlexDesign D.Black 90 45 + 45, Z990VMY0 SC FlexDesign M.Silver 90 45 + 45, Z990WAY0 SC FlexDesign A.Grey 90 45 + 45, Z990WBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990WDY0 SC FlexDesign D.Black 90 45 + 45, Z990WMY0 SC FlexDesign M.Silver 90 45 + 45, Z990XAY0 SC FlexDesign A.Grey 90 45 + 45, Z990XBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990XDY0 SC FlexDesign D.Black 90 45 + 45, Z990XMY0 SC FlexDesign M.Silver 90 45 + 45, Z990YAY0 SC FlexDesign A.Grey 90 45 + 45, Z990YBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990YDY0 SC FlexDesign D.Black 90 45 + 45, Z990YMY0 SC FlexDesign M.Silver 90 45 + 45, Z990ZAY0 SC FlexDesign A.Grey 90 45 + 45, Z990ZBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990ZDY0 SC FlexDesign D.Black 90 45 + 45, Z990ZMY0 SC FlexDesign M.Silver 90 45 + 45, Z11AB15A0 Backblech, Keramik antihaft, Z11AU15A0 Universalpfanne, Keramik antihaft, Z11CR10X0 Back- und Bratrost (Standard), Z11GU20X0 Glaspfanne, Z11SZ00X1 SC FlexDesign Zwischenbodenset, Z12CB10A0 Backblech, emailliert, Z12CM10A0

Flex Design Kompaktbackofen mit Mikrowelle - austauschbare Designelemente mit verschiedenen Farboptionen zur Auswahl. Home Connect - Steuern Sie Ihren Kompaktbackofen über die App.

- ✓ 4.1" Full Touch TFT-Display: benutzerfreundliches und intuitives Menü für mehr Freude am Braten und Backen.
- ✓ Flex Design: gestalten Sie den Stil Ihrer Küche ganz nach Ihrem Geschmack. Zu jeder Zeit.
- ✓ Seamless Combination® mit Flex Design: damit Ihre Lieblingsgeräte nahtlos und stilvoll ineinander übergehen.
- ✓ Inverter-Technologie: Lebensmittel stufenweise und gleichmäßig erhitzen.
- ✓ Backofen mit Mikrowelle – ein starkes Doppel, das Platz und Zeit spart.

Ausstattung

Technische Daten

Art des Mikrowellengerätes:Kombinationsbetrieb mit Mikrowelle
Steuerung:Elektronisch
Abmessungen des Gerätes (H x B x T):455x596x548 mm
Abmessungen des Garraumes:237 x 480 x 392 mm
Länge Anschlusskabel:150 cm
Nettogewicht:33.2 kg
Bruttogewicht:35.6 kg
EAN-Nummer:4242004266624
Max. Mikrowellenleistung¹:900 W
Anschlusswert:3600 W
Absicherung:16 A
Spannung:220-240 V
Frequenz:60; 50 Hz
Steckerart:Schuko-/Gardy.m.Erdung
Integriertes Zubehör:1 x Kombirost, 1 x Universalpfanne



Auflaufpfanne, emailliert, Z12CP10A0 Pizzaform, emailliert, Z12CU10A0 Universalpfanne, emailliert, Z13CR10X0 Back- und Bratrost (Dampf), Z13CV05S0 Verblendeiste für Sockel, Z13CV06S0 Dekorleiste

Installations Zubehör

Z11SZ00X1 SC FlexDesign Zwischenbodenset, Z9045AY0 FlexDesign A.Grey 45 Compact/MW 45, Z9045BY0 FlexDesign B.Bronze 45 Compact/MW 45, Z9045DY0 FlexDesign D.Black 45 Compact/MW 45, Z9045MY0 FlexDesign M.Silver 45 Compact/MW 45, Z9105AY0 SC FlexDesign A.Grey 105 60 + 45, Z9105BY0 SC FlexDesign B.Bronze 105 60 + 45, Z9105DY0 SC FlexDesign D.Black 105 60 + 45, Z9105MY0 SC FlexDesign M.Silver 105 60 + 45, Z912AAY0 SC FlexDesign A.Grey 120 WD14+60+45, Z912ABY0 SC FlexDesign B.Bronze 120 WD14+60+45, Z912ADY0 SC FlexDesign D.Black 120 WD14+60+45, Z912AMY0 SC FlexDesign M.Silver 120 WD14+60+45, Z990BAY0 SC FlexDesign A.Grey 90 45 + 45, Z990BBY0 SC FlexDesign B.Bronze 90 45 + 45, Z990BDY0 SC FlexDesign D.Black 90 45 + 45, Z990BMY0 SC FlexDesign M.Silver 90 45 + 45

N 90, KOMPAKTBACKOFEN MIT MIKROWELLE, 60 X 45 CM, FLEX DESIGN C29MS31Y0

Ausstattung

Backofentyp und Heizart

- Kompaktbackofen mit Mikrowelle mit 21 Beheizungsarten: CircoTherm®, Ober-/Unterhitze, Thermogrill, Großflächengrill, Kleinflächengrill, Pizzastufe, Brotbackstufe 180 °C - 220 °C, Unterhitze, Sanftgaren, Gärstufe, Vorwärmen, Warmhalten, CircoTherm® sanft, Ober-/Unterhitze sanft, Air Fry, Mikrowelle, 4D Heißluft + Mikrowelle, Ober-/Unterhitze + Mikrowelle, Großflächengrill + Mikrowelle, Kleinflächengrill + Mikrowelle, Umluftgrillen + Mikrowelle
- Zusätzliche Heizarten über die Home Connect App: Ruhen lassen, Vorwärmen
- Max. Power: 900 W; 5 Mikrowellen-Leistungsstufen (90 W, 180 W, 360 W, 600 W, boost) mit Inverter (MW)
- Intelligente Inverter-Technologie: die Maximal-Leistung wird bei längerem Betrieb bis auf 600 W reguliert
- Temperaturregelung von 30 °C - 275 °C
- Garraumvolumen: 45 l

Zubehörträger / Auszugssystem:

- Einschubebenen: 3

Design

- Flex Design
- LED Touch Control Steuerung
- Garraum: Email anthrazit

Reinigung

- Eco Clean Ausstattung Rückwand: Fettspritzer werden noch während des Zubereitens wie von selbst beseitigt.
- Easy Clean (Reinigungshilfe): Leichte Verschmutzungen entfernen mit Wasserdampf und Spülmittel.

Komfort

- Backofenassistent mit Sprachsteuerung (über Amazon Alexa)
- 4,1" Full Touch TFT Display
- Elektronik-Uhr
- Optische Aufheizkontrolle
- Temperaturvorschlag Ist-Temperaturanzeige
- Klapptür
- Klapptür mit Soft Close und Soft Opening: Sanftes Öffnen und Schließen der Backofentür.
- Automatikprogramme: Mit den Automatikprogrammen gelingt die Zubereitung immer. Einfach Gericht auswählen und Gewicht einstellen.
- Schnellaufheizung: Schnell zur Zieltemperatur ohne höheren Energieverbrauch
- Backofenbeleuchtung abschaltbar, LED-Innenbeleuchtung
- Kühlgebläse
- Home Connect

Zubehör

- Kombirost
- 1 x Universalpfanne

Umwelt und Sicherheit

- Sehr geringe Fenstertemperatur
- 3-fache Türverglasung
- Individuell einstellbare Kindersicherung
- Automatische Sicherheitsabschaltung Restwärmeanzeige Starttaste Türkontaktschalter

Technische Info


- Länge des Anschlusskabels: 150 cm
- Nennspannung: 220 - 240 V
- Gesamtanschlusswert Elektro: 3.6 kW

Maße


- Gerätemaße (HxBxT): 455 x 596 x 548mm
- Nischenmaße (HxBxT): 455 mm x 560 mm x 550 mm
- „Maße und Einbauhinweise zu diesem Gerät gemäß technischer Zeichnung beachten“
- Um die technische und optische Kompatibilität zu gewährleisten, empfehlen wir Ihnen, Komplementär-Produkte innerhalb der Produktserie N90 zu wählen, um die bestmögliche Einbausituation Ihrer Einbaugeräte zu gewährleisten.

N 90, KOMPAKTBACKOFEN MIT MIKROWELLE, 60 X
45 CM, FLEX DESIGN
C29MS31Y0

Maßzeichnungen




Maße in mm




A: 22,6 mm
B: $\leq 347,5$ mm
C: 7,5 mm

Einbau von zwei Geräten übereinander
Luftaustausch




A: Lufteintritt ≥ 200 cm²

Maße in mm



Maßzeichnungen

Einbau mit einem Kochfeld.



Maße in mm

Wird das Kompaktgerät unter einem Kochfeld eingebaut, muss folgende Arbeitsplattenstärke (ggf. inkl. Unterkonstruktion) beachtet werden.

Kochfeld-Typ	min. Arbeitsplattenstärke	
	aufgesetzt	flächenbündig
Induktionskochfeld	42 mm	43 mm
Vollflächen-Induktionskochfeld	52 mm	53 mm
Gaskochfeld	32 mm	43 mm
Elektrokochfeld	32 mm	35 mm