

**Series 6, free-standing dishwasher, 60 cm, Stainless steel, lacquered SMS67NI10M**



**Our ActiveWater 60 in A++: Especially good for the environment and your budget, thanks to very high energy efficiency.**

- **Glass 40°C:** protective program for gently cleaning and drying glasses.
- **AquaStop:** 100% lifetime warranty for water damages guaranteed.
- **10-year guarantee:** our convincing promise of quality against rusting of the inner tub.
- **AntiFingerprint:** visibility of fingerprints is considerably reduced.

---

**Technical Data**

Water consumption : 10.4 l  
Total annual energy consumption 220 days : 171 kWh  
Total annual water consumption 220 days : 2288 l  
Built-in / Free-standing : Free-standing  
Removable top : Yes  
Door panel options : Not possible  
Height with worktop : 30 mm  
Height of the product : 845 mm  
Adjustable feet : Yes - all  
Maximum adjustability feet : 20 mm  
Net weight : 51.6 kg  
Gross weight : 52.9 kg  
Connection Rating : 2400 W  
Fuse protection : 10 A  
Voltage : 220-240 V  
Frequency : 50; 60 Hz  
Length electrical supply cord : 175 cm  
Plug type : GB plug  
Length inlet hose : 165 cm  
Length outlet hose : 190 cm  
Hidden heating element : Yes  
Water protection system description : Triple water protection 24h  
Child safety devices : Button suspension  
Water softener : Yes  
Top basket type : mid TP  
Adjustable upper basket : Rackmatic 3-stage  
Bottom basket type : mid TP  
3rd Rack : 3rd Rack 1.1  
Optional accessories : SGZ1010, SMZ2014, SMZ5001, SMZ5300  
Included accessories 2 : no  
Number of place settings : 13  
Color / Material panel : Stainless steel colour, lacqu.  
Color / Material body : Stainless steel, lacquered  
Color / Material top : Stainless steel colour, lacqu.  
Dimensions of the product (HxWxD) : 845 x 600 x 600 mm  
Dimensions of the packed product (HxWxD) : 870 x 670 x 640 mm



## **Series 6, free-standing dishwasher, 60 cm, Stainless steel, lacquered SMS67NI10M**

### **Our ActiveWater 60 in A++: Especially good for the environment and your budget, thanks to very high energy efficiency.**

- Capacity: 12+1 place settings
- Energy Class: 4 Energy Stars
- Energy consumption in programme Eco 50: 218 kWh per year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy consumption in programme Eco 50: 0.777 kWh
- Water consumption in programme Eco 50: 2912 litres per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.
- Consumption in programme Eco 50: 2912 litres water per year / 218 kWh energy per year. Based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes.
- The information relates to the programme Eco 50. This programme is suitable to clean normally soiled tableware and

is the most efficient programme in terms of combined energy and water consumption.

- Programme time in programme Eco 50: 210 min
- Noise level: 44 dB (re 1 pW) freestanding, can be built under
- 7 programmes: Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Night Program 50 °C, Glass 40 °C, Quick wash 65 °C, Pre-Rinse
- 5 cleaning temperatures
- ActiveWater hydraulic system
- DosageAssist
- BLDC motor for heat and drain pump
- AquaSensor
- Detergent Automation
- Heat exchanger.
- Alternating spray
- Self-cleaning filter system with 3-fold corrugated filter
- Stainless steel
- Remaining programme time indicator (min.)
- Electronic delay timer: 1-24 hours
- LED salt refill indicator
- LED rinse aid refill indicator
- Stainless steel Replasa-X3
- RackMatic height-adjustable top basket (3 stage)
- Variable cutlery basket in bottom basket
- AquaStop - Prevent Water Leakage
- Childproof control lock
- Servo-lock
- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm

#### **General Specification**

#### **Programmes**

#### **Features**

#### **Baskets & Racks**

#### **Safety**

#### **Technical Information**

**Series 6, free-standing dishwasher, 60 cm,  
Stainless steel, lacquered  
SMS67NI10M**

measurements in mm



socket  
( ) values with extension kit