

Serie | 8, free-standing dishwasher, 60 cm, Stainless steel, lacquered SMS88TI30M



Our ActiveWater 60 with Zeolith® Drying: Provides perfect drying results thanks to 3D air flow, even on plastic dishes.

- **Glass 40°C:** protective program for gently cleaning and drying glasses.
- **AquaStop:** 100% lifetime warranty for water damages guaranteed.
- **Child lock on door:** prevents undesigned door opening during rinsing.
- **10-year guarantee:** our convincing promise of quality against rusting of the inner tub.
- **AntiFingerprint:** visibility of fingerprints is considerably reduced.

Technical Data

Water consumption (l) :	7.3
Total annual energy consumption (kWh) 220 days :	163
Total annual water consumption (l) 220 days :	1606
Built-in / Free-standing :	Free-standing
Removable top :	Yes
Door panel options :	Not possible
Height with worktop (mm) :	30
Height of the product (mm) :	845
Adjustable feet :	Yes - all
Maximum adjustability feet (mm) :	20
Net weight (kg) :	56.313
Gross weight (kg) :	58.5
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	50; 60
Length electrical supply cord (cm) :	175
Plug type :	GB plug
Length inlet hose (cm) :	165
Length outlet hose (cm) :	190
Hidden heating element :	Yes
Water protection system description :	
Triple water protection :	24h
Child safety devices :	Childlock appliance
Water softener :	Yes
Adjustable upper basket :	Rackmatic 3-stage
3rd Rack :	3rd Rack 2.1
Cutlery Basket :	Standard
Optional accessories :	SGZ1010, SMZ2014, SMZ5001, SMZ5300
Included accessories 2 :	no
Number of place settings :	13
Color / Material panel :	Stainless steel colour, lacqu.
Color / Material body :	Stainless steel, lacquered
Color / Material top :	Stainless steel colour, lacqu.
Dimensions of the product (HxWxD) :	845 x 600 x 900
Dimensions of the packed product (HxWxD) (mm) :	880 x 670 x 660



Serie | 8, free-standing dishwasher, 60 cm, Stainless steel, lacquered SMS88TI30M

**Our ActiveWater 60 with Zeolith® Drying:
Provides perfect drying results thanks to 3D
air flow, even on plastic dishes.**

General Specification

- Capacity: 12+1 place settings
- Energy Class: 5 Energy Stars
- Energy consumption in programme Eco 50: 208 kWh per year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy consumption in programme Eco 50: 0.743 kWh
- Water consumption in programme Eco 50: 2044 litres per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.
- Consumption in programme Eco 50: 2044 litres water per year / 208 kWh energy per year. Based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes.
- The information relates to the programme Eco 50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50: 225 min
- Noise level: 42 dB (re 1 pW) freestanding, can be built under
- 40 dB
- Water Consumption : 6-17 l

Programmes

- 8 programmes: Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Night Program 50 °C, short 60 °C, Glass 40 °C, Quick wash 45 °C, Pre-Rinse

Features

- 6 cleaning temperatures
- ActiveWater hydraulic system
- Zeolite Drying
- yes
- DosageAssist
- BLDC motor for heat and drain pump
- AquaSensor, Load Sensor
- Detergent Automation
- Heat exchanger
- Alternating spray
- Self-cleaning filter system with 3-fold corrugated filter
- Stainless steel
- Push button top controls
- TFT Display inside
- Acoustic end of cycle indicator
- Real Time Clock
- LED colour on indicators red/-
- Electronic delay timer: 1-24 hours
- LED salt refill indicator
- LED rinse aid refill indicator
- Stainless steel Replasa-X3

Baskets and Racks

- Cutlery drawer 2.1
- RackMatic height-adjustable top basket (3 stage)
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- Stemware support

Safety

- AquaStop - Prevent Water Leakage
- Childproof door lock
- Servo-lock

Technical Information

- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm

**Serie | 8, free-standing dishwasher, 60 cm,
Stainless steel, lacquered
SMS88TI30M**



() Werte mit Verlängerungssatz