

Serie | 8, free-standing dishwasher, 60 cm, Stainless steel, lacquered SMS88TI46M



- **Glass 40°C:** protective program for gently cleaning and drying glasses.
- **AquaStop:** 100% lifetime warranty for water damages guaranteed.
- **Child lock on door:** prevents undesigned door opening during rinsing.
- **10-year guarantee:** our convincing promise of quality against rusting of the inner tub.
- **AntiFingerprint:** visibility of fingerprints is considerably reduced.

Technical Data

Water consumption : 10.3 l
Total annual energy consumption 220 days : 159 kWh
Total annual water consumption 220 days : 2266 l
Built-in / Free-standing : Free-standing
Removable top : Yes
Door panel options : Not possible
Height with worktop : 30 mm
Height of the product : 845 mm
Adjustable feet : Yes - all
Maximum adjustability feet : 20 mm
Net weight : 57.2 kg
Gross weight : 59.5 kg
Connection Rating : 2400 W
Fuse protection : 10 A
Voltage : 220-240 V
Frequency : 50; 60 Hz
Length electrical supply cord : 175 cm
Plug type : GB plug
Length inlet hose : 165 cm
Length outlet hose : 190 cm
Hidden heating element : Yes
Water protection system description : Triple water protection 24h
Child safety devices : Childlock appliance
Water softener : Yes
Top basket type : high TP
Adjustable upper basket : Rackmatic 3-stage
Bottom basket type : high TP
3rd Rack : 3rd Rack 2.1
Optional accessories : SGZ1010, SMZ2014, SMZ5001, SMZ5300
Included accessories 2 : no
Number of place settings : 14
Color / Material panel : Stainless steel colour, lacqu.
Color / Material body : Stainless steel, lacquered
Color / Material top : Stainless steel colour, lacqu.
Dimensions of the product (HxWxD) : 845 x 600 x 600 mm
Dimensions of the packed product (HxWxD) : 880 x 670 x 660 mm



Serie | 8, free-standing dishwasher, 60 cm, Stainless steel, lacquered SMS88TI46M

- SMS88TI46M

General Specification

- Capacity: 14 place settings place settings
- Energy consumption in programme Eco 50: 202 kWhper year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy Class: 5 Energy Stars
- Energy consumption in programme Eco 50: 0.721 kWh
- Water consumption in programme Eco 50: 2884 litres per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.
- Consumption in programme Eco 50: 2884 litres water per year / 202 kWh energy per year. Based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes.
- The information relates to the programme Eco 50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50: 195 min
- Noise level: 42 dB (re 1 pW)freestanding, can be built under 40 dB
- Energy consumption when connected to hot water in programme Eco 50: 0.6 kWh
- Water Consumption : 7-18 l

Programmes

- 8 programmes: Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Night Program 50 °C, short 60 °C, Glass 40 °C, Quick wash 45 °C, Pre-Rinse
- 5 Special options: Remote Start, VarioSpeedPlus, Half Load, HygienePlus, Extra Dry
- Home Connect enabled via WLAN
- Machine Care
- 6 cleaning temperatures

Features

- ActiveWater hydraulic system
- DosageAssist
- BLDC motor for heat and drain pump
- AquaSensor, Load Sensor
- Detergent Automation
- Heat exchanger.
- Alternating spray
- Self-cleaning filter system with 3-fold corrugated filter

Safety

- Push button top controls
- TFT Display inside
- Acoustic end of cycle indicator
- Real Time Clock
- LED colour on indicators red/-
- Electronic delay timer: 1-24 hours
- LED salt refill indicator
- LED rinse aid refill indicator
- Stainless steel Replasa-X3
- Cutlery drawer 2.1

Baskets & Racks

- RackMatic height-adjustable top basket (3 stage)
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- Stemware support

Technical Information

- AquaStop - Prevent Water Leakage
- Childproof door lock
- Servo-lock
- Stainless steel
- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm

**Serie | 8, free-standing dishwasher, 60 cm,
Stainless steel, lacquered
SMS88TI46M**

measurements in mm



socket
() values with extension kit