

**Series 8, free-standing dishwasher,  
60 cm, silver inox  
SMS8ZDI48M**



SGZ1010	inlet and outlet hose extention
SMZ2014	Rack insert for stemware dishwasher
SMZ5001	Baby care kit
SMZ5300	GlassSecure Tray

**PerfectDry dishwashers provide best  
drying results with extra space for all your  
difficult to place items in an energy  
efficient way.**

- **Max Flex Pro baskets:** highest flexibility and protection for your dishes, with superior sliding performance.
- **Extra Space 3rd basket:** additional top rack providing more loading space for small kitchen items.
- **AquaStop:** 100% lifetime warranty for water damages guaranteed.
- **Child lock on door:** prevents undesigned door opening during rinsing.

Maximum number of place settings (EU 2017/1369):	13
The water consumption of the eco programme in liters per cycle (EU 2017/1369):	10.4 l
Cleaning performance:	A
Water consumption:	10.4 l
Total annual energy consumption 220 days:	148 kWh
Total annual water consumption 220 days:	2288 l
Built-in / Free-standing:	Free-standing
Removable top:	Yes
Door panel options:	Not possible
Height with worktop:	30 mm
Height of the appliance:	845 mm
Adjustable feet:	Yes - all
Maximum adjustability feet:	20 mm
Adjustable plinth:	No
Net weight:	56.1 kg
Gross weight:	58.0 kg
Connection rating:	2400 W
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50; 60 Hz
Length electrical supply cord:	175.0 cm
Plug type:	GB plug
Length inlet hose:	165 cm
Length outlet hose:	190 cm
Hidden heating element:	Yes
Water protection system description:	Triple water protection 24h
Child safety devices:	Childlock appliance
Water softener:	Yes
Top basket type:	R4
Adjustable upper basket:	Rackmatic 2-stage
Bottom basket type:	R4
3rd Rack:	Extra Space 3rd basket
Optional accessories:	SGZ1010, SMZ2014, SMZ5001, SMZ5300
Included accessories 2:	no
Number of place settings:	13
Color / Material panel:	Stainless steel colour, lacqu.
Color / Material body:	Stainless steel, lacquered
Color / Material top:	Stainless steel colour, lacqu.
Dimensions of the product (HxWxD):	845 x 600 x 600 mm
Dimensions of the packed product (HxWxD):	880 x 660 x 670 mm



## **Series 8, free-standing dishwasher, 60 cm, silver inox SMS8ZDI48M**

**PerfectDry dishwashers provide best drying results with extra space for all your difficult to place items in an energy efficient way.**

1 The availability of the Home Connect functionality depends on the availability of the Home Connect Services in your country. Home Connect Services are not available in every country – for further information; please check: [www.home-connect.com](http://www.home-connect.com)

- SMS8ZDI48M
- 60 cm dishwasher

### **General Specification**

- Connectivity: Wi-Fi <sup>1</sup>
- Energy consumption in programme Eco 50: 0.675 kWh
- Capacity: 13 place settings
- Programme time in programme Eco 50: 235 min
- Noise level: 42 dB (re 1 pW) freestanding, can be built under
- Noise level (silence programme): 40 dB(A) re 1 pW

### **Programmes**

- Pre-Rinse
- 6 special options: Remote Start, Extra Dry, Half Load, BabyBottle+, SpeedPerfect+, Machine Care
- Machine Care
- Silence on Demand (via app)

### **Features**

- Zeolite Drying
- Heat exchanger.
- AquaSensor
- DosageAssist
- BLDC motor for heat and drain pump
- Detergent Automation
- Self-cleaning filter system with 3-fold corrugated filter
- Stainless steel

### **Baskets & Racks**

- Ball bearing on top basket
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- Variable cutlery basket in bottom basket
- 2 shelves in bottom basket
- Stemware support

### **Safety**


- Home Connect enabled via WLAN
- English
- Electronic delay timer: 1-24 hours
- Stainless steel Replasa-X3

### **Technical Information**

- AquaStop - Prevent Water Leakage
- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm
- Product dimensions -gross- (HxWxD): 88 x 66 x 67 cm
- Gross Weight: 58 kg

## Series 8, free-standing dishwasher, 60 cm, silver inox SMS8ZDI48M

measurements in mm



⏏ socket  
( ) values with extension kit