

**Series 8, free-standing dishwasher,
60 cm, silver inox
SMS8ZDI86M**



- SGZ1010 inlet and outlet hose extention
- SMZ2014 Rack insert for stemware dishwasher
- SMZ5001 Baby care kit
- SMZ5300 GlassSecure Tray

**Flexible loading and smart remote control
of your dishwasher via the Home Connect
app.**

- Remote control allows you to control your dishwasher via Home Connect App wherever and whenever you want.
- Remote monitoring enables you to track your dishwasher via Home Connect app wherever and whenever you want.
- Tab Counter enables you to track your remaining dishwasher tablets and notifies when they run low.
- Favourite programme: personalized function by just one touch.
- The right recommendation for the right job.

Maximum number of place settings (EU 2017/1369): 13
 The water consumption of the eco programme in liters per cycle (EU 2017/1369): 10.4 l
 Cleaning performance: A
 Water consumption: 10.4 l
 Total annual energy consumption 220 days: 141 kWh
 Total annual water consumption 220 days: 2288 l
 Built-in / Free-standing: Free-standing
 Removable top: Yes
 Door panel options: Not possible
 Height with worktop: 30 mm
 Height of the appliance: 845 mm
 Adjustable feet: Yes - all
 Maximum adjustability feet: 20 mm
 Adjustable plinth: No
 Net weight: 57.1 kg
 Gross weight: 59.0 kg
 Connection rating: 2400 W
 Fuse protection: 10 A
 Voltage: 220-240 V
 Frequency: 50; 60 Hz
 Length electrical supply cord: 175.0 cm
 Plug type: GB plug
 Length inlet hose: 165 cm
 Length outlet hose: 190 cm
 Hidden heating element: Yes
 Water protection system description: Triple water protection 24h
 Child safety devices: No
 Water softener: Yes
 Top basket type: R4
 Adjustable upper basket: Rackmatic 2-stage
 Bottom basket type: R4
 3rd Rack: Extra Space 3rd basket
 Optional accessories: SGZ1010, SMZ2014, SMZ5001, SMZ5300
 Number of place settings: 13
 Color / Material panel: Stainless steel colour, lacqu.
 Color / Material body: Stainless steel, lacquered
 Color / Material top: Stainless steel colour, lacqu.
 Dimensions of the product (HxWxD): 845 x 600 x 600 mm
 Dimensions of the packed product (HxWxD): 880 x 660 x 670 mm



Series 8, free-standing dishwasher, 60 cm, silver inox SMS8ZDI86M

Flexible loading and smart remote control of your dishwasher via the Home Connect app.

General Specification

- Connectivity: Wi-Fi ¹
- Energy consumption in programme Eco 50: 180 kWh per year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy consumption in programme Eco 50: 0.64 kWh
- Capacity: 13 place settings
- Programme time in programme Eco 50: 235 min
- Noise level: 42 dB (re 1 pW) freestanding, can be built under
- Noise level (silence programme): not available (A) re 1 pW

Programmes

- Special Program: MyFavourite
- 6 special options: Remote Start, BabyBottle+, Pretreatment, back, front, custom

Features

- Zeolite Drying
- AquaSensor
- DosageAssist
- BLDC motor for heat and drain pump
- Detergent Automation
- Self-cleaning filter system with 3-fold corrugated filter
- Stainless steel

Baskets & Racks

- Ball bearing on top basket
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- Variable cutlery basket in bottom basket
- Stemware support
- Home Connect enabled via WLAN
- English
- Electronic delay timer: 1-24 hours
- Stainless steel Replasa-X3

Safety

- AquaStop - Prevent Water Leakage


Technical Information

- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm
- Product dimensions -gross- (HxWxD): 88 x 66 x 67 cm
- Gross Weight: 59 kg

¹ The availability of the Home Connect functionality depends on the availability of the Home Connect Services in your country. Home Connect Services are not available in every country – for further information; please check: www.home-connect.com

**Series 8, free-standing dishwasher,
60 cm, silver inox
SMS8ZDI86M**

measurements in mm



⏏ socket
() values with extension kit