

iQ700, Built-in compact oven with steam function, 60 x 45 cm, Black CS958GCB1



AOVG9MF00S Mech. Child safety lock (Gap size: 4mm), HZ32WA00 Wireless food thermometer, HZ531010 Baking tray, non-stick ceramic coated, HZ532010 Universal pan, non-stick ceramic coated, HZ617000 Pizza pan, enamelled, HZ629070 Air Fry & Grill tray, HZ631070 Baking tray, enamelled, HZ632070 Multipurpose pan, enamelled, HZG0AS00 Connecting cable 3m, HZ638D00 Full ext rails, level independent, steam, HZ664000 Baking and roasting grid (steam), HZ66D52 2 steamcontainer(punched/unpunched)sizeM, HZ66X600 Decor list, HZ66X650 Cover Strip, HZ6BMA00 Assembly kit for vertical installation, HZ915003 Glass roasting dish, 5,4 L

The intelligent fullSteam Plus oven with Oven Assistant with Voice Control for intuitive programme setting and roastingSensor Plus for excellent results.

- ✓ fullSteam Plus with sous-vide – For healthy and great-tasting meals.
- ✓ Far less oven cleaning – ecoClean Plus.
- ✓ varioClip rails Plus – Flexible cooking, baking and steam cooking on every level.
- ✓ roastingSensor Plus – Perfect roasting results.
- ✓ cookControl Pro – Excellent results, whatever the recipe or circumstances.

Color / Material Front: ..... Black  
Built-in / Free-standing: ..... Built-in  
Door opening: ..... Drop down  
Cleaning : ..... ecoClean® self-cleaning function (rear, sides and ceiling), Hydrolytic  
Control Panel Material: .....Glass  
Door Material: .....Glass  
Dimensions (HxWxD): ..... 455x594x548 mm  
Dimensions of the packed product: ..... 540 x 650 x 690 mm  
Required niche size for installation (HxWxD): ..450-455 x 560-568 x 550 mm  
Cavity dimensions: ..... 235 x 480 x 415 mm  
Usable volume of cavity: ..... 47 l  
Number of interior lights: .....1  
Net weight: ..... 35.7 kg  
Gross weight: ..... 38.2 kg  
EAN code: .....4242003901519  
Power supply: ..... 3300 W  
Fuse protection: .....16 A  
Voltage: .....220-240 V  
Frequency: .....50; 60 Hz  
Length electrical supply cord: ..... 150.0 cm



4 242003 901519

## iQ700, Built-in compact oven with steam function, 60 x 45 cm, Black CS958GCB1

### Heating Functions

- Compact steam oven with 23 heating methods: 4D hotAir, Top/ bottom heating, Hot air grilling, Full width grill, Half width grill, Pizza setting, coolStart (deep-frozen food special), Bottom heating, Intensive heat, Low temperature cooking, Plate warming setting, Keep Warm, hotAir gentle, Conventional heat gentle, FullSteam, Reheating, Dough Proving, Defrost, sous-vide cooking, hotair grilling + steam, keep warm + steam, 4D hotAir + steam, Top/bottom heat + steam
- Temperature range 30 °C - 250 °C.

### Racks and Rails

- Number of shelf levels: 3
- varioClip rails Plus, full extension, with Stop function

### Design

- studioLine Black Steel Design
- studioLine Glass handle
- TFT-Touchdisplay Pro
- Touch control
- Cavity inner surface: enamel
- Cavity volume: 47 net usable litres

### Cleaning

- ecoClean: coating of ceiling, back panel, side liners
- humidClean Plus program - easy cleaning of a lightly soiled cooking cavity

### Convenience

- Temperature proposal, Residual heat indicator, Actual temperature display, Meat probe function
- There are different steam intensities selectable: steam level high, steam level middle, steam level low
- steamBoost - add for 3min intensive steam with a touch of a button.
- roastingSensor Plus multipoint meat probe
- cookControl Pro
- HomeConnect
- Oven Assistant with Voice Control
- coolStart - eliminates preheating for frozen foods
- Automatic rapid heat up
- Oven door with SoftOpen and SoftClose door
- Integrated cooling fan
- LED light
- Electronic clock and timer
- Water tank empty indicator
- Location of the steam generator is outside of the cavity

### Accessories

- 1 x steam container, punched, size XL, 1 x steam container, unpunched, size M, 1 x grid, 1 x sponge, 1 x universal pan, 1 x enamel baking tray, 1 x steam container, punched, size M

### Safety Features

- Child lock , Automatic safety switch-off function, Residual heat

indicator, Start button, Door contact switch

- Triple glazed door with heat reflective glass
- Full glass inner door

### Technical Information

- Length of mains cable: 150 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.3 KW


### Dimensions

- Appliance dimensions (HxWxD): 455 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 450 mm - 455 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing
- Energy efficiency rating (acc. EU Nr. 65/2014): A+(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.73 kWh
- Energy consumption per cycle in fan-forced convection mode:0.61 kWh
- Number of cavities: 1 Heat source: electrical Cavity volume:47 net usable litres




**iQ700, Built-in compact oven with steam function, 60 x 45 cm, Black CS958GCB1**

### Installing two appliances on top of each other


#### Air exchange



**A:** Air inlet  $\geq 200 \text{ cm}^2$



Installation with a hob.



If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm