


iQ500, Gas cooktop, 90 cm,
Stainless steel
EC9A5SB90A



HZ211310	Simmer cap
HZ298105	Simmer plate

Gas cooktop with stepFlame Technology for precise flame control in nine steps.

Product name/family: gas hob w
integrated controls
Built-in / Free-standing: Built-in
Source of energy: Gas
Total number of positions that can be used at the same time: 5
Type of control setting devices: Sword knobs
Required niche size for installation (HxWxD): 45 x 850-852 x
490-502 mm
Width of the appliance: 915 mm
Dimensions (HxWxD): 53x915x520 mm
Dimensions of the packed product: 165 x 1116 x 659 mm
Net weight: 18.1 kg
Gross weight: 20.3 kg
Residual heat indicator: without
Location of control panel: Front
Basic surface material: Stainless steel
Color of surface: Stainless steel
Length electrical supply cord: 100.0 cm
EAN code: 4242003741313
Gas connection rating: 12500 W
Fuse protection: 3 A
Voltage: 220-240 V
Frequency: 50; 60 Hz



iQ500, Gas cooktop, 90 cm, Stainless steel EC9A5SB90A

Design

- Stainless steel surface
- Enamelled cast-iron pan supports with non-scratch rubber feet

Comfort & Convenience

- StepFlame (9 steps)
- Sword control knobs
- One-hand ignition

Size & Power

- 5 Gas burners
- Dual flame wok burner
- 1 High-speed, 2 Standard, 1 Economy, 1 Dual Wok burner
- Left: Wok burner up to 19.5 MJ/h (depending on gas type)
- Center rear: Standard burner up to 6.85 MJ/h (depending on gas type)
- Center front: Economy burner up to 4 MJ/h (depending on gas type)
- Right rear: High-speed burner up to 11 MJ/h (depending on gas type)
- Right front: Standard burner 6.85 MJ/h (depending on gas type)

Safety and Environment

- Preset of natural gas (10mbar)
- Flame failure device fitted to each individual burner

Supplied Accessories

- Liquid gas nozzles (28-30/37mbar) included

Dimensions (WxD)

- 90 cm width
- Installation measurements: 850 mm x 490 mm
- Power cord length: 100 cm with plug

**iQ500, Gas cooktop, 90 cm,
Stainless steel
EC9A5SB90A**

