

**iQ700, Induction cooktop, 80 cm, Black EX875LEC1E**



Induction cooktop with innovative features that enable highly flexible cooking in any situation.

- ✓ powerMove Plus: enables intuitive control thanks to three heating zones with different temperatures – activated by touch.
- ✓ dual lightSlider: lets you easily and intuitively operate the cooktop.
- ✓ fryingSensor: maintains the desired pan temperature automatically after heating up to avoid scorching.
- ✓ Innovative induction technology makes cooking faster, cleaner and safer.
- ✓ Shorter heating times with up to 50% more power thanks to the powerBoost-function.

**Features**

**Technical Data**

Product name/family : Cooking zone ceramic  
 Construction type : Built-in  
 Energy input : Electric  
 Total number of positions that can be used at the same time : 4  
 Required niche size for installation (HxWxD) : 51 x 750-780 x 490-500  
 Width of the product (mm) : 812  
 Dimensions of the product (mm) : 51 x 812 x 520  
 Dimensions of the packed product (HxWxD) (mm) : 126 x 953 x 603  
 Net weight (kg) : 16.143  
 Gross weight (kg) : 18.0  
 Residual heat indicator : Separate  
 Location of control panel : Hob front  
 Basic surface material : Ceramic  
 Color of surface : Alu, brushed, Black  
 Color of frame : Alu, brushed  
 Approval certificates : AENOR, CE  
 Length electrical supply cord (cm) : 110  
 EAN code : 4242003692271  
 Electrical connection rating (W) : 7400  
 Voltage (V) : 220-240  
 Frequency (Hz) : 60; 50



**Included accessories**

1 x adjustment strip 750 - 780 mm

**Optional accessories**

HZ390522 Griddle Plate  
 HZ390512 Teppan Yaki (large)  
 HZ390511 Teppan Yaki (small)  
 HZ390090 Wok Set consisting of 3 Items

## iQ700, Induction cooktop, 80 cm, Black EX875LEC1E

### Features

#### Cooktop Type and Special Features

- 4 induction cooking zones
- flexInduction zone
- powerBoost function for all cooking zones
- panBoost
- fryingSensor Plus with 5 temperature settings

#### Design

- Black ceramic glass with stainless steel side profiles and beveled front
- Can be combined with Domino cooktops

#### Comfort & Convenience

- Dual LightSlider
- LED display and timer with auto switch off for all cooking zones, LED display and timer with auto switch off, count-up timer, per cooktop
- QuickStart - Quick and automatic first pot detection
- ReStart - Quickly reinstates previous settings
- powerMove Plus
- Size & Power
- 17 power levels for each cooking zone
- Cooking zones: 1 x Ø 400 mmx240 mm, 3.3 KW (max. Power level 3.7 KW) Induction or 2 x Ø 200 mm, 2.2 KW (max. Powerlevel 3.7 KW) Induction; 1 x Ø 280 mm, 2.6 KW (max. Power level 3.7 KW) Induction; 1 x Ø 145 mm, 1.4 KW (max. Power level 2.2 KW) Induction
- 7.4 kW total connected load

#### Safety and Environment

- Automatic pan recognition
- powerManagement Function
- Automatic safety switch-off
- childproof lock
- wipeProtection function
- 2-stage (h/H) digital residual heat indicator
- Energy efficiency display

#### Dimensions (WxD)

- Appliance dimensions: (W x D) 812 mm x 520 mm
- Installation dimensions: (H x W x D) 51 mm x 750 mm x 490 mm
- Min. worktop thickness: 30 mm
- Length wire connection: 110 cm

## iQ700, Induction cooktop, 80 cm, Black EX875LEC1E

### Dimensioned drawings

