

**Series 6, Freestanding induction
cooker, Stainless steel
HLS79R351A**



**The freestanding cooker with induction
cooktop and AutoPilot: automatically
prepares perfect dishes.**

- **Induction:** fast, precise cooking, easy cleaning and low energy consumption.
- **CombiZone:** More flexibility by combining two cooking zones, for roasters and the like.
- **AutoPilot 30:** every dish is a perfect success thanks to 30 pre-set automatic programmes.
- **White LCD display control:** easy-to-use thanks to direct access to additional functions, temperature recommendation and temperature indication.
- **Pop-out controls:** Make the front of the oven easy to clean and give it a sleek look.

Built-in / Free-standing: Free-standing
 Color / Material Front: Stainless steel
 Dimensions (HxWxD):850-865x600x600 mm
 Length electrical supply cord: 150.0 cm
 Net weight: 63.3 kg
 Gross weight: 68.0 kg
 EAN code: 4242005336357
 Number of cavities (2010/30/EC): 1
 Usable volume of cavity: 63 l
 Energy efficiency rating:A
 Energy consumption per cycle conventional (2010/30/EC):0.93 kWh/cycle
 Energy consumption per cycle forced air convection (2010/30/EC):77 kWh/cycle
 Energy efficiency index (2010/30/EC): 95.1 %
 Connection rating: 7850 W
 Voltage: 220-240 V
 Frequency: 50; 60 Hz
 Plug type:no plug

- HEZ317000 Pizza pan, enamelled
- HEZ327000 Pizza stone
- HEZ333001 Lid for professional pan
- HEZ333073 Professional pan, suit. pyrolytic clean.
- HEZ431002 Baking tray, enamelled
- HEZ438001 1 level telescopic shelf rails
- HEZ438201 2 level telescopic shelf rails
- HEZ438301 3 level telescopic shelf rails
- HEZ625071 Grill tray, anthracite
- HEZ864000 Glass tray
- HEZ915003 Glass roasting dish, 5,4 L



Series 6, Freestanding induction cooker, Stainless steel HLS79R351A

The freestanding cooker with induction cooktop and AutoPilot: automatically prepares perfect dishes.

Cooktop:

- 4 induction zones
- Front left: Cooking zone front left: Standard cooking zone - 180 mm - 1.8 KW
- Rear left: Cooking zone rear left: Standard cooking zone - 180 mm - 1.8 kW
- Rear right: Cooking zone rear right: Standard cooking zone - 145 mm - 1.4 KW
- Front right: Standard zone - 210 mm - 2.2 kW
- Bridgeable CombiZones
- 30 automatic programs
- Electronic TouchSelect +/- controls
- Supplied Accessories: enamel baking tray, grid, grill tray, universal pan
- COOKTOP
- QuickStart: Quick and automatic first pot detection
- ReStart - Quickly reinstates previous settings
- All
- OVEN
- Childproof lock
- Oven door with SoftClose, Drop down door

Heating Functions

- Induction free-standing cooker with 8 heating methods:
- Hotair gentle, 3D Hotair, Top/bottom heating, Pizza setting, Slow cooking, Bottom heating, Hot air grilling, Grill - large area
- Temperature range 30 °C - 300 °C
- Cavity volume: 63 l

Racks and Rails

- Removable wire shelf support rails

Design

- Supplied Accessories: enamel baking tray, grid, grill tray, universal pan

Cleaning

- Pyrolytic self-cleaning function
- Cleaning Assistance - cleaning option for light soiling

Convenience

- LCD-display control (white), Electronic Control
- Electronic clock/timer with LED display
- AutoPilot, 30 automatic programs
- Automatic rapid heat function
- Height adjustable legs by 15 mm
- Oven door with SoftClose, Drop down door
- Standard drawer for kitchen utensils

Accessories

- 1 x enamel baking tray, 2 x grid, 2 x grill tray, 1 x universal pan

Safety Features

- Electronic door lock, Mechanical safety locking device, Child lock, Automatic safety switch off function
- Maximum door temperature 30° C


Technical Information

- Length of mains cable: 150 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 7.85 KW

Dimensions

- Appliance dimensions (HxWxD): 850 mm x 600 mm x 600 mm


**Series 6, Freestanding induction
cooker, Stainless steel
HLS79R351A**



* Base can be dismantled

measurements in mm

measurements in mm



Socket