

iQ700, Built-in oven with added steam function, 60 x 60 cm, Black HR876G8B6A



HZ327000 Baking stone, HZ531010 Baking tray, non-stick ceramic coated, HZ532010 Universal pan, non-stick ceramic coated, HZ617000 Pizza pan, enamelled, HZ625071 Grill tray, enamelled, HZ631070 Baking tray, enamelled, HZ632070 Multipurpose pan, enamelled, HZ633001 Lid for professional pan, enamelled, HZ633070 Professional pan, enamelled, HZ634000 Baking and roasting grid (standard), HZ636000 Glass pan, HZ664000 Baking and roasting grid (steam), HZ66X650 Cover Strip, HZ6BMA00 Assembly kit for vertical installation, HZ915003 Glass roasting dish, 5,4 L

Shorten your cooking time thanks to fast preheat, coolStart and activeClean®. And remote your oven from anywhere with Home Connect.

- ✓ pulseSteam: for crispy crusts and juicy roasts.
- ✓ activeClean® (pyrolytic cleaning) – The automatic, self-cleaning oven system.
- ✓ cookControl Plus – Select your dish, enter the weight and let your oven do the rest.
- ✓ roastingSensor Plus – Three-point thermometer for excellent roasts every time.
- ✓ Wi-Fi enabled – Control your oven via the Home Connect App.

Color / Material Front:	Black
Built-in / Free-standing:	Built-in
Door opening:	Drop down
Cleaning :	Pyrolytic+Hydrolytic
Control Panel Material:	Glass
Door Material:	Glass
Dimensions (HxWxD):	595 x 594 x 548 mm
Dimensions of the packed product:	675 x 660 x 690 mm
Min. required niche size for installation (HxWxD):	585-595 x 560-568 x 550 mm
Cavity dimensions:	357 x 480 x 415 mm
Usable volume of cavity:	71 l
Number of interior lights:	1
Net weight:	44.3 kg
Gross weight:	46.7 kg
EAN code:	4242003839249
Power supply:	3600 W
Fuse protection:	16 A
Voltage:	220-240 V
Frequency:	50; 60 Hz
Length electrical supply cord:	120.0 cm



iQ700, Built-in oven with added steam function, 60 x 60 cm, Black HR876G8B6A

Heating Functions

- Additional heating methods with steam: Reheating, Dough Proving
- Temperature range 30 °C - 300 °C
- Cavity volume: 71 net usable litres

Hook-in racks / rails

- Number of shelf levels: 5
- 3 level telescopic shelf rails, pyrolytic proof, full extension, with safety stop function

Design

- studioLine Black Steel Design
- Rotary Control
- Cavity inner surface: enamel

Cleaning

- activeClean® – automatic pyrolytic self-cleaning function with automatic safety door lock
- Full glass inner door

Convenience

- 3.7" TFT TouchDisplay
- Electronic clock and timer
- Temperature proposal, Residual heat indicator, Actual temperature display, Meat probe function
- Additional functions: Descaling program
- drying function
- Drop down door
- cookControl Pro (Meals)
- roastingSensor with three measuring points
- Automatic rapid heat up
- coolStart - eliminates preheating for frozen foods
- LED light
- Water tank empty indicator
- Location of the steam generator is outside of the cavity
- Integrated cooling fan
- HomeConnect

Accessories

- 1 x grill tray, suit. pyrol. clean., 2 x combination grid, 1 x universal pan

Safety and Environment

- Maximum door temperature 30° C
- Quadruple glazed door with heat reflective glass
- Low door temperature during pyrolytic cleaning
- Automatic door lock during pyrolysis, Child lock , Automatic safety switch-off function, Residual heat indicator, Start button, Door contact switch

Technical Info


- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V

- Total connected load electric: 3.6 KW

Dimensions

- Appliance dimensions (HxWxD): 595 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing

iQ700, Built-in oven with added steam function, 60 x 60 cm, Black
HR876G8B6A



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm

