


iQ300, Integrated rangehood, 75 cm,
Silver metallic
LB75564



Features

Technical Data

Typology : Traditional
Approval certificates : Australia Standards, CE, VDE
Length electrical supply cord (cm) : 130
Required niche size for installation (HxWxD) : 255mm x 700mm x 350mm
Minimum distance above an electric hob : 650
Minimum distance above a gas hob : 650
Net weight (kg) : 9.214
Type of control : mechanical
Maximum output air extraction (m3/h) : 390
Boost position output recirculating (m3/h) : 430
Maximum output recirculating air (m3/h) : 320
Boost position air extraction (m3/h) : 640
Number of lights : 2
Noise level (dB) : 59
Diameter of air outlet (mm) : 120 / 150
Grease filter material : Washable aluminium
EAN code : 4242003271865
Connection Rating (W) : 240
Current (A) : 10
Voltage (V) : 220-240
Frequency (Hz) : 50
Plug type : GARDY plug w/ earthing
Installation typology : Built-in

Optional accessories

LZ73050 Standard odor filter



iQ300, Integrated rangehood, 75 cm,
Silver metallic
LB75564

Features

Power and Mode of Operation

- 640 m³/h max. extraction rate (150 mm ducted)
- Ducted or recirculating operation

Comfort

- Powerful twin motor
- 3 power levels plus intensive setting
- 2 dishwasher-safe metal grease filters


Design

- Metallic silver
- Halogen lights


Safety and Environment

**iQ300, Integrated rangehood, 75 cm,
Silver metallic
LB75564**


Dimensioned drawings



measurements in mm



measurements in mm



measurements in mm