


**Series 6, Gas cooktop, 90 cm,
Stainless steel
PCR9A5B90A**



HEZ211310 Simmer cap
HEZ298105 Simmer plate

**The stainless-steel gas cooktop with
FlameSelect: achieve perfect cooking
results thanks to nine precisely defined
power levels.**

- Low profile stainless steel cooking surface is easily accessible and quick to clean.
- Tilt & Stay legs for easy cleaning of cooktop - 1st in India

Product name/family: gas hob w integrated controls
 Built-in / Free-standing: Built-in
 Energy input: Gas
 Total number of positions that can be used at the same time: 5
 Type of control setting devices: Sword knobs
 Required niche size for installation (HxWxD): 45 x 850-852 x 490-502 mm
 Width of the appliance: 915 mm
 Dimensions (HxWxD): 53x915x520 mm
 Dimensions of the packed product (HxWxD): ... 165 x 1116 x 659 mm
 Net weight: 16.4 kg
 Gross weight: 19.1 kg
 Residual heat indicator: without
 Location of control panel: Front
 Basic surface material: Stainless steel
 Color of surface: Stainless steel
 Length electrical supply cord: 100.0 cm
 EAN code: 4242002914527
 Gas connection rating: 12500 W
 Fuse protection: 3 A
 Voltage: 220-240 V
 Frequency: 50; 60 Hz



Series 6, Gas cooktop, 90 cm, Stainless steel PCR9A5B90A

**The stainless-steel gas cooktop with
FlameSelect: achieve perfect cooking
results thanks to nine precisely defined
power levels.**

Design

- Stainless steel
- Enamelled cast-iron trivets with rubber feet

Comfort & Convenience

- FlameSelect (9 steps)
- Sword control knobs
- One-hand electronic ignition via controls

Size & Power

- 5 Gas burners
- Dual flame wok burner
- 1 High-speed, 2 Standard, 1 Economy, 1 Dual Wok Burner
- Left rear: Standard burner up to 6.5 Mj/h (depending on gas type)
- Right rear: High-speed burner up to 11 Mj/h (depending on gas type)
- Center front: Dual flame wok burner up to 19.5 Mj/h (depending on gas type)
- Left front: Economy burner 4 Mj/h (depending on gas type)
- Right front: Standard burner 6.85 Mj/h (depending on gas type)

Safety and Environment

- Flame failure device fitted to each individual burner
- Preset of natural gas (10mbar)
- Preset of natural gas (10mbar)

Dimensions (WxD)

- Appliance dimensions: (W x D) 915 mm x 520 mm
- Installation dimensions: (H x W x D) 45 mm x 850 mm x 490 mm
- Power cord length 100 cm with plug

Supplied Accessories

- Liquid gas nozzles (28-30/37mbar) included

**Series 6, Gas cooktop, 90 cm,
Stainless steel
PCR9A5B90A**

