



N 70, HEADER2.Gas\_Hob, 60 cm, Stainless steel  
T26DS59N0A



COOKING PASSION SINCE 1877



The gas cooktop with a stainless-steel surface design and incrementally adjustable FlameSelect.

- ✓ FlameSelect® – Step-by-step power settings from 1-9.
- ✓ FlameSelect: 9 levels of precisely controlled flame height. Simply note which number you use and the result will be the same everytime.

#### Features

##### Technical Data

Product name/family : gas hob w integrated controls  
Construction type : Built-in  
Energy input : Gas  
Total number of positions that can be used at the same time : 4  
Type of control setting devices : Sword knobs  
Required niche size for installation (HxWxD) : 45 x 560-562 x 480-492 mm  
Width of the appliance : 582 mm  
Dimensions (HxWxD) : 45 x 582 x 520 mm  
Dimensions of the packed product (HxWxD) : 141 x 651 x 578 mm  
Net weight : 12.113 kg  
Gross weight : 13.0 kg  
Residual heat indicator : without  
Location of control panel : Hob front  
Basic surface material : Stainless steel  
Color of surface : Stainless steel, Stainless steel  
Color of frame : Stainless steel, Stainless steel  
Approval certificates : Australia Standards, Australia Standards  
Length electrical supply cord : 100 cm  
EAN code : 4242004218159  
Electrical connection rating : 1 W  
Gas connection rating : 8000 W  
Fuse protection : 3 A  
Voltage : 220-240 V  
Frequency : 60; 50 Hz



4 242004 218159

N 70, HEADER2.Gas\_Hob, 60 cm, Stainless steel  
T26DS59NOA



COOKING PASSION SINCE 1877

## Features

### Design

- Black Stainless steel

### Comfort & Convenience

- FlameSelect (9 steps)
- sword knobs
- One-hand ignition
- Enamelled cast iron pan supports on non-scratch rubber feet

### Size & Power

- 4 Gas burners
- 2 Standard, 1 Economy, 1 Wok burner
- Left rear: Standard burner up to 6.85 MJ/h (depending on gas type)
- Right rear: Wok burner 13.6 MJ/h
- Left front: Standard burner 6.85 MJ/h (depending on gas type)
- Right front: Economy burner 4 MJ/h

### Safety and Environment

- Flame failure device fitted to each individual burner
- Preset to natural gas (10mbar)

### Dimensions (WxD)

- 60 cm width
- Installation measurements: 560 mm x 480 mm
- Power cord length: 100 cm with plug

### Supplied Accessories

- Liquid gas nozzles (28-30/37mbar) included

N 70, HEADER2.Gas\_Hob, 60 cm, Stainless steel  
T26DS59N0A

Dimensioned drawings

