

# N 90, GAS COOKTOP, 90 CM, TEMPERED GLASS, BLACK T29RHS4S0A



# The gas cooktop with precise flame control, an easy-to-clean surface and smart cook-2-hood interaction.

- $\sqrt{\rm FlameSelect^{\circledast}}:$  Gain precise control of your flame.
- $\checkmark$  Touch Control Display: Set a timer or control your rangehood.
- $\sqrt{}$  Cook-2-Hood Control: Convenient hood operation via your cooktop.
- $\checkmark$  Illuminated Metallic Sword Knobs: Bright, precise and removable for easy cleaning.
- $\checkmark\,$  Cast Iron Pan Supports: Maximum stability, easy handling, and dishwasher cleaning.

71265140/0	
Z1365WX0	
Z2402X0	
Z2471X0	
Z2480X0	
Z9404SE0	
Z9406SE0	

Wireless food thermometer Small pot support Wok ring Simmer plate 4 pieces Set 6 pieces Set

Product name/family: integrated controls	gas hob w
Built-in / Free-standing:	Built-in
Energy input:	Gas
Total number of positions that can be used at th	e same time: 5
Required niche size for installation (HxWxD): 490-500 mm	45 x 850-850 x
Width of the appliance:	915 mm
Dimensions (HxWxD):	54x915x520 mm
Dimensions of the packed product (HxWxD):	. 168 x 1116 x 659
mm	
Net weight:	23.1 kg
Gross weight:	27.1 kg
Residual heat indicator:	separate
Location of control panel:	Front
Basic surface material:	Tempered Glass
Color of surface:	Black
Color of frame:	Black
Length electrical supply cord:	100.0 cm
EAN code:	4242004284680
Gas connection rating:	13700 W
Fuse protection:	3 A
Voltage:	220-240 V
Frequency:	50; 60 Hz





# N 90, GAS COOKTOP, 90 CM, TEMPERED GLASS, BLACK T29RHS4S0A

#### Design

- Black Tempered Glass surface
- Individual cast iron pan supports
- Illuminated Metal control dials

#### Usage convenience

- FlameSelect (9 steps): precisely adjust the flame in nine defined and consistent levels.
- Digital display: see the selected power level and the residual heat.
- Sword control knobs, front: easily access knobs in front with strong grip for effortless turning.
- One-hand ignition: just push and turn the knob to ignite the flame.
- Count-down timer: an alarm sounds at the end of the time set (e.g. for pasta).
- Burners and power

## • 5 Gas burners

- Including Dual flame wok burner: use an extra wide power range, separately controlling two flame rings.
- Left: Wok burner up to 19.5 Mj/h (depending on gas type)
- $\bullet$  Center front: Standard burner up to 6.85 Mj/h (depending on gas type)
- $\bullet$  Center rear: Standard burner up to 6.85 Mj/h (depending on gas type)
- Right rear: High-speed burner up to 11  $\mathrm{Mj/h}$  (depending on gas type)
- $\bullet$  Right front: Economy burner up to 3.8 Mj/h (depending on gas type)

# Cleaning

- Removable control dials for easy cleaning between knobs.
- Dishwasher suitable pan supports for easy cleaning.
- Individual cast iron pan supports : lighter weight and compact in form, yet highly stable due to the continuous surface.

#### Safety

- Flame failure device fitted to each individual burner: prevents unwanted gas flow when flame goes out.
- Residual heat indicator for each burner: indicates which burner parts and pan supports are still hot.

### Connectivity

- Home Connect: check if the cooktop is switched off even when not at home and find additional functions in the Home Connect app.
- Cooktop-based rangehood control (with matching rangehood) : automatically activates the rangehood when cooking, thanks to the WiFi connection of cooktop and suitable hood.
- Sound volume of Touch control adaptable to personal preference and needs (via app).

## Installation (gas types & measurements)

- Preset of natural gas (10mbar)
- Nozzle set for Liquid gas nozzles (28-30/37mbar) included.
- Dimensions of the product (HxWxD mm):  $54 \times 915 \times 520$
- Required niche size for installation (HxWxD mm) : 45 x 850 x (490 -

# 500)

- Min. worktop thickness: 20 mm
- Power cord 1 m cable with plug



N 90, GAS COOKTOP, 90 CM, TEMPERED GLASS, BLACK T29RHS4S0A

