

## Series 4, semi-integrated dishwasher, 60 cm, Stainless steel SMI50D05TR



SGZ0BI02	decorative strips stainless steel 81,5cm
SGZ1010	inlet and outlet hose extention
SMZ1051EU	Mains cable with EU-Plug 5m
SMZ2014	Rack insert for stemware dishwasher
SMZ2044	Plinth casing and door, stainless steel
SMZ5000	Dishwashing aid set
SMZ5002	Silver polishing cassette
SMZ5003	Retractable hinge f. high corpus dimens.
SMZ5025	Decor conversion kit, stainless steel

## The ActiveWater 60 with height-adjustable top rack: Gives you extra space for large and bulky items.

- **Rackmatic:** top basket adjustable on three levels offers additional space, especially for tall dishes.
- **7-Segment Display:** indicates remaining time and standard info, such as re-fill status.
- **Multiple water protection:** for optimum security against flooding.
- **EcoSilence Drive:** especially energy-saving and silent in operation with a particularly high life span.
- **10 years warranty:** our promise against rust-through.

Maximum number of place settings (EU 2017/1369):	12
The water consumption of the eco programme in liters per cycle (EU 2017/1369):	14.0 l
Cleaning performance:	A
Water consumption:	14.0 l
Total annual energy consumption 220 days:	224 kWh
Total annual water consumption 220 days:	3080 l
Built-in / Free-standing:	Built-in
Removable top:	No
Door panel options:	Not possible
Height of removable worktop:	0 mm
Height of the appliance:	815 mm
Adjustable feet:	Yes - all from front
Maximum adjustability feet:	60 mm
Adjustable plinth:	Both horizontal and vertical
Net weight:	31.0 kg
Gross weight:	32.8 kg
Connection rating:	2400 W
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	60; 50 Hz
Length electrical supply cord:	175.0 cm
Plug type:	Gardy plug w/ earthing
Length inlet hose:	150 cm
Length outlet hose:	190 cm
Hidden heating element:	Yes
Water softener:	Yes
Top basket type:	low
Adjustable upper basket:	Rackmatic 3-stage
Bottom basket type:	low
3rd Rack:	None
Optional accessories:	. SGZ0BI02, SGZ1010, SMZ1051EU, SMZ2014, SMZ2044, SMZ5000, SMZ5002, SMZ5003, SMZ5025
Included accessories 2:	steam protection
Number of place settings:	12
Color / Material panel:	Stainless steel colour, lacqu.
Color / Material body:	Lacquered
Dimensions of the product (HxWxD):	815 x 598 x 573 mm
Dimensions of the packed product (HxWxD):	860 x 640 x 670 mm



4 242002 953465

## **Series 4, semi-integrated dishwasher, 60 cm, Stainless steel SMI50D05TR**

**The ActiveWater 60 with height-adjustable  
top rack: Gives you extra space for large  
and bulky items.**

- Vario basket system
- silver/dark grey
- Rackmatic height-adjustable top basket (3 stage)
- 2 foldable plate racks in bottom basket
- Cutlery basket in bottom basket
- 2 adjustable cup shelves in top basket
- Multiple water protection
- Maximum inlet water temperature: 25°C

- SMI50D05TR »Silence«
- ActiveWater 60 cm dishwasher
- Integrated - Stainless steel

### **General Specification**

- Capacity: 12 place settings
- Energy consumption in programme Eco 50 °C: 290 kWh per year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy consumption in programme Eco 50 °C: 1.02 kWh
- Water consumption in programme Eco 50 °C: 3920 litres per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.
- The information relates to the programme Eco 50 °C. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50 °C: 210 min
- Noise level: 52 dB(A) re 1 pW
- Integrated
- Servo-lock
- Glass protection technology
- Front-adjustable rear foot
- incl. Steam protection plate
- Product dimensions (HxWxD): 81.5 x 59.8 x 57.3 cm

### **Programmes**

- 5 programmes:
- Intensive 70 °C, Quick wash 65 °C, Eco 50 °C, Quick wash 45 °C, Pre-Rinse
- 1 special option: Half Load

### **Features**

- 4 cleaning temperatures
- ActiveWater hydraulic system
- DosageAssist
- BLDC Motor
- Detergent Automation
- Regenerative electronics
- Self-cleaning filter system with 3-fold corrugated filter
- Interior tub material: Stainless Steel/Polinox


### **Baskets and Racks**

- Remaining programme time indicator (min)
- Colour of indicators: red
- LED salt refill indicator
- LED rinse aid refill indicator
- Programme selector with integrated start button

### **Safety**

**Series 4, semi-integrated  
dishwasher, 60 cm, Stainless steel  
SMI50D05TR**

measurements in mm



⌘ socket  
 ( ) values with extension kit

