

## iQ500, Built-in warming drawer, 60 x 14 cm, Black BI510CNR0B



### Included accessories

1 x Anti-slip mat

The warming drawer is perfect for preheating crockery and for keeping foods warm.

- ✓ push&pull – No-handle drawer that's easy to open and close.
- ✓ The warming drawer admits a stepless regulation from 30°-80°C.
- ✓ The 14 cm high drawer is ideally combined with a 45 cm compact appliance.

### Features

#### Technical Data

Construction type : Built-in  
 Color / Material Front : Black  
 Maximum number of plates : 14  
 Maximum number of espresso cups : 64  
 Dimensions of the packed product (HxWxD) : 210 x 660 x 660 mm  
 Required niche size for installation (HxWxD) : 140 x 560 x 550 mm  
 EAN code : 4242003803868  
 Electrical connection rating : 400 W  
 Fuse protection : 6 A  
 Voltage : 220-240 V  
 Frequency : 60; 50 Hz  
 Plug type : GB plug



4 242003 803868

**iQ500, Built-in warming drawer, 60 x  
14 cm, Black  
BI510CNR0B**

#### Features

##### Design

- Can accommodate up to:
  - -14plates
  - -64 espresso cups
- Cavity inner surface: stainless steel
- Stainless steel control dial
- Handleless push-pull opening mechanism

##### Programmes/functions

- 4 Functions: keeping drinks and food warm, pre-warming of tableware, yeast dough proving, thawing of delicate foods

##### Accessories


- 1 x Anti-slip mat

##### Performance/technical information

- Cavity volume: 23 l
- Loading up to 15 kg
- Nominal voltage: 220 - 240 V
- Power cord length 150 cm Cable length
- Total connected load electric: 0.4 KW
- Appliance dimension (hxwxd): 140 mm x 594 mm x 540 mm
- Niche dimension (hxwxd): 140 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual


**iQ500, Built-in warming drawer, 60 x 14 cm, Black  
BI510CNR0B**

Dimensioned drawings



Compact ovens with an appliance height of 455 mm can be installed above a warming drawer. An intermediate floor is not required.

measurements in mm



measurements in mm