

## iQ500, Built-in warming drawer, 60 x 14 cm, Black BI510CNR0B



The warming drawer is perfect for preheating crockery and for keeping foods warm.

- ✓ push&pull – No-handle drawer that's easy to open and close.
- ✓ The multifunctional warming drawer admits a regulation from 30°-80°C.
- ✓ The 14 cm high accessory drawer is ideally combined with a 45 cm compact appliance.

Built-in / Free-standing: ..... Built-in  
Maximum number of espresso cups: ..... 64  
Dimensions: ..... 140x594x540 mm  
Dimensions of the packed product (HxWxD): ... 210 x 660 x 660 mm  
Min. required niche size for installation (HxWxD): .. 140 x 560 x 550 mm  
EAN code: .....4242003803868  
Fuse protection: .....6 A  
Nominal power: ..... 220-240 V  
Frequency: .....60; 50 Hz  
Plug type: ..... GB plug  
Included accessories: ..... 1 x Anti-slip mat



## iQ500, Built-in warming drawer, 60 x 14 cm, Black BI510CNR0B

### Design

- Can accommodate up to:
  - -14plates
  - -64 espresso cups
- Cavity inner surface: stainless steel
- Stainless steel control dial
- Handleless push-pull opening mechanism

### Programmes/functions

- 4 Functions: keeping drinks and food warm, pre-warming of tableware, yeast dough proving, thawing of delicate foods


### Accessories

- 1 x Anti-slip mat

### Performance/technical information


- Cavity volume: 23 l
- Loading up to 15 kg
- Nominal voltage: 220 - 240 V
- Power cord length 150 cm Cable length
- Total connected load electric: 0.4 KW
- Appliance dimension (hxwxd): 140 mm x 594 mm x 540 mm
- Niche dimension (hxwxd): 140 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

**iQ500, Built-in warming drawer,  
60 x 14 cm, Black  
BI510CNR0B**



Compact ovens with an appliance height of 455 mm can be installed above a warming drawer. An intermediate floor is not required.

measurements in mm



measurements in mm