

**iQ700, Built-in warming drawer,  
60 x 14 cm, Black  
BI710C1B1B**



The intelligent touchControl multifunctional warming drawer with Home Connect for control at any time from anywhere.

- ✓ push&pull – No-handle drawer that’s easy to open and close.
- ✓ The 14 cm high accessory drawer is ideally combined with a 45 cm compact appliance.
- ✓ The heated sheet admits a regulation in four temperature levels from 30°-80°C glass surface temperature
- ✓ Home Connect – Control the multifunctional warming drawer at any time from wherever you want.
- ✓ Keep warm: for keeping cooked dishes warm.

**Features**

**Technical Data**

Built-in / Free-standing: ..... Built-in  
 Capacity (in number of plates): ..... 12  
 Maximum number of espresso cups: ..... 64  
 Dimensions: ..... 140 x 594 x 518 mm  
 Dimensions of the packed product (HxWxD): ... 260 x 650 x 700 mm  
 Min. required niche size for installation (HxWxD): .. 140 x 560 x 550 mm  
 EAN code: .....4242003900352  
 Fuse protection: .....10 A  
 Nominal power: .....220-240 V  
 Frequency: .....50; 60 Hz  
 Plug type: ..... GB plug



**iQ700, Built-in warming drawer,  
60 x 14 cm, Black  
BI710C1B1B**

Features

**Design**

**Programmes/functions**

- Touch Control illuminated
- User-friendly electronics: extremely easy and comfortable operation
- Easy to clean toughened glass heating plate
- Cavity volume: 20 l
- Loading up to 25 kg
- Can accommodate up to:
  - -12 plates
  - -64 espresso cups
- Handleless push-pull opening mechanism

**Technical information**

- Total connected load electric: 0.82 KW
- Nominal voltage: 220 - 240 V

**Performance/technical information**

- Appliance dimension (hxwxd): 140 mm x 594 mm x 518 mm
- Niche dimension (hxwxd): 140 mm x 560 mm - 568 mm x 550 mm
- In case of installation under the worktop, installation accessory spare part no. 9001698838 is needed.
- Please refer to the dimensions provided in the installation manual
- Multifunctional warming drawer with the heating functions: low temperature cooking, plate warming, plate warming, cup warming
- Temperature control in 4 levels: ca. 30°C - 80°C (glass surface temperature)
- Touch key operation

**iQ700, Built-in warming drawer,  
60 x 14 cm, Black  
BI710C1B1B**

Dimensioned drawings

Measurements in mm



**A: 7.5 mm**

Compact ovens with appliance height of 455 mm can be installed above the warming drawer without an intermediate floor

Measurements in mm

