

## Series 6, Built-in warming drawer, 60 x 14 cm, Black BIC510NB0



### Included accessories

1 x anti-slip mat

## Optional accessories

HEZG9AS00S Adapter

# The multifunction warming drawer for the 14 cm niche: for pre-heating plates and keeping food warm.

• **Push-pull mechanism**: easy opening and closing thanks to a clever spring mechanism.

## **Technical Data**

Built-in / Free-standing:	Built-in
Maximum number of espresso cups:	64
Dimensions:	140x594x540 mm
Dimensions of the packed product (HxWxD):	210 x 660 x 660 mm
Required niche size for installation (HxWxD):	140 x 560 x 550 mm
EAN code:	4242005035403
Fuse protection:	6 A
Voltage:	220-240 V
Frequency:	60; 50 Hz
Plug type:	. Gardy plug w/ earthing
Included accessories:	1 x anti-slip mat





## Series 6, Built-in warming drawer, 60 x 14 cm, Black BIC510NB0

## The multifunction warming drawer for the 14 cm niche: for pre-heating plates and keeping food warm.

#### Design

- Cavity inner surface: stainless steel
- Rotary dial
- User-friendly electronics: extremely
- easy and comfortable operation
- Push-pull opening mechanism

### Programmes/functions

- 4 Functions: keeping drinks and food warm, pre-warming of tableware, yeast dough proving, thawing of delicate foods
- Can accommodate up to:
- -14plates
- -64 espresso cups
- Loading up to 15 kg

#### Accessories

- 1 x anti-slip mat

#### **Technical information**


- Cavity volume: 23 l
- Power cord length 150 cm Cable length
- Total connected load electric: 0.4 KW
- Nominal voltage: 220 240 V

## Performance/technical information

- Appliance dimension (hxwxd): 140 mm x 594 mm x 540 mm
- Niche dimension (hxwxd): 140 mm x 560 mm 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual  $% \left( 1\right) =\left( 1\right) \left( 1\right$



## Series 6, Built-in warming drawer, 60 x 14 cm, Black BIC510NB0



Compact ovens with an appliance height of 455 mm can be installed above a warming drawer.
An intermediate floor is not required.

measurements in mm

