# iQ700, Built-in compact oven with microwave function, 60 x 45 cm, Black CM736G1B1B









### Included accessories

1 x combination grid, 1 x universal pan

#### Optional accessories

HZ66X650 Cover Strip, HZ915003 Glass roasting dish, 5,4 L, HZ531010 Baking tray, non-stick ceramic coated, HZ532010 Universal pan, non-stick ceramic coated, HZ617000 Pizza pan, enamelled, HZ629070 Air Fry & Grill tray, HZ631070 Baking tray, enamelled, HZ632070 Multipurpose pan, enamelled, HZ634000 Baking and roasting grid (standard), HZ636000 Glass pan, HZ664000 Baking and roasting grid (steam), HZ66X600 Decor list, HZ327000 Baking stone, HZ530000 2 multipurpose pans, slim size

The intelligent varioSpeed microwave oven with Oven Assistant with Voice Control for intuitive programme setting.

- ✓ Oven Assistant with Voice Control: intuitively select the right programme.
- ✓ ecoClean: Cut down on oven cleaning
- ✓ humidClean Plus: softens dirt by vaporising soapy water. Making it easy to wipe away.
- ✓ Home Connect with Remote Control: unlock the full potential of your smart oven.
- √ 4D hotAir Even heat distribution for excellent results on any level

#### Features

Technical Data	
Additional functions:	Microwave
combination oven	
Control panel:	Electronic
Dimensions:	455x594x548 mm
Cavity dimensions:	237 x 480 x 392 mm
Length electrical supply cord:	150.0 cm
Weight:	33.7 kg
Gross weight:	36.1 kg
EAN code:	4242003901236
Maximum micro-wave power <sup>1</sup> :	900 W
Connection Rating:	3600 W
Fuse protection:	16 A
Nominal power:	220-240 V
Frequency:	50; 60 Hz
Plug type:	no plug
(electrical connection by electrician)	
Included accessories: 1 x combination	n grid, 1 x universal pan



Intelligent inverter technology: maximum output power will be regulated to 600 W when used in longer operation

# iQ700, Built-in compact oven with microwave function, 60 x 45 cm, Black CM736G1B1B

#### Features

#### **Features**

- Compact oven with microwave with 19 heating methods: conventional top & bottom heating, full width grill, half width grill, coolStart, bottom heat, low temperature cooking, keep warm, plate warming, Conventional heat gentle, Microwave, 4D Hot air, Conventional heat, Full width grill, Half width grill, Hot air grilling
- Max. Power: 900 W; 5 Microwave power settings (90 W,180 W,360 W,600 W, boost) with Inverter (MW)
- Intelligent microwave inverter technology: For optimised results maximum output power will be regulated to 600 W when used in longer operation for gentler cooking.
- $\bullet$  Temperature range 30 °C 230 °C
- Cavity volume: 45 litres

### Level independent telescopic rails

• 3 shelf positions

#### Design

- Touch control
- · Cavity inner surface: enamel anthracite

#### Cleaning

- EcoClean Direct : back panel
- hydrolyse program

#### Programmes/functions

- Oven Assistant with Voice Control
- SE62
- Electronic oven clock timer
- Digital temperature display with proposal
- Actual temperature display Heating-up indicator
- Drop down oven door, softClose, softOpen
- cookControl Plus
- Fast preheat
- coolStart
- LED light, Light on/off when door opened/closed
- Integral cooling fan
- WLAN Home connect enabled

#### Accessories

• 1 x combination grid, 1 x universal pan

#### Features

- Heat reflective glass
- Control panel lock
- Automatic safety switch off Residual heat indicator Start button Door contact switch


#### **Technical information**

- Power cord length 150 cm Cable length
- Nominal voltage: 220 240 V
- Total connected load electric: 3.6 KW

#### Performance/technical information


- Appliance dimension (hxwxd): 455 mm x 594 mm x 548 mm
- Niche dimension (hxwxd): 450 mm 455 mm x 560 mm 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual
- Triple glazed door with heat reflective glass glazed CoolTouch door

## iQ700, Built-in compact oven with microwave function, 60 x 45 cm, Black CM736G1B1B



## Dimensioned drawings

Installation with a hob.



measurements in mm

If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into acccount.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	fitted 42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm