


iQ700, 30 cm, Ceramic, Black  
ER3A6BI40



- HZ298105     Simmer plate
- HZ298114     Small pot support
- HZ32WA00     Wireless food thermometer
- HZ9SE040     4 pieces Set
- HZ9SE060     6 pieces Set

Ceramic glass domino gas hob with stepFlame Technology for precise flame control, detachable knobs and pan supports suitable for dishwashers.

- ✓ stepFlame Technology: Precise flame control with nine different settings
- ✓ Detachable metallic sword dials: Easily removable for easy cleaning and precise cooking control
- ✓ Semi-continuous pan support: Easy to handle and easy to clean
- ✓ Glass ceramic surface: Extremely heat-resistant and easy to clean
- ✓ Gas Safety Lock: Instantly halts gas flow if the flame goes out, ensuring safety

Product name/family: ..... Vario/Domino gas hob w control  
Built-in / Free-standing: ..... Built-in  
Source of energy: ..... Gas  
Number of cooking zones: ..... 2  
Required niche size for installation (HxWxD): ..... 45 x 270-272 x 490-502 mm  
Width of the appliance: ..... 302 mm  
Dimensions: ..... 49x302x520 mm  
Dimensions of the packed product (HxWxD): ... 163 x 361 x 578 mm  
Weight: ..... 7.2 kg  
Gross weight: ..... 8.4 kg  
Residual heat indicator: ..... without  
Location of control panel: ..... Front  
Basic surface material: ..... Ceramic  
Color of surface: ..... Black, Alu, brushed  
Color of frame: ..... Black  
Length electrical supply cord: ..... 100.0 cm  
EAN code: ..... 4242003963098  
Gas connection rating: ..... 4750 W  
Fuse protection: ..... 3 A  
Nominal power: ..... 220-240 V  
Frequency: ..... 50; 60 Hz



## iQ700, 30 cm, Ceramic, Black ER3A6BI40

### Design

- ceramic glass surface, black
- Facette front, rear and side profiles, aluminium, brushed
- Cast iron pan supports with rubber feet

### Usage convenience

- Step Flame technology - 9 steps: precisely control and adjust the flame in nine defined levels.
- Design co-ordinated control dials, front: easily access dials in front with strong grip for effortless turning.
- Ignition via control dials: just push and turn the dials to ignite the flame.

### Burners and power

- 2 burner gas hob including:
- Center front: Standard burner up to 1.75 KW (depending on gas type)
- Center rear: high-speed burner up to 3 KW (depending on gas type)

### Cleaning

- Removable control dials for easy cleaning between knobs.
- Dishwasher suitable pan supports for easy cleaning.
- Cast iron pan supports with rubber feet: little weight and compact form, yet high stability due to continuous surface.

### Safety

- Flame failure safety device: prevents unwanted gas flow when flame goes out.

### Installation (gas types & measurements)

- Usable for: Nat gas L/LL G25/20mbar(DE)
- NG H/E 20mbar, E+ 20/25mbar Natural gas H 25 mbar (HU) Natural gas L 25 mbar (NL) Liquid gas G30,31 28-30/37mbar Liquid gas G30 37 mbar (PL) Liquid gas 50 mbar
- Factory set for connection to mains gas
- Nozzle set for LPG jets (28-30/37mbar) included. Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm): 49 x 302 x 520
- Required niche size for installation (HxWxD mm) : 45 x 270 x (490 - 502)
- Min. worktop thickness: 30 mm
- Power cord: 1 m
- Connected load: 4.75 KW

**iQ700, 30 cm, Ceramic, Black  
ER3A6BI40**

