

iQ500, Free-standing freezer, 186 x 60 cm, Black stainless steel GS36NAX3V



A++



Freezer with innovative noFrost technology, no more defrosting and with softStart LED lighting the freezer interior is brilliantly illuminated.

- ✓ noFrost – Never defrost your freezer again.
- ✓ The LED lights up the interior brightly and evenly, with softStart.
- ✓ The iceTwister for ice cubes on demand. Easy to refill.
- ✓ superFreezing - Sensors automatically reduce the temperature for a set period of time, to quickly freeze newly added food items.
- ✓ All freezer drawers and glass shelves can be removed easily. varioZone lets you organize the space flexibly.

Features

Technical Data

Thermometer freeze section : Digital
 Light : Yes
 Product category : Upright freezer
 Construction type : Free-standing
 Door panel options : Not possible
 Frost free system : Fridge and freezer
 Height of the product : 1860 mm
 Width of the appliance : 600 mm
 Depth of the product : 650 mm
 Dimensions of the packed product (HxWxD) : 1900 x 740 x 650 mm
 Net weight : 76.001 kg
 Gross weight : 78.0 kg
 Connection rating : 90 W
 Fuse protection : 10 A
 Frequency : 50 Hz
 Approval certificates : CE, VDE
 Length of electrical supply cord : 230 cm
 Door hinge : Right reversible
 Storage Period in Event of Power Failure (h) : 25 h
 Warning signal / malfunction : visual and audible
 Lockable door : No
 Number of drawers/baskets (Stck) : 5
 Number of freezing flaps (Stck) : 2
 EAN code : 4242003820049
 Brand : Siemens
 Product name / Commercial code : GS36NAX3V
 Product category : Upright freezer
 Energy consumption annual - NEW (2010/30/EC) : 237.00 kWh/annum
 Freezer Net capacity - NEW (2010/30/EC) : 242 l
 Freezing capacity) - NEW (2010/30/EC) : 20 kg/24h
 Climate class : SN-T
 Noise level : 42 dB(A) re 1 pW
 Installation type : N/A

Optional accessories

KS39ZAX00 Connection set cast iron



iQ500, Free-standing freezer, 186 x 60 cm, Black stainless steel GS36NAX3V

Features

Performance and Consumption

- Energy consumption: 237 kWh kWh/yr.
- Total net capacity: 242 l litres
- Noise level dB(A) re 1 pW: 42

Design features

- black inox-antifingerprint doors and cast iron side panels
- stainless steel Vertical door handle
- Right hinged door, reversible door
- Electronic control (LED display)
- Interior design with metal applications

Food freshness system

- multiAirflow cooling - improves circulation of air around the fridge
-

Key features - Freezer section

- No Frost, never have to defrost ever again
- Bright interior LED freezer light
- SuperFreeze function with automatic deactivation
- 5 transparent freezer drawers, 2 bigbox
- Twist Ice Box removable
- 4 star freezer rating
- Vario Zone - removable safety glass shelves for extra space!
- Freezing capacity in 24 hours: 20 kg
- Maximum freezer storage time in power failure: 25 hours
- Freezer malfunction warning signal: Optical and acoustic malfunction alarm system

Included accessories


- cold accumulator

Dimension and installation

- Height adjustable front feet
- Climate class SN-T (suitable for ambient temperatures between 10 to 43°C)
- 220 - 240 V
- Dimensions: 186 cm H x 60 cm W x 65 cm D
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

**iQ500, Free-standing freezer, 186 x 60 cm, Black stainless steel
GS36NAX3V**

Dimensioned drawings



	a	b	c	d	e	f
KSW36, GSD36	187					
KSV36, KSF36, GSN36, GSV36	186					
KSV33, GSN33, GSV33	176	60	65	58	60	119.5
KSV29, GSN29, GSV29	161					
GSV24	146					
GSN51	161					
GSN54	176	70	78	70	70	142
GSN58	191					

a) Height
 b) Width
 c) Depth with closed door w/o handle and w/o distance part
 d) Depth of cabinet w/o distance part
 e) Width with open door w/o handle
 f) Depth with open door w/o handle w/o distance part

measurements in cm