

iQ700, Built-in oven with added steam function, 60 x 60 cm, Black HR776G1B1B



Included accessories	
2 x combination grid, 1 x universal pan	
Optional accessories	
HZ32WA00	wireless roastingSensor
HZ530000	2 multipurpose pans, slim size
HZ629070	Air Fry & Grill tray
HZ638070	Full ext rails, level independent, pyro
HZ65MA00	Assembly kit for vertical installation

Shorten your cooking time thanks to fast preheat, coolStart and activeClean. And remote control your oven from anywhere with Home Connect.

- ✓ Oven Assistant with Voice Control: intuitively select the right programme.
- ✓ cookControl Pro: excellent results, whatever the recipe.
- ✓ activeClean®: the automatic, self-cleaning oven system.
- ✓ humidClean Plus: softens dirt by vaporising soapy water. Making it easy to wipe away.
- ✓ Home Connect with Remote Control: unlock the full potential of your smart oven.

Features

Technical Data

Built-in / Free-standing: Built-in
Integrated Cleaning system: Pyrolytic+Hydrolytic
Required niche size for installation (HxWxD): ..585-595 x 560-568 x 550 mm
Dimensions: 595x594x548 mm
Dimensions of the packed product (HxWxD):675x660x690 mm
Control Panel Material:Glass
Door Material:Glass
Weight: 39.5 kg
Usable volume of cavity: 71 l
Heating Types:Regeneration, 4D hot air, Air fry, Full width grill, Hotair gentle, Half width grill, Conventional heat, Conventional heat gentle, Pizza setting, low temperature cooking, coolStart, Bottom heat, Hot air grilling, pre-heating, warming
Length electrical supply cord: 120 cm
EAN code:4242003902448
Number of cavities (2010/30/EC):1
Energy efficiency rating: A+
Energy consumption per cycle conventional (2010/30/EC):0.87 kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EC): 0.69 kWh/cycle
Energy efficiency index (2010/30/EC): 81.2 %
Connection Rating: 3600 W
Fuse protection:16 A
Nominal power:220-240 V
Frequency:50; 60 Hz
Plug type:no plug (electrical connection by electrician)
Included accessories: 2 x combination grid, 1 x universal pan




iQ700, Built-in oven with added steam function, 60 x 60 cm, Black HR776G1B1B

Features	
Features - Oven with 20 heating methods: conventional top & bottom heating, full width grill, half width grill, coolStart, bottom heat, low temperature cooking, keep warm, plate warming, Conventional heat gentle, reheating with steam, Dough proving, Hot air grilling, warming, 4D Hot air, Top/bottom heat - Temperature range 30 °C - 275 °C - Cavity volume: 71 litres Level independent telescopic rails 5 shelf positions in oven - Cavity with shelf support rails, pyrolitic proof Design - Touch control With steel trim - Cavity inner surface: enamel anthracite Cleaning - activeClean - hydrolyse program - Full glass inner door Programmes/functions - Oven Assistant with Voice Control - SE62 - Electronic oven clock timer - Digital temperature display with proposal - Actual temperature display - Heating-up indicator - Drop down oven door, softClose, softOpen - cookControl Plus - Fast preheat - coolStart - steam boost - add for 3min intensive steam with a touch of a button. - There are different steam intensities selectable: steam level high, steam level middle, steam level low - LED light, Light on/off when door opened/closed - Tank empty indicator - Location of water tank: Outside cavity - Integral cooling fan - WLAN - Home connect enabled Accessories 2 x combination grid, 1 x universal pan Features - Maximum door temperature 30 °C - Low door temperature during pyrolitic cleaning - Electronic door lock - Control panel lock - Automatic safety switch off - Residual heat indicator	- Start button - Door contact switch Technical information 120 cm Cable length - Nominal voltage: 220 - 240 V - Total connected load electric: 3.6 KW - Energy efficiency rating (acc. EU Nr. 65/2014): A+ - Energy consumption per cycle in conventional mode: 0.87 kWh - Energy consumption per cycle in fan-forced convection mode: 0.69 kWh - Number of cavities: Main cavity - Heat source: electrical - Cavity volume: 71 litres Performance/technical information - Appliance dimension (h x w x d): 595 mm x 594 mm x 548 mm - Niche dimension (h x w x d): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm "For-details-on-installation-and-ventilation requirements – please refer to the installation manual prior to fitting."


iQ700, Built-in oven with added steam function, 60 x 60 cm, Black HR776G1B1B

Dimensioned drawings

Installing two appliances on top of each other
Air exchange




A: Air inlet $\geq 200 \text{ cm}^2$



Note the pivoting range of the fascia.

measurements in mm



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm

Dimensioned drawings

