

**iQ300, Free-standing
fridge-freezer with freezer at
bottom, 176 x 60 cm, Brushed
steel anti-fingerprint
KG33VVEAG**



KS10Z010	Snackbox
KS10Z030	Bottle Rack

Bottom freezer with hyperFresh Box to keep fruit and vegetables fresh longer, plus lowFrost technology for less defrosting.

- ✓ lowFrost – Less frost build-up saves energy and effort when defrosting.
- ✓ hyperFresh – The extra-large drawer for your fruit and vegetables.
- ✓ LED light – Even lighting throughout the inside of your fridge to keep everything in view.
- ✓ The bigBox offers plenty of space to store and stack large frozen items efficiently.
- ✓ The easyAccess glass shelves make loading easier and give you a better view of your food items.

Energy Efficiency Class: E

Average annual energy consumption in kilowatt hour per year (kWh/a):	228 kWh/annum
Sum of volume of frozen compartments:	94 l
Sum of volume of chill compartments:	195 l
Airborne acoustical noise emissions :	39 dB(A) re 1pW
Airborne acoustical noise emission class:	C
Built-in / Free-standing:	Freestanding
Door panel options:	Not possible
Height:	1760 mm
Width of the appliance:	600 mm
Dimensions:	650 mm
Weight:	65.9 kg
Fuse protection:	10 A
Door opening:	Right reversible
Nominal power:	220-240 V
Frequency:	50 Hz
Length electrical supply cord:	240.0 cm
Number of compressors:	1
Number of independent cooling systems:	1
Interior ventilator:	No
Reversible Door Hinge:	Yes
Number of Adjustable Shelves in fridge compartment:	2
Shelves for Bottles:	Yes
Frost free system:	No
Installation type:	Freestanding



iQ300, Free-standing fridge-freezer with freezer at bottom, 176 x 60 cm, Brushed steel anti-fingerprint KG33VVIEAG

Design features

- Stainless steel anti-fingerprint doors and Pearl grey (VZF 07127) side panels
- Integrated vertical handle
- Bright interior LED fridge light in fridge section
- Electronic control (LED chain)
- superFreeze function with automatic deactivation
- Automatic defrost in fridge section

Key features - Fridge section

- 4 removable safety glass shelves of which 2 are easy pull out
- Door shelves in fridge door: 1 large and 2 small.

Food freshness system

- 1 hyperFresh box with integrated humidity control

Key features - Freezer section

- VarioZone - adaptable storage for more flexibility
- 3 transparent freezer drawers, 1 bigBox
- Defrost water outlet - for easy and convenient defrosting

Dimension and installation


- Dimensions: 176 cm H x 60 cm W x 65 cm D
- Right hinged door, door reversible
- Height adjustable front feet
- 220 - 240 V
- 3 x egg tray
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Dimension and installation

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 289 l
- Net Fridge Volume : 195 l
- Net Freezer Volume : 94 l
- Freezing capacity 24h : 4.5 kg
- Annual Energy Consumption: 228 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D
- Noise Level : 39 dB , EU19_Noise emission class_D: C
- Temperature rise time : EU19_Temperature rise time_D: 17 H

**iQ300, Free-standing
fridge-freezer with freezer at
bottom, 176 x 60 cm, Brushed
steel anti-fingerprint
KG33VVEAG**



Device name	a	b	c	d	e	f	g	h
KGV33 (inner handle)	1760	600	650	580	600	1200	650	690
KGV33 (outer handle)	1760	600	650	580	640	1200	690	690
KGV36/KGE36 (inner handle)	1860	600	650	580	600	1200	650	690
KGV36/KGE36 (outer handle)	1860	600	650	580	640	1200	690	690

Specification

- a Height
- b Width
- c Depth with door closed, without handle and without flexible spacing piece
- d Cabinet depth without flexible spacing piece
- e Width with door opened to 90°
- f Depth with door opened, without handle and without flexible spacing piece
- g Depth with door closed, with handle and without flexible spacing piece
- h Depth with door closed, without handle and with flexible spacing piece

measurements in mm