

Series 2, Free-standing fridge-freezer with freezer at bottom, 176 x 60 cm, Stainless steel look KGN33NLEAG



No Frost bottomfreezer : no need to defrost your freezer

- **Perfect Fit:** place your fridge right next to walls or other appliances to save space.
- **LED lighting:** all your items in perfect view.
- **Multi Airflow System:** even air distribution for longer freshness.
- **Super Freezing function:** prevents the food in your freezer from defrosting.

| | |
|--|--------------------|
| Energy Efficiency Class: | E |
| Average annual energy consumption in kilowatt hour per year (kWh/a): | 237 kWh/annum |
| Sum of volume of frozen compartments: | 89 l |
| Sum of volume of chill compartments: | 193 l |
| Airborne acoustical noise emissions : | 42 dB(A) re 1pW |
| Airborne acoustical noise emission class: | D |
| Built-in / Free-standing: | Freestanding |
| Door panel options: | Not possible |
| Height: | 1760 mm |
| Width of the appliance: | 600 mm |
| Depth: | 660 mm |
| Net weight: | 58.3 kg |
| Connection rating: | 100 W |
| Fuse protection: | 10 A |
| Door hinge: | Right reversible |
| Voltage: | 220-240 V |
| Frequency: | 50 Hz |
| Length electrical supply cord: | 240.0 cm |
| Number of compressors: | 1 |
| Number of independent cooling systems: | 1 |
| Interior ventilator: | No |
| Reversible Door Hinge: | Yes |
| Number of Adjustable Shelves in fridge compartment: | 2 |
| Shelves for Bottles: | No |
| No Frost free system: | Fridge and freezer |
| Installation typology: | Free-standing |



Series 2, Free-standing fridge-freezer with freezer at bottom, 176 x 60 cm, Stainless steel look KGN33NLEAG

No Frost bottomfreezer : no need to defrost your freezer

Design features

- Stainless steel look doors and Pearl grey (VZF 07127) side panels
- Integrated horizontal handle
- Right hinged door, door reversible
- LED electronic control

Food freshness system

- 1 compressor

Key features - Fridge section

- 1 MultiBox - Transparent drawer with a rippled bottom, ideal for storing fruits and vegetables.
- MultiAirflow system - improves circulation of air around the fridge
- Bright interior LED fridge light in fridge section
- 3 safety glass shelves (2 height adjustable)
- Door shelves in fridge door: 1 large and 2 small.
- Super Cooling: No

Key features - Freezer section

- NO_FROST_NEU_BL, never have to defrost ever again
- 3 freezer drawers
- SuperFreezing function with automatic deactivation
- Calendar frozen food
- Freezer malfunction warning signal: optical and acoustical warning system

Additional features

- Optical and accoustical
- 3 x egg tray

Dimension and installation


- Connection value 100 W
- 220 - 240 V
- Height adjustable front feet
- Dimensions: 176 cm H x 60 cm W x 66 cm D
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 282 l
- Net Fridge Volume : 193 l
- Net Freezer Volume : 89 l
- Freezing capacity 24h : 10 kg
- Annual Energy Consumption: 237 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D
- Noise Level : 42 dB , EU19_Noise emission class_D: D
- Temperature rise time : EU19_Temperature rise time_D: 12 H


**Series 2, Free-standing fridge-freezer
with freezer at bottom, 176 x 60 cm,
Stainless steel look
KGN33NLEAG**

| Appliance name | a | b | c | d | e | f |
|----------------------|------|-----|-----|-----|-----|------|
| KGN33 (inner handle) | 1760 | 600 | 660 | 590 | 600 | 1210 |



| Description | |
|-------------|--|
| a | Height |
| b | Width |
| c | Depth with door closed, without handle |
| d | Cabinet depth |
| e | Width with door opened to 90° |
| f | Depth with door opened |


measurements in mm



| Appliance name | A | B | C | D |
|-----------------------|------|----|-----|-----|
| KGN33, 36, 39, 46, 49 | 0/65 | 20 | 590 | 125 |
| KGF39, 49 | 0/65 | 20 | 590 | 125 |

Dimension A:
In models with vertical integrated handles,
in order to open easily, a minimum distance
of 65 mm is needed.

measurements in mm



If the appliance is fitted directly to the wall,
all of the drawers can be pulled out fully.

* With and without external handle.