

**Series 4, Free-standing fridge-freezer with freezer at bottom, 201 x 60 cm, White  
KGV39VWEAG**



**The lowFrost bottom freezer with VitaFresh Box: very efficient- keeps your fruits and vegetables fresher for longer.**

- **VitaFresh:** vitamin rich fruit & vegetables stay fresh for longer in a climate controlled drawer.
- **LED lighting:** all your items in perfect view.
- **Big Box drawer:** easily stack food containers and store larger items in your freezer.
- **Easy Access Shelf:** a pull-out glass shelf for easier access to everything inside your fridge.
- **Low Frost:** defrost less often thanks to reduced frost – saving time, effort and energy.

Energy Efficiency Class: .....	E
Average annual energy consumption in kilowatt hour per year (kWh/a): .....	233 kWh/annum
Sum of volume of frozen compartments: .....	94 l
Sum of volume of chill compartments: .....	249 l
Airborne acoustical noise emissions : .....	39 dB(A) re 1pW
Airborne acoustical noise emission class: .....	C
Built-in / Free-standing: .....	Freestanding
Door panel options: .....	Not possible
Height: .....	2010 mm
Width of the appliance: .....	600 mm
Depth: .....	650 mm
Net weight: .....	71.8 kg
Fuse protection: .....	10 A
Door hinge: .....	Right reversible
Voltage: .....	220-240 V
Frequency: .....	50 Hz
Length electrical supply cord: .....	240.0 cm
Number of compressors: .....	1
Number of independent cooling systems: .....	1
Interior ventilator: .....	No
Reversible Door Hinge: .....	Yes
Number of Adjustable Shelves in fridge compartment: .....	2
Shelves for Bottles: .....	Yes
Frost free system: .....	No
Installation typology: .....	Free-standing

KSZ10010    Snackbox  
KSZ10030    Bottle Rack



## **Series 4, Free-standing fridge-freezer with freezer at bottom, 201 x 60 cm, White KGV39VWEAG**

**The lowFrost bottom freezer with VitaFresh Box: very efficient- keeps your fruits and vegetables fresher for longer.**

- Net Freezer Volume : 94 l
- Freezing capacity 24h : 4.5 kg
- Annual Energy Consumption: 233 kWh/a
- Climate Class: SN-T
- EU19\_Fast freezer facility\_D
- Noise Level : 39 dB , EU19\_Noise emission class\_D: C
- Temperature rise time : EU19\_Temperature rise time\_D: 17 H

### **Functions**

- White doors and white side panels
- Integrated vertical handle
- Bright interior LED fridge light in fridge section

### **Design features**

- LED electronic control
- SuperFreezing function with automatic deactivation
- Automatic defrost fridge

### **Design features**

- 5 removable safety glass shelves of which 2 are easy pull out
- Metal bottle rack
- Door shelves in fridge door: 1 large and 3 small.

### **Freshness System**

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer

### **Food freshness system**

- LowFrost - less ice creation and therefore quicker defrosting
- VarioZone - adaptable storage for more flexibility
- 3 transparent freezer drawers, including 1 BigBox

### **Dimension and installation**

- Dimensions: 201 cm H x 60 cm W x 65 cm D

### **Key features - Fridge section**

- Right hinged door, door reversible
- Height adjustable front feet
- Defrost water outlet - for easy and convenient defrosting
- 220 - 240 V

### **Key features - Freezer section**

- 3 x egg tray

### **Country Specific Options**

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

### **Additional features**


#### **Design features**

#### **Dimension and installation**

#### **Performance and Consumption**

- EU19\_EEK\_D: E
- Total Volume : 343 l
- Net Fridge Volume : 249 l

**Series 4, Free-standing fridge-freezer  
with freezer at bottom, 201 x 60 cm,  
White  
KGV39VWEAG**



Device name	a	b	c	d	e	f	g	h
KGV39/KGE39 (inner handle)	2010	600	650	580	600	1200	650	690
KGV39/KGE39 (outer handle)	2010	600	650	580	640	1200	690	690
KGE49 (inner handle)	2010	700	650	580	700	1300	650	690
KGE49 (outer handle)	2010	700	650	580	740	1300	690	690

Specification

a Height  
b Width  
c Depth with door closed, without handle and without flexible spacing piece  
d Cabinet depth without flexible spacing piece  
e Width with door opened to 90°  
f Depth with door opened, without handle and without flexible spacing piece  
g Depth with door closed, with handle and without flexible spacing piece  
h Depth with door closed, without handle and with flexible spacing piece

measurements in mm