

N 70, MULTI DOOR AMERICAN FRIDGE FREEZER,
183 X 90.5 CM, BRUSHED BLACK STEEL
ANTI-FINGERPRINT, TOTAL NO FROST
KM3963XE0



- ✓ XXL capacity: flexible storage that adapts to your lifestyle and every ingredient, shape or size.
- ✓ Ice & Water Dispenser with tap connection: effortless refreshment, every time.
- ✓ Fresh Safe 1 <0°C> – Ideal storage for fruit and veg, fish and meat.
- ✓ No Frost – No more defrosting your freezer.
- ✓ Freezer Light – Bright illumination of all of your frozen items.

Features

Technical Data

Energy Efficiency Class ¹ :	E
Average annual energy consumption in kilowatt hour per year (kWh/a):	327 kWh/a
Sum of volume of frozen compartments:	199 l
Sum of volume of chill compartments:	375 l
Airborne acoustical noise emissions :	39 dB(A) re 1pW
Airborne acoustical noise emission class:	C
Built-in / Free-standing:	Free-standing
Door panel options:	Not possible
Height:	1830 mm
Width of the appliance:	905 mm
Depth:	731 mm
Net weight:	137.9 kg
EAN code:	4242004292043
Fuse protection:	10 A
Door hinge:	Left & Right
Voltage:	220-240 V
Frequency:	50-60 Hz
Length electrical supply cord:	240 cm
Number of compressors:	1
Number of independent cooling systems:	1
Interior ventilator:	Yes
Reversible Door Hinge:	No
Number of Adjustable Shelves in fridge compartment:	4
Shelves for Bottles:	Yes
Frost free system:	Fridge and freezer
Installation typology:	Free-standing



¹ Scale of Energy Efficiency Classes from A to G

N 70, MULTI DOOR AMERICAN FRIDGE FREEZER,
183 X 90.5 CM, BRUSHED BLACK STEEL
ANTI-FINGERPRINT, TOTAL NO FROST
KM3963XE0

Features

Highlights

- Dimensions: 1830x905x731 mm
- Energy Efficiency Class¹: E
- Never defrost again with Full NoFrost
- Sum of volume of chill compartments: 375 l
- Sum of volume of frozen compartments: 199 l
- Airborne acoustical noise emissions : 39 dB(A) re 1pW
- Freshness system: Fresh Safe
- List of warnings: Open door of freezer compartment, Open door of fridge compartment, Temperature rise

General

- Colour of appliance: Dark inox
- Door hinge: Left & Right
- Hinge type: flat hinge
- Door handle type: Integrated handle horizontal and vertical
- Automatic defrosting: Total No Frost
- Dispenser: Crushed Ice, Ice Cubes, Water, Water filter
- Water intake: Direct water connection
- Type of control setting devices: Button, Via app
- Energy Efficiency Class²: E
- Average annual energy consumption in kilowatt hour per year (kWh/a): 327 kWh/a
- Sum of volume of chill compartments: 375 l
- Sum of volume of frozen compartments: 199 l
- Airborne acoustical noise emissions : 39 dB(A) re 1pW
- Airborne acoustical noise emission class: C
- Climate Class: Extended temperate, Subtropical, Temperate, tropical

Size and weight

- Dimensions: 1830x905x731 mm
- Dimensions of the packed product (HxWxD): 1905x998x768 mm
- Net weight: 137.9 kg
- Gross weight: 149.0 kg
- Length electrical supply cord: 240 cm

Specific Features

- Freshness system: Fresh Safe
- Flex Interior
- Type of bottle rack: Multi purpose shelf
- List of warnings: Open door of freezer compartment, Open door of fridge compartment, Temperature rise
- Total No Frost
- Type of display: 7 segments
- bigbox
- Supercooling
- superFreezing

Cooling

- Number of shelves in fridge compartment: 5
- Number of Adjustable Shelves in fridge compartment: 4
- Number of Door Bins - Refrigerator: 4
- Light Wattage - Refrigerator: LED

Freezing

- Star Rating: 4
- Storage Period in Event of Power Failure (h): 11 h
- Freezing drawers (Stck): 6
- Number of freezing flaps (Stck): 0
- LED light with freezer light

Connectivity

- Home Connect³
- Home Connect Features: iService Remote, Remote Monitoring and Control

¹ Scale of Energy Efficiency Classes from A to G


² Scale of Energy Efficiency Classes from A to G

³ Some of the features displayed can be accessed only if the device is connected to a Home Connect Account and a SingleKey ID account via the Internet. Home Connect is a service of Home Connect GmbH. For more information on Home Connect, visit www.home-connect.com.

N 70, MULTI DOOR AMERICAN FRIDGE FREEZER,
183 X 90.5 CM, BRUSHED BLACK STEEL
ANTI-FINGERPRINT, TOTAL NO FROST
KM3963XE0


Dimensioned drawings

Measurements in mm




A: Front is adjustable 1830–1847 mm, with front levelling feet fully extended

Measurements in mm



Measurements in mm




A	a	b
≤ 600	0	0
600 < A ≤ 650	45	45
650 < A ≤ 700	60	60
> 700	239	239

A: Kitchen cabinet or worktop depth

B: Wall
Drawers can be pulled and taken out with door open to 90°

Measurements in mm



A: Front is adjustable 1830–1847 mm, with front levelling feet fully extended

B: Add 25 mm for fixed spacers on back

C: Water connection position