

**Series 4, Free-standing fridge, 186 x 60 cm, White
KSV36VWEPG**



- KSZ10010 Snackbox
- KSZ10030 Bottle Rack
- KSZ39AW00 Connection set white

This refrigerator with VitaFresh Box: cools very efficiently - thanks to the cooling compartment, your fruits and vegetables stay fresh longer.

- **LED lighting:** all your items in perfect view.
- **Easy Access Shelf:** a pull-out glass shelf for easier access to everything inside your fridge.
- **Super Cool function:** cools new food faster, to protect what is already inside.
- **SuperCooling quickly chills food and beverages with a touch of a button**
- **VitaFresh reduces wastage by keeping food fresh for longer.**

Energy Efficiency Class: E
 Average annual energy consumption in kilowatt hour per year (kWh/a): 116 kWh/annum
 Sum of volume of frozen compartments: 0 l
 Sum of volume of chill compartments: 346 l
 Airborne acoustical noise emissions :39 dB(A) re 1pW
 Airborne acoustical noise emission class:C
 Built-in / Free-standing: Freestanding
 Door panel options: Not possible
 Height: 1860 mm
 Width of the appliance: 600 mm
 Depth: 650 mm
 Net weight: 62.7 kg
 Fuse protection:10 A
 Door hinge: Left reversible
 Voltage: 220-240 V
 Frequency: 50 Hz
 Length electrical supply cord: 230.0 cm
 Number of compressors: 1
 Number of independent cooling systems: 1
 Interior ventilator: Yes
 Reversible Door Hinge: Yes
 Number of Adjustable Shelves in fridge compartment: 5
 Shelves for Bottles: Yes
 EAN code: 4242005208241
 Brand: Bosch
 Product name / Commercial code: KSV36VWEPG
 Product category: Refrigerator
 Frost free system: No
 Installation typology: Free-standing



Series 4, Free-standing fridge, 186 x 60 cm, White KSV36VWEPG

This refrigerator with VitaFresh Box: cools very efficiently - thanks to the cooling compartment, your fruits and vegetables stay fresh longer.

- Annual Energy Consumption: 116 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D
- Noise Level : 39 dB , EU19_Noise emission class_D: C

Functions

- White doors and white side panels
- Vertical door handle
- Bright interior LED fridge light

Design features

- LED electronic control
- Freshsense - Constant temperature control by intelligent sensor technology
- Super Cooling: automatic deactivation

Design features

- Interior ventilator
- Automatic defrost fridge
- 7 removable safety glass shelves of which 5 are easy pull out
- Metal bottle rack
- 5 door trays, including 1x dairy compartment

Freshness System

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer

Dimension and installation

- Dimensions: 186 cm H x 60 cm W x 65 cm D

Performance and Consumption

Key features - Fridge section

- Left hinged, door reversible
- Height adjustable front feet
- Door opening: No side clearance needed at all. Full access to all drawers, door opening angle 90°.
- 220 - 240 V
- KSV36VWEPG

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Included accessories

Design features

Additional features

Key features - Freezer section



- EU19_EEK_D: E
- Total Volume : 346 l
- Net Fridge Volume : 346 l
- Net Freezer Volume : 0 l

Series 4, Free-standing fridge, 186 x 60 cm, White KSV36VWEPG



	a	b	c	d	e	f
KSW36, GSD36	187					
KSV36, KSF36, GSN36, GSV36	186					
KSV33, GSN33, GSV33	176	60	65	58	60	119.5
KSV29, GSN29, GSV29	161					
GSV24	146					
GSN51	161					
GSN54	176	70	78	70	70	142
GSN58	191					

- a Height
- b Width
- c Depth with closed door w/o handle and w/o distance part
- d Depth of cabinet w/o distance part
- e Width with open door w/o handle
- f Depth with open door w/o handle w/o distance part

measurements in cm



measurements in mm



measurements in mm