

Serie | 4, , 186 x 60 cm  
KVN36ID3CG



A++

**The Vario Style bottom freezer with VitaFresh and exchangeable colour fronts allows you to easily restyle your fridge anytime.**


- **VarioStyle:** exchangeable high quality colour fronts to easily restyle your fridge anytime.
- **VitaFresh:** keeps your food fresh for longer
- **Perfect Fit:** The appliance can be positioned right next to side walls and furniture - flexible installation possible
- LED lights bring a completely new lighting concept to fridges
- **EasyAccess Shelf:** retractable glass shelf for convenient loading and unloading and a perfect view.

**Technical Data**

Construction type :	Free-standing
Door panel options :	Not possible
Width of the appliance :	600
Depth of the product :	660
Net weight (kg) :	69.676
Connection rating (W) :	100
Current (A) :	10
Door hinge :	Right reversible
Voltage (V) :	220-240
Frequency (Hz) :	50
Approval certificates :	CE, VDE
Length of electrical supply cord (cm) :	240
Storage Period in Event of Power Failure (h) :	16
Number of compressors :	1
Number of independent cooling systems :	2
Interior ventilator :	No
Reversible Door Hinge :	Yes
Number of Adjustable Shelves in fridge compartment (Stck) :	2
Shelves for Bottles :	Yes
EAN code :	4242005136605
Brand :	Bosch
Product name / Commercial code :	KVN36ID3CG
Energy efficiency rating :	A++
Energy consumption annual (kWh/annum) - NEW (2010/30/EC) :	260.00
Refrigerator Net capacity (l) - NEW (2010/30/EC) :	237
Freezer Net capacity (l) - NEW (2010/30/EC) :	87
Frost free system :	Fridge and freezer
Freezing capacity (kg/24h) - NEW (2010/30/EC) :	14
Climate class :	SN-T
Noise level (dB(A) re 1 pW) :	39
Installation type :	N/A



4 242005 136605



**Serie | 4, , 186 x 60 cm  
KVN36ID3CG**

**The Vario Style bottom freezer with  
VitaFresh and exchangeable colour fronts  
allows you to easily restyle your fridge  
anytime.**

---

## Serie | 4, , 186 x 60 cm KVN36ID3CG

Appliance name	a	b	c	d	e	f	g
KGN36 (Inner handle)	1860	600	660	590	600	1210	660
KGN36 (Outer handle)	1860	600	660	590	640	1210	700

