

N 70, BUILT-IN WARMING DRAWER, 60 X 14 CM, STAINLESS STEEL N24HA11N1B



Z11SZ60G0 SeamlessCombination 45 + 14cm Z1365WX0 Wireless food thermometer Preheat plates and cups, so that dishes stay hot longer. Keep warm, for keeping cooked dishes warm.

- $\sqrt{\,}$ Slow Cook Programme: for delicious and tender meat, poultry and vegetables packed with vitamins.
- $\sqrt{\,}$ Plate Warmer: keep food at the perfect temperature, from kitchen to table.
- $\sqrt{\mbox{ Cup Warmer: prepare your cups for coffee and teal}}$
- $\sqrt{\,}$ Installation with compact appliance combine your drawer with any 45 cm appliance
- $\sqrt{\,}$ Push & Pull: open and close your drawer with a gentle tap on a seamless surface.

Built-in / Free-standing:	Built-in
Maximum number of espresso cups:	64
Dimensions:	140x596x518 mm
Dimensions of the packed product (HxWxD)	: . 250 x 660 x 700 mm
Required niche size for installation (HxWxD)	: . 140 x 560 x 550 mm
EAN code:	4242004266921
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50-60 Hz
Plug type:	GB plug





N 70, BUILT-IN WARMING DRAWER, 60 X 14 CM, STAINLESS STEEL N24HA11N1B

- Multifunctional warming drawer with the heating functions: Low temperature cooking, Keep warm, plate warming, cup warming
- Can accommodate up to:
- -12plates
- -64 espresso cups

Design

- Graphite-Grey Edition
- Touch key operation
- Touch Control illuminated

Programmes/functions


- Temperature control in 4 levels: ca. 30°C 80°C (glass surface temperature)
- User-friendly electronics: extremely
- easy and comfortable operation
- Favourites button manage via Home Connect app
- Easy to clean toughened glass heating plate
- Push-Pull opening mechanism

Performance/technical information

- Nominal voltage: 220 240 V
- Total connected load electric: 0.82 KW
- Cavity volume: 20 I
- Loading up to 25 kg
- Appliance dimension (hxwxd): 140 mm x 596 mm x 518 mm
- Niche dimension (hxwxd): 140 mm x 560 mm 568 mm x 550 mm
- In case of installation under the worktop, installation accessory spare part no. 9001698838 is needed.
- \bullet Please refer to the dimensions provided in the installation manual



N 70, BUILT-IN WARMING DRAWER, 60 X 14 CM, STAINLESS STEEL N24HA11N1B



A: 7.5 mm

Compact ovens with appliance height of 455 mm can be installed above the warming drawer without an intermediate floor

