

# Series 4, Fully-integrated dishwasher, 60 cm, , Variable hinge SBH4HVX00G













SGZ0BI22 decorative strips stainless steel 86,5cm
SGZ1010 inlet and outlet hose extention
SGZ8BI00 Connection rail for divided furniture
SMZ2014 Rack insert for stemware dishwasher
SMZ5000 Dishwashing aid set
SMZ5100 Vario-cutlery basket
SMZ5300 GlassSecure Tray

# Flexible loading and smart remote control of your VarioHinge dishwasher via the Home Connect app. VarioHinge the perfect solution for installations with low plinth heights and high built-in situations.

- XXL dishwashers: are 5cm larger than standard dishwashers, creating more space for larger dishes.
- ExtraDry: extra drying option for difficult-to-dry loads.
- SpeedPerfect+: Reduced washing time, perfectly cleaned dishes.
- $\bullet \ \textbf{Rackmatic} : \ \textbf{even more adjustment options and maximum flexibility}.$
- Vario Drawer: 3rd level loading for cutlery and smaller kitchen utensils.

Energy Efficiency Class: Energy Consumption for 100 cycles Eco I	
Maximum number of place settings:	-
The water consumption of the eco progra	
l	annie in atera per eyete. 6.6
Programme duration:	4.30 h
Airborne acoustical noise emissions :	
	` '
Airborne acoustical noise emission class:	
Built-in / Free-standing:	
Height of removable worktop:	
Dimensions of the product (HxWxD):	
Min. required niche size for installation (	HxWxD):865-925 x 600 x
550 mm	
Depth with open door 90 degree:	
Adjustable feet:	Yes - all from front
Maximum adjustability feet:	60 mm
Adjustable plinth:	. Both horizontal and vertical
Net weight:	35.1 kg
Gross weight:	37.3 kg
Connection rating:	2400 W
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50; 60 Hz
Length electrical supply cord:	175.0 cm
Plug type:	
Length inlet hose:	165 cm
Length outlet hose:	
EAN code:	
Installation typology:	





# Series 4, Fully-integrated dishwasher, 60 cm, , Variable hinge SBH4HVX00G

Flexible loading and smart remote control of your VarioHinge dishwasher via the Home Connect app. VarioHinge the perfect solution for installations with low plinth heights and high built-in situations.

#### Performance

- Energy Efficiency Class<sup>1</sup>: D
- Energy² / Water³: 85 kWh / 9 litres
- Capacity: 14 place settings
- Programme duration<sup>4</sup>: 4:30 (h:min)
- Noise level: 46 dB(A) re 1 pW
- Noise Efficiency Class: C

#### Programmes / functions

- 6 programmes: Eco 50 °C, Auto 45-65 °C , Intensive 70 °C, Express 65° , Glass 40 °C , Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, Extra Dry, Half Load, SpeedPerfect+
- Add-On functions via Home Connect app: Hygiene+, Silence on Demand
- Machine Care

### Flexible design elements

- Vario Flex baskets
- VarioDrawer loading of cutlery on 3rd level
- 3 stage Rackmatic height-adjustable top basket
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- Upper rack cup shelf

### Innovations and technology

- Home Connect ready on WLAN
- Heat exchanger Hygienic and efficient drying
- DosageAssist detergent dispenser
- EcoSilence BLDC drive
- Automatic detergent detection
- AquaSensor III
- AquaMix Glass protection system


### Design features


- VarioHinge 50mm
- Push button top edge controls
- InfoLight (Red) Light projection on the floor
- Time delay (3, 6 or 24 hours)
- Acoustic end of cycle indicator
- AquaStop: Bosch's warranty in case of water damage for the lifetime of the appliance. Please find warranty terms under https://www.bosch-home.co.uk/customer-service/care-protection-and-part s/additional-warranties

- Self-cleaning filter system with 3 piece corrugated filter
- incl. Steam protection for worktop
- Stainless steel/Polinox interior
- Dimensions (HxWxD): 86.5 x 59.8 x 55cm
- <sup>1</sup> Scale of Energy Efficiency Classes from A to G
- <sup>2</sup> Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)
- <sup>3</sup> Water consumption in litres per cycle (in programme Eco 50 °C)
- <sup>4</sup> Duration of programme Eco 50 °C



# Series 4, Fully-integrated dishwasher, 60 cm, , Variable hinge SBH4HVX00G





measurements in mm