

iQ500, Heat pump tumble dryer, 9 kg WT47RT90GB









Optional accessories

WZ27410 Stacking kit

WZ27400 Stacking kit with pull-out shelf WZ20160 Condenser drainage kit

Heat-pump dryer with good engery efficieny A++, gentle drying thanks to autoDry and outdoor function.

- ✓ AutoDry Gentle and precise drying that protects your clothes.
- ✓ easyClean filter for convenient fluff removal from the condenser filter.
- ✓ 40 minute quick dry programme (Rapid 40).
- ✓ Outdoor programme Dry your waterproof and outdoor clothing safely.
- ✓ drumLight for an ideal illumination of the drum interior.

Feature

Technical Data

Construction type : Free-standing Removable work top : No Door hinge : Right

Length of electrical supply cord : 145.0 cm Height of removable worktop : 842 mm Dimensions of the product : 842 x 598 x 599 mm

Net weight: 49.863 kg

Fluorinated greenhouse gases : No Type of refrigerant : R290 Hermetically sealed equipment : Yes Quantity of fluorinated gases : 0.120 kg

The quantity expressed in CO2 equivalent: 0.000 t

EAN code: 4242003852538 Connection rating: 1000 W Fuse protection: 10 A Voltage: 220-240 V Frequency: 50 Hz

Approval certificates : CE, E17D UKCA marking, VDE Capacity cotton - NEW (2010/30/EC) : 9.0 kg

Energy efficiency rating : A++

Energy consumption electric dryer, full load - NEW (2010/30/EC) : 2.08

kWh

Standard cotton programme time at full load: 225 min

Energy consumption electric dryer, partial load - NEW (2010/30/EC) :

1.23 kWh

Standard cotton programme time at partial load: 137 min

Weighted annual energy consumption, electric dryer - NEW (2010/30/

EC): 258.0 kWh/annum

Weighted programme time: 175 min

Average condensation efficiency full load (%) : 83 % Average condensation efficiency partial load (%) : 83 %

Weighted condensation efficiency (%) : 83 %





iQ500, Heat pump tumble dryer, 9 kg WT47RT90GB

Features

Performance

Programmes/functions

- Standard programmes: cotton, easy care
- Special programmes: shirts, Down, lingerie, towels, mixed fabrics, outdoor, rapid 40, wool drying in basket, timed programmme
- Touch control buttons: end time delay, less ironing, programme length, low heat, buzzer, Start / Reload / Pause, fine-tuning for drying level, 24 h end time delay

Key features

- Sensitive drying: large softDry stainless steel drum system and revolution drying system
- AntiVibration design: for greater stability and quietness
- Heat pump technology with climate friendly cooling agent

Additional features

- Fully electronic control dial for sensor and timed programmes
- Large LED display for remaining time and 24 hours time delay, programme progress indication and special functions
- Anti crease cycle 60 minutes at the end of the programme
- Wool drying basket
- Drum interior light
- Child lock
- End of cycle buzzer
- •
- Container for condensed water

Technical Information

- Dimensions (H X W X D): 84.2 x 59.8 x 65.2 cm
- Appliance depth: 59.9 cm
- Appliance depth incl. door: 65.2 cm
- Appliance depth with open door: 107.5 cm
- Slide-under installation
- Glass door, Chrome



iQ500, Heat pump tumble dryer, 9 kg WT47RT90GB

Dimensioned drawings measurements in mm measurements in mm 1075 652 842+15 599