

iQ500, free-standing fridge, 186 x 60 cm, Inox-easyclean KS36VAI3P



Included accessories

3 x egg tray

Refrigerator with hyperFresh plus to keep fruit and vegetables fresh up to 2 times longer and Design LED light for a brilliant illumination of the fridge's interior.

- ✓ The hyperFresh plus Box with adjustable humidity keeps fruit and vegetables fresh longer.
- ✓ The LED lights up the interior brightly and evenly, without dazzling.
- ✓ antiFingerprint stainless steel colour door
- ✓ bottleRack
- ✓ The easyAccess glass shelves make loading easier and give you a better view of your food items.

Features

Technical data

Built-in / Free-standing : Free-standing
 Number of compressors : 1
 Number of independent cooling systems : 1
 Width of the appliance : 600
 Height (mm) : 1860
 Depth of the product : 650
 Net weight (kg) : 71.956
 Door panel options : Not possible
 Door hinge : Left reversible
 Number of Adjustable Shelves in fridge compartment : 4
 Shelves for Bottles : Yes
 Frost free system : No
 Interior ventilator : Yes
 Reversible Door Hinge : Yes
 Length electrical supply cord (cm) : 230
 Noise level (dB(A) re 1 pW) : 39
 Multi-Flow Air Tower : No
 Economy setting : No
 Cold technology : 1 compressor/1 cold circuit
 Fast cooling switch : Yes
 Temperature Controlled Drawer : No
 Humidity Control Drawer : Yes
 Number of Door Bins - Refrigerator : 4
 Door bin adjustability - Refrigerator : Yes
 Tilt-out door bins in fridge : No
 Gallon Storage : Yes
 Number of Gallon storage : 2
 No. of shelves in fridge : 7
 Motorized Shelf : No
 Material of the shelves : Glas, plastic, support grid, wood
 Door opened indicator freezer : Yes
 Connection Rating (W) : 90
 Fuse protection (A) : 10
 Voltage (V) : 220-240
 Frequency (Hz) : 50
 Energy consumption annual (kWh/annum) - NEW (2010/30/EC) : 112.00
 Refrigerator Net capacity (l) - NEW (2010/30/EC) : 346
 Freezer Net capacity (l) - NEW (2010/30/EC) : 0
 Frost free system : No
 Freezing capacity (kg/24h) - NEW (2010/30/EC) : 0
 Approval certificates : CE, VDE
 Main colour of product : Inox-easyclean
 Door panel options : Not possible
 Installation typology : N/A
 Noise level (dB(A) re 1 pW) : 39
 Energy Star Qualified : No
 Plug type : Gardy plug w/ earthing
 Required cutout/niche size for installation (in) : x x
 Dimensions of the packed product (in) : 74.80 x 25.59 x 29.13
 Net weight (lbs) : 159.000
 Gross weight (lbs) : 163.000



iQ500, free-standing fridge, 186 x 60 cm, Inox-easyclean KS36VAI3P

Features

Consumption

- Energy efficiency class: A++
- Energy consumption: 112 kWh/yr
- Total net capacity: 346 litres
- Noise level: 39 dB

Design

- Stainless steel anti-fingerprint doors and Metallic chrome side panels
- Vertical bar handle, stainless steel
- Interior LED lighting

Features

- Electronic control
- Constant temperature by intelligent sensor technology
- Super cool function
- Acoustic warning signal

Fridge section

- Net fridge capacity: 346 litres
- Dynamic cooling via integrated fan
- without
- Automatic defrost in fridge section
- 7 safety glass shelves of which 4 are height adjustable
- Bottle rack
- 5 door bins, three of 1 with easyLift and Dairy compartment
- 1 hyperFresh plus box with adjustable humidity - keeps fruit and vegetables fresh up to 2x longer.
- Vegetable container
-

Appliance Dimension

- Dimensions: 186 cm (H) x 60 cm (W) x 65 cm (D)

Technical information


- Door left hinged, reversible
- Height adjustable front feet
- Connected load: 90 W
- 220 - 240 V
- Climate class SN-T

Supplied accessories

- egg tray

**iQ500, free-standing fridge, 186 x 60 cm, Inox-easyclean
KS36VAI3P**

Dimensioned drawings



	a	b	c	d	e	f
KSW36, GSO36	187					
KSV36, KSF36, GSN36, GSV36	186					
KSV33, GSN33, GSV33	176	60	65	58	60	119.5
KSV29, GSN29, GSV29	161					
GSV24	146					
GSN51	161					
GSN54	176	70	78	70	70	142
GSN58	191					

a) Height
 b) Width
 c) Depth with closed door w/o handle and w/o distance part
 d) Depth of cabinet w/o distance part
 e) Width with open door w/o handle
 f) Depth with open door w/o handle w/o distance part

measurements in cm