

## iQ300, vented tumble dryer, 7 kg WT34A201HK











#### Optional accessories

WZ20311 Stacking kit

iQ 300 vented dryer with large, easy-to-read display, and even faster drying cycles in all programmes.

- ✓ Sensor-controlled autoDry technology prevents laundry from shrinking when being dried.
- ✓ Special drying programme for functional textiles such as sportswear and outdoor clothing.
- ✓ 40 minute guick dry programme (Rapid 40).
- ✓ softDry drum system for extremely gentle drying
- ✓ Anti-Vibration Side Panels reduce vibrations and ensure greater stability during the washing and spinning process

#### Features

#### **Technical data**

Built-in / Free-standing: Free-standing

Removable top : No Door hinge : Right Color / Material body : White

Length electrical supply cord (cm): 145.0 Height of removable worktop (mm): 842 Dimensions of the product (mm): 842 x 598 x 601

Net weight (kg): 33.133 Drum volume (l): 112 Connection Rating (W): 2000

Current (A): 10
Voltage (V): 220-240
Frequency (Hz): 50
Approval certificates: CE, VDE
Drying process: automatic

Capacity cotton (kg) - NEW (2010/30/EC) : 7.0

Energy efficiency rating: C

Energy consumption electric dryer, full load - NEW (2010/30/EC)

(kWh): 4.10

Standard cotton programme time at full load (min): 130

Energy consumption electric dryer, partial load - NEW (2010/30/EC)

(kWh): 2.40

Standard cotton programme time at partial load (min): 80

Weighted annual energy consumption, electric dryer - NEW (2010/30/

EC) (kWh): 504.0

Power consumption in off-mode (W) - NEW (2010/30/EC) : 0.10 Power consumption in left-on mode (W) - NEW (2010/30/EC) : 0.50

Weighted programme time (min): 101





## iQ300, vented tumble dryer, 7 kg WT34A201HK

#### Feature

#### Performance

• Capacity: 7 kg

## Programmes

• Special programmes: woollen finish, mix, outdoor, towels, Time program warm, Time program cold, lingerie, Rapid 40 min., shirts/blouses

#### **Additional options**

• Anti crease phase 120 min at the end of programme

#### Special features

- duoTronic temperature and humidity sensors
- Fully electronic control dial for sensor drying programmes, timed and special programmes
- softDry drum with softDesign paddle
- Programme end buzzer

### **Technical Specification**

- Dimensions (H x W x D): 84.2 cm x 59.8 cm x 60.1 cm
- \*Exclude door frame or control panel thickness



# iQ300, vented tumble dryer, 7 kg WT34A201HK

# Dimensioned drawings measurements in mm 1047 630-842+15 measurements in mm measurements in mm