

**IQ700, Warming drawer, 60 x 14
cm, Black
BI710C1B1B**



The intelligent touchControl multifunctional warming drawer with Home Connect for control at any time from anywhere.

- ✓ push&pull – No-handle drawer that’s easy to open and close.
- ✓ The 14 cm high accessory drawer is ideally combined with a 45 cm compact appliance.
- ✓ The heated sheet admits a regulation in four temperature levels from 30°-80°C glass surface temperature
- ✓ Home Connect – Control the multifunctional warming drawer at any time from wherever you want.
- ✓ Keep warm: for keeping cooked dishes warm.

Built-in / Free-standing: Built-in
Maximum number of espresso cups: 64
Dimensions: 140x594x518 mm
Dimensions of the packed product (HxWxD): ... 260 x 650 x 700 mm
Required niche size for installation (HxWxD): ... 140 x 560 x 550 mm
EAN code:4242003900352
Fuse protection:10 A
Nominal power: 220-240 V
Frequency:50; 60 Hz
Plug type: GB plug



IQ700, Warming drawer, 60 x 14 cm, Black BI710C1B1B

Design

Programmes/functions

- Touch Control illuminated
- User-friendly electronics: extremely
- easy and comfortable operation
- Easy to clean toughened glass heating plate
- Cavity volume: 20 l
- Loading up to 25 kg
- Can accommodate up to:
- -12 plates
- -64 espresso cups
- Handleless push-pull opening mechanism

Technical information


- Total connected load electric: 0.82 KW
- Nominal voltage: 220 - 240 V

Performance/technical information

- Appliance dimension (hxwx): 140 mm x 594 mm x 518 mm
- Niche dimension (hxwx): 140 mm x 560 mm - 568 mm x 550 mm
- In case of installation under the worktop, installation accessory spare part no. 9001698838 is needed.
- Please refer to the dimensions provided in the installation manual
- Multifunctional warming drawer with the heating functions: low temperature cooking, plate warming, plate warming, cup warming
- Temperature control in 4 levels: ca. 30°C - 80°C (glass surface temperature)
- Touch key operation

IQ700, Warming drawer, 60 x 14 cm, Black
BI710C1B1B

Measurements in mm



A: 7.5 mm

Compact ovens with appliance height of 455 mm can be installed above the warming drawer without an intermediate floor

Measurements in mm

