

**IQ700, Warming drawer, 60 x 29
cm, Black
BI710D1B1B**



Optional accessories

HZ32WA00 Wireless food thermometer

The intelligent touchControl multifunctional warming drawer with Home Connect for control at any time from anywhere.

- ✓ push&pull – No-handle drawer that’s easy to open and close.
- ✓ The heated sheet admits a regulation in four temperature levels from 30°-80°C glass surface temperature

Features

Technical Data

Built-in / Free-standing: Built-in
Capacity (in number of plates): 40
Maximum number of espresso cups: 192
Dimensions: 290 x 594 x 518 mm
Dimensions of the packed product (HxWxD): ... 400 x 650 x 700 mm
Min. required niche size for installation (HxWxD): .. 290 x 560 x 550 mm
EAN code: 4242003900376
Fuse protection: 10 A
Nominal power: 220-240 V
Frequency: 50; 60 Hz
Plug type: GB plug



IQ700, Warming drawer, 60 x 29 cm, Black **BI710D1B1B**

Features

Design

Programmes/functions

- Touch Control illuminated
- User-friendly electronics: extremely
- easy and comfortable operation
- Easy to clean toughened glass heating plate
- Cavity volume: 54 l
- Loading up to 25 kg
- Can accommodate up to:
- -40plates
- -192 espresso cups
- Handleless push-pull opening mechanism

Technical information

- Total connected load electric: 0.82 KW
- Nominal voltage: 220 - 240 V


Performance/technical information

- Appliance dimension (hxwxd): 290 mm x 594 mm x 518 mm
- Niche dimension (hxwxd): 290 mm x 560 mm - 568 mm x 550 mm
- In case of installation under the worktop, installation accessory spare part no. 9001698838 is needed.
- Please refer to the dimensions provided in the installation manual
- Multifunctional warming drawer with the heating functions: low temperature cooking, plate warming, plate warming, cup warming
- Temperature control in 4 levels: ca. 30°C - 80°C (glass surface temperature)
- Touch key operation

IQ700, Warming drawer, 60 x 29 cm, Black
BI710D1B1B


Dimensioned drawings

Measurements in mm



A: 287.5 mm
 Ovens with appliance height of 595 mm can be installed above the warming drawer without an intermediate floor

Measurements in mm



A: 287.5 mm