

IQ700, Built-in compact oven with microwave function, 60 x 45 cm, Stainless steel CM678G4S6B



Included accessories
2 x combination grid, 1 x universal pan
Optional accessories
HZ327000 Baking stone, HZ531010 Baking tray, non-stick ceramic coated, HZ532010 Universal pan, non-stick ceramic coated, HZ617000 Pizza pan, enamelled, HZ625071 Grill tray, enamelled, HZ631070 Baking tray, enamelled, HZ632070 Multipurpose pan, enamelled, HZ634080 Baking and roasting grid (microwave), HZ636000 Glass pan, HZ664000 Baking and roasting grid (steam), HZ66X600 Decor list, HZ66X650 Cover Strip, HZ915003 Glass roasting dish, 5,4 L

Shorten your cooking time thanks to varioSpeed, fast preheat and activeClean. And remote your oven from anywhere with Home Connect.

- ✓ varioSpeed – Prepare excellent dishes up to 50% faster.
- ✓ activeClean® – The automatic, self-cleaning oven system.
- ✓ Home Connect – Experience the intelligent kitchen via app.
- ✓ TFT touchdisplay Plus – Touch navigation for simple and intuitive operation.
- ✓ roastingSensor Plus – Three-point thermometer for excellent roasts every time.

Features

Technical Data
Additional functions: Microwave combination oven
Type of control: Electronic
Dimensions: 455 x 594 x 548 mm
Cavity dimensions: 237.0 x 480 x 392.0 mm
Length electrical supply cord: 150.0 cm
Weight: 37.6 kg
Gross weight: 40.7 kg
EAN code: 4242003751893
Maximum micro-wave power: 900 W
Connection Rating: 3600 W
Fuse protection: 16 A
Nominal power: 220-240 V
Frequency: 60; 50 Hz
Plug type: no plug (electrical connection by electrician)
Included accessories: 2 x combination grid, 1 x universal pan



IQ700, Built-in compact oven with microwave function, 60 x 45 cm, Stainless steel CM678G4S6B

Features

Design

- 5.7" TFT touchDisplay Plus
- Drop down oven door, softClose, softOpen
- Cavity inner surface: enamel anthracite
- Stainless steel control dial
- Bar handle
- We recommend you to choose complementary products within IQ700, in order to assure an optimal design combination of your Built-In appliances.

Features

- Automatic temperature proposal
- Actual temperature display Heating-up indicator meat probe
- Intelligent microwave inverter technology: For optimised results maximum output power will be regulated to 600 W when used in longer operation for gentler cooking.
- Electronic door lock
- Control panel lock Automatic safety switch off Residual heat indicator Start button Door contact switch
- WLAN - Home connect enabled
- cookControl Plus
- bakingSensor
- roastingSensor Plus
- 3 shelf positions
- Electronic oven clock timer
- LED light, Light on/off when door opened/closed
- Integral cooling fan

Cleaning

- activeClean

Programmes/functions

- Compact oven with microwave with 15 PC heating methods: 4D hot air, hotairGentle, conventional, Conventional heat Gentle, hot air grilling, full width grill, half width grill, Pizza Setting, coolStart, bottom heat, intensive conventional heat, low temperature cooking, keep warm, dehydrate, plate warming
- Additional heating methods with microwave: Microwave, Combi microwave variable
- Max. Power: 900 W; 5 Microwave power settings (90 W, 180 W, 360 W, 600 W, 900 W)
- Fast pre-heat

Accessories

- 1 level telescopic shelf, pyrolitic proof
- 2 x combination grid, 1 x universal pan



Performance/technical information

- Cavity volume: 45 litres
- 150 cm Cable Cable length
- Total connected load electric: 3.6 KW
- Nominal voltage: 220 - 240 V


- Temperature range 30 °C - 275 °C
- Appliance dimension (h x w x d): 455 mm x 594 mm x 548 mm
- Niche dimension (h x w x d): 450 mm - 455 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

IQ700, Built-in compact oven with
microwave function, 60 x 45 cm,
Stainless steel
CM678G4S6B

Dimensioned drawings



Installation with a hob.



If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm

Dimensioned drawings

