

**Series 8, Built-in compact oven with microwave function, 60 x 45 cm, Stainless steel CMG656BS1**



- **Microwave function:** for quick warming up or for fast cooking in combination with hotair.
- **4D Hotair:** even heat distribution for perfect results.
- **Assist:** sets the optimal type of heat, temperature and time automatically for a wide range of dishes.
- **TFT touchdisplay:** clearly shows text and images, for easy and intuitive oven control.
- **EcoClean Direct:** easy cleaning thanks to a coating that breaks down grease while you bake.

**Technical Data**

Additional function: ..... Microwave combination  
 Type of control: ..... Electronic  
 Dimensions: ..... 455 x 594 x 548 mm  
 Cavity dimensions: ..... 237.0 x 480 x 392.0 mm  
 Length electrical supply cord: ..... 150.0 cm  
 Net weight: ..... 35.3 kg  
 Gross weight: ..... 37.6 kg  
 EAN code: ..... 4242002807454  
 Max. microwave power level: ..... 900 W  
 Connection rating: ..... 3600 W  
 Fuse protection: ..... 16 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 60; 50 Hz  
 Plug type: ..... Gady plug w/ earthing  
 Included accessories: ..... 1 x combination grid, 1 x universal pan

**Included accessories**


1 x combination grid, 1 x universal pan

**Optional accessories**


HEZ915003 Glass roasting dish, 5,4 L, HEZG0AS00 Connecting cable 3m, HEZ327000 Pizza stone, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ617000 Pizza pan, enamelled, HEZ625071 Grill tray, anthracite, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ634080 Baking and roasting grid (microwave), HEZ636000 Glass pan, HEZ660050 Cover Strip, HEZ660060 Strip, HEZ664000 Baking and roasting grid (steam)



**Series 8, Built-in compact oven with  
microwave function, 60 x 45 cm,  
Stainless steel  
CMG656BS1**




measurements in mm



measurements in mm

Installation with a hob.



measurements in mm

If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm

